

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in EAST, by sex and race/ethnicity, 2008**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	66	64	a	16	53	a	82	62	a
Black, not Hispanic	24	23	a	11	37	a	35	26	a
Hispanic	10	10	a	2	7	a	12	9	a
Asian/Pacific Islander	2	2	a	1	3	a	3	2	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	1	1	a	0	0	a	1	1	a
Total	103	100	a	30	100	a	133	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in EAST, by sex and age at diagnosis, 2008**

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	8	8	5	17	13	10
25-34	30	29	11	37	41	31
35-44	31	30	7	23	38	29
45-54	25	24	6	20	31	23
55-64	7	7	1	3	8	6
>=65	2	2	0	0	2	2
Total	103	100	30	100	133	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in EAST, by sex and exposure category, 2008**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	61	59	a	a	61	46
Injection drug use (IDU)	5	5	4	13	9	7
Male-to-male sex and IDU	2	2	a	a	2	2
Heterosexual contact	5	5	13	43	18	14
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	30	29	13	43	43	32
Total	103	100	30	100	133	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in EAST, by race/ethnicity and exposure category, 2008**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	46	56	9	26	5	42	0	0	0	0	1	100	61	46
Injection drug use (IDU)	7	9	2	6	0	0	0	0	0	0	0	0	9	7
Male-to-male sex and IDU	2	2	0	0	0	0	0	0	0	0	0	0	2	2
Heterosexual contact	7	9	7	20	3	25	1	33	0	0	0	0	18	14
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	20	24	17	49	4	33	2	67	0	0	0	0	43	32
Total	82	100	35	100	12	100	3	100	0	0	1	100	133	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in EAST, by sex and tuberculosis comorbidity, 2008**

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	103	100	29	97	132	99
Definitive case	0	0	1	3	1	1
Presumptive case	0	0	0	0	0	0
Total	103	100	30	100	133	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

## Epi Profile

## Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in EAST, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	14	82	a	3	75	a	17	81	a
Black, not Hispanic	3	18	a	1	25	a	4	19	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	17	100	a	4	100	a	21	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in EAST, by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	92	98	76	75	103	1,965
Females	35	27	19	16	30	422
Total	127	125	95	91	133	2,387

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in EAST, by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	91	91	61	74	82	1,839
Black, not Hispanic	30	24	26	14	35	463
Hispanic	6	9	6	3	12	63
Asian/Pacific Islander	0	1	2	0	3	7
American Indian/Alaska Native	0	0	0	0	0	2
Unknown/Multiple Race	0	0	0	0	1	13
Total	127	125	95	91	133	2,387

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV/AIDS cases among persons in EAST, by year of diagnosis and race/ethnicity:sex**

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	68	72	55	67	66	1,565
White, not Hispanic: Female	23	19	6	7	16	274
Black, not Hispanic: Male	18	18	17	7	24	337
Black, not Hispanic: Female	12	6	9	7	11	126
Hispanic: Male	6	7	2	1	10	48
Hispanic: Female	0	2	4	2	2	15
Asian/Pacific Islander: Male	0	1	2	0	2	6
Asian/Pacific Islander: Female	0	0	0	0	1	1
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	1
Unknown/Multiple Race: Male	0	0	0	0	1	8
Unknown/Multiple Race: Female	0	0	0	0	0	5
<b>Total</b>	<b>127</b>	<b>125</b>	<b>95</b>	<b>91</b>	<b>133</b>	<b>2,387</b>

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV/AIDS cases among persons in EAST, by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	1	0	0	0	0	17
13-14	0	0	0	0	0	0
15-24	15	16	11	9	13	310
25-34	34	26	24	29	41	871
35-44	48	46	34	30	38	784
45-54	22	22	23	19	31	300
55-64	7	13	3	3	8	91
>=65	0	2	0	1	2	14
Total	127	125	95	91	133	2,387

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in EAST, by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	50	66	56	55	61	1,332
Injection drug use (IDU)	19	7	3	8	9	296
Male-to-male sex and IDU	5	4	1	1	2	100
Heterosexual contact	17	16	9	7	18	323
Mother with/at risk for HIV	1	0	1	0	0	16
Other/unknown	35	32	25	20	43	320
Total	127	125	95	91	133	2,387

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**HIV (not AIDS) cases among persons in EAST, by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	65	68	51	56	77	1,209
Females	31	18	17	15	28	295
Total	96	86	68	71	105	1,504

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV (not AIDS) cases among persons in EAST, by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	70	60	41	56	67	1,148
Black, not Hispanic	21	19	21	12	27	298
Hispanic	5	6	5	3	9	45
Asian/Pacific Islander	0	1	1	0	2	5
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	0	0	0	7
Total	96	86	68	71	105	1,504

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV (not AIDS) cases among persons in EAST, by year of diagnosis and race/ethnicity:sex**

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	50	47	36	50	51	966
White, not Hispanic: Female	20	13	5	6	16	182
Black, not Hispanic: Male	10	16	13	5	18	202
Black, not Hispanic: Female	11	3	8	7	9	96
Hispanic: Male	5	4	1	1	7	32
Hispanic: Female	0	2	4	2	2	13
Asian/Pacific Islander: Male	0	1	1	0	1	4
Asian/Pacific Islander: Female	0	0	0	0	1	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	1
Unknown/Multiple Race: Male	0	0	0	0	0	5
Unknown/Multiple Race: Female	0	0	0	0	0	2
Total	96	86	68	71	105	1,504

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV (not AIDS) cases among persons in EAST, by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	1	0	0	0	0	17
13-14	0	0	0	0	0	0
15-24	13	12	10	8	11	207
25-34	23	18	19	25	33	529
35-44	36	31	21	21	30	498
45-54	18	12	16	15	23	182
55-64	5	11	2	1	6	59
>=65	0	2	0	1	2	12
Total	96	86	68	71	105	1,504

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV (not AIDS) cases among persons in EAST, by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	39	47	37	41	42	813
Injection drug use (IDU)	12	6	3	6	8	179
Male-to-male sex and IDU	4	3	0	1	2	59
Heterosexual contact	14	9	5	6	15	205
Mother with/at risk for HIV	1	0	1	0	0	16
Other/unknown	26	21	22	17	38	232
Total	96	86	68	71	105	1,504

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**AIDS cases among persons in EAST, by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	36	42	36	39	44	756
Females	5	11	6	9	9	127
Total	41	53	42	48	53	883

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in EAST, by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	31	39	31	38	33	691
Black, not Hispanic	9	11	9	9	12	165
Hispanic	1	3	1	1	4	18
Asian/Pacific Islander	0	0	0	0	2	2
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	1	0	2	6
Total	41	53	42	48	53	883

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in EAST, by year of diagnosis and race/ethnicity:sex**

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	27	32	29	32	26	599
White, not Hispanic: Female	4	7	2	6	7	92
Black, not Hispanic: Male	8	8	6	6	10	135
Black, not Hispanic: Female	1	3	3	3	2	30
Hispanic: Male	1	2	1	1	4	16
Hispanic: Female	0	1	0	0	0	2
Asian/Pacific Islander: Male	0	0	0	0	2	2
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	2	3
Unknown/Multiple Race: Female	0	0	1	0	0	3
Total	41	53	42	48	53	883

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in EAST, by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	1	5	0	3	2	41
25-34	15	14	9	8	17	307
35-44	17	22	22	14	13	328
45-54	6	10	10	19	17	164
55-64	2	2	1	4	4	39
>=65	0	0	0	0	0	4
Total	41	53	42	48	53	883

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in EAST, by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	20	23	23	30	26	519
Injection drug use (IDU)	7	6	9	3	5	117
Male-to-male sex and IDU	3	2	1	0	1	41
Heterosexual contact	9	8	5	10	9	118
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	2	14	4	5	12	88
Total	41	53	42	48	53	883

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in EAST, by year and sex**

	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	1,174	1,241	1,299	1,352	1,438
Females	258	277	289	301	327
Total	1,432	1,518	1,588	1,653	1,765

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in EAST, by year and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic	1,126	1,186	1,230	1,286	1,351
Black, not Hispanic	269	288	306	313	344
Hispanic	26	33	39	41	53
Asian/Pacific Islander	1	1	3	3	6
American Indian/Alaska Native	1	1	1	1	1
Unknown/Multiple Race	9	9	9	9	10
Total	1,432	1,518	1,588	1,653	1,765

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in EAST, by year and race/ethnicity:sex**

Race/ethnicity:Sex	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic: Male	953	1,001	1,043	1,094	1,146
White, not Hispanic: Female	173	185	187	192	205
Black, not Hispanic: Male	191	205	217	219	240
Black, not Hispanic: Female	78	83	89	94	104
Hispanic: Male	22	27	29	29	39
Hispanic: Female	4	6	10	12	14
Asian/Pacific Islander: Male	1	1	3	3	5
Asian/Pacific Islander: Female	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	1	1	1	1	1
Unknown/Multiple Race: Male	7	7	7	7	8
Unknown/Multiple Race: Female	2	2	2	2	2
<b>Total</b>	<b>1,432</b>	<b>1,518</b>	<b>1,588</b>	<b>1,653</b>	<b>1,765</b>

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in EAST, by year and current age**

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	3	3	3	3	3
13-14	4	4	4	4	4
15-24	12	18	26	33	45
25-34	154	176	198	222	259
35-44	550	579	603	627	661
45-54	494	512	523	528	554
55-64	171	181	186	191	194
>=65	44	45	45	45	45
Total	1,432	1,518	1,588	1,653	1,765

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in EAST, by year and exposure category**

Exposure category	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
Male-to-male sex	817	867	909	952	1,004
Injection drug use (IDU)	190	187	183	187	194
Male-to-male sex and IDU	51	53	54	54	55
Heterosexual contact	214	225	230	232	247
Mother with/at risk for HIV	12	12	13	13	13
Other/unknown	148	174	199	215	252
<b>Total</b>	<b>1,432</b>	<b>1,518</b>	<b>1,588</b>	<b>1,653</b>	<b>1,765</b>

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in EAST, by year of death and sex**

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	25	31	18	22	17	527
Females	5	8	7	4	4	95
Total	30	39	25	26	21	622

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in EAST, by year of death and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	25	31	17	18	17	488
Black, not Hispanic	3	5	8	7	4	119
Hispanic	2	2	0	1	0	10
Asian/Pacific Islander	0	1	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	0	0	0	3
Total	30	39	25	26	21	622

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in EAST, by year of death and race/ethnicity:sex**

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	20	24	13	16	14	419
White, not Hispanic: Female	5	7	4	2	3	69
Black, not Hispanic: Male	3	4	5	5	3	97
Black, not Hispanic: Female	0	1	3	2	1	22
Hispanic: Male	2	2	0	1	0	9
Hispanic: Female	0	0	0	0	0	1
Asian/Pacific Islander: Male	0	1	0	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	3
Total	30	39	25	26	21	622

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in EAST, by year of death and age at death**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	3
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	9
25-34	3	7	0	2	3	134
35-44	14	13	11	9	4	254
45-54	10	11	10	13	7	158
55-64	2	6	4	1	5	52
>=65	1	2	0	1	2	12
Total	30	39	25	26	21	622

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in EAST, by year of death and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	13	16	14	12	9	328
Injection drug use (IDU)	6	10	7	4	2	102
Male-to-male sex and IDU	1	2	0	1	1	45
Heterosexual contact	5	5	4	5	3	76
Mother with/at risk for HIV	0	0	0	0	0	3
Other/unknown	5	6	0	4	6	68
Total	30	39	25	26	21	622

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.