

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in MIDDLE, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	125	46	a	26	31	a	151	43	a
Black, not Hispanic	124	46	a	55	66	a	179	51	a
Hispanic	20	7	a	2	2	a	22	6	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	269	100	a	83	100	a	352	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MIDDLE, by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	1	0	1	1	2	1
13-14	1	0	1	1	2	1
15-24	55	20	6	7	61	17
25-34	75	28	25	30	100	28
35-44	73	27	35	42	108	31
45-54	51	19	9	11	60	17
55-64	11	4	6	7	17	5
>=65	2	1	0	0	2	1
Total	269	100	83	100	352	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MIDDLE, by sex and exposure category, 2008

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	180	67	a	a	180	51
Injection drug use (IDU)	2	1	11	13	13	4
Male-to-male sex and IDU	4	1	a	a	4	1
Heterosexual contact	13	5	42	51	55	16
Mother with/at risk for HIV	1	0	1	1	2	1
Other/unknown	69	26	29	35	98	28
Total	269	100	83	100	352	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MIDDLE, by race/ethnicity and exposure category, 2008

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	90	60	77	43	13	59	0	0	0	0	0	0	180	51
Injection drug use (IDU)	9	6	4	2	0	0	0	0	0	0	0	0	13	4
Male-to-male sex and IDU	3	2	1	1	0	0	0	0	0	0	0	0	4	1
Heterosexual contact	12	8	39	22	4	18	0	0	0	0	0	0	55	16
Mother with/at risk for HIV	0	0	2	1	0	0	0	0	0	0	0	0	2	1
Other/unknown	37	25	56	31	5	23	0	0	0	0	0	0	98	28
Total	151	100	179	100	22	100	0	0	0	0	0	0	352	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MIDDLE, by sex and tuberculosis comorbidity, 2008

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	266	99	83	100	349	99
Definitive case	3	1	0	0	3	1
Presumptive case	0	0	0	0	0	0
Total	269	100	83	100	352	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in MIDDLE, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	17	41	a	5	33	a	22	39	a
Black, not Hispanic	21	51	a	10	67	a	31	55	a
Hispanic	3	7	a	0	0	a	3	5	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	41	100	a	15	100	a	56	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MIDDLE, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	248	234	243	280	269	5,503
Females	54	63	91	68	83	1,494
Total	302	297	334	348	352	6,997

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in MIDDLE, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	144	150	153	154	151	3,436
Black, not Hispanic	130	126	154	166	179	3,264
Hispanic	25	19	25	26	22	238
Asian/Pacific Islander	0	2	2	1	0	10
American Indian/Alaska Native	0	0	0	1	0	7
Unknown/Multiple Race	3	0	0	0	0	42
Total	302	297	334	348	352	6,997

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in MIDDLE, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	125	131	127	135	125	2,911
White, not Hispanic: Female	19	19	26	19	26	525
Black, not Hispanic: Male	101	88	93	121	124	2,361
Black, not Hispanic: Female	29	38	61	45	55	903
Hispanic: Male	20	13	21	23	20	188
Hispanic: Female	5	6	4	3	2	50
Asian/Pacific Islander: Male	0	2	2	1	0	9
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	6
American Indian/Alaska Native: Female	0	0	0	1	0	1
Unknown/Multiple Race: Male	2	0	0	0	0	28
Unknown/Multiple Race: Female	1	0	0	0	0	14
Total	302	297	334	348	352	6,997

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in MIDDLE, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	1	3	2	1	2	36
13-14	0	0	0	1	2	9
15-24	36	36	33	42	61	874
25-34	82	86	85	99	100	2,586
35-44	111	101	127	102	108	2,315
45-54	58	48	71	74	60	892
55-64	10	21	12	26	17	230
>=65	4	2	4	3	2	55
Total	302	297	334	348	352	6,997

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in MIDDLE, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	155	156	143	179	180	3,389
Injection drug use (IDU)	27	16	29	24	13	1,235
Male-to-male sex and IDU	8	3	5	8	4	327
Heterosexual contact	72	70	75	72	55	1,295
Mother with/at risk for HIV	1	3	2	1	2	31
Other/unknown	39	49	80	64	98	720
Total	302	297	334	348	352	6,997

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in MIDDLE, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	169	166	192	212	211	3,613
Females	33	46	62	48	61	972
Total	202	212	254	260	272	4,585

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in MIDDLE, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	99	110	124	115	115	2,266
Black, not Hispanic	85	91	107	124	141	2,122
Hispanic	15	11	21	21	16	163
Asian/Pacific Islander	0	0	2	0	0	7
American Indian/Alaska Native	0	0	0	0	0	3
Unknown/Multiple Race	3	0	0	0	0	24
Total	202	212	254	260	272	4,585

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in MIDDLE, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	88	96	105	101	96	1,914
White, not Hispanic: Female	11	14	19	14	19	352
Black, not Hispanic: Male	68	62	67	93	101	1,543
Black, not Hispanic: Female	17	29	40	31	40	579
Hispanic: Male	11	8	18	18	14	130
Hispanic: Female	4	3	3	3	2	33
Asian/Pacific Islander: Male	0	0	2	0	0	6
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	2	0	0	0	0	17
Unknown/Multiple Race: Female	1	0	0	0	0	7
Total	202	212	254	260	272	4,585

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in MIDDLE, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	1	3	2	1	2	33
13-14	0	0	0	1	1	7
15-24	27	30	25	35	54	608
25-34	59	63	66	77	84	1,701
35-44	70	70	95	74	78	1,473
45-54	37	30	56	59	40	587
55-64	6	14	8	11	11	138
>=65	2	2	2	2	2	38
Total	202	212	254	260	272	4,585

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in MIDDLE, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	108	112	116	136	145	2,203
Injection drug use (IDU)	17	13	22	17	6	796
Male-to-male sex and IDU	5	2	5	6	4	201
Heterosexual contact	43	51	49	49	39	827
Mother with/at risk for HIV	1	3	2	1	2	31
Other/unknown	28	31	60	51	76	527
Total	202	212	254	260	272	4,585

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in MIDDLE, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	129	106	90	120	113	1,890
Females	45	37	38	55	47	522
Total	174	143	128	175	160	2,412

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in MIDDLE, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	74	61	49	69	68	1,170
Black, not Hispanic	88	72	73	93	80	1,142
Hispanic	12	8	5	10	10	75
Asian/Pacific Islander	0	2	0	0	1	3
American Indian/Alaska Native	0	0	0	1	0	4
Unknown/Multiple Race	0	0	1	2	1	18
Total	174	143	128	175	160	2,412

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in MIDDLE, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	61	50	42	53	54	997
White, not Hispanic: Female	13	11	7	16	14	173
Black, not Hispanic: Male	59	48	43	59	50	818
Black, not Hispanic: Female	29	24	30	34	30	324
Hispanic: Male	9	6	4	6	8	58
Hispanic: Female	3	2	1	4	2	17
Asian/Pacific Islander: Male	0	2	0	0	1	3
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	1	0	1
Unknown/Multiple Race: Male	0	0	1	2	0	11
Unknown/Multiple Race: Female	0	0	0	0	1	7
Total	174	143	128	175	160	2,412

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in MIDDLE, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	1	2
15-24	10	5	4	12	11	109
25-34	39	37	30	43	31	749
35-44	75	58	52	60	63	966
45-54	33	38	27	35	37	440
55-64	12	5	12	23	15	119
>=65	5	0	3	2	2	27
Total	174	143	128	175	160	2,412

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in MIDDLE, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	71	71	50	73	69	1,186
Injection drug use (IDU)	35	15	19	19	18	439
Male-to-male sex and IDU	11	3	2	7	0	126
Heterosexual contact	43	42	33	55	39	468
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	14	12	24	21	34	193
Total	174	143	128	175	160	2,412

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in MIDDLE, by year and sex

	2004	2005	2006	2007	2008
Sex	No.	No.	No.	No.	No.
Males	3,332	3,476	3,656	3,880	4,108
Females	947	982	1,054	1,104	1,172
Total	4,279	4,458	4,710	4,984	5,280

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in MIDDLE, by year and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic	2,164	2,271	2,390	2,516	2,645
Black, not Hispanic	1,941	1,997	2,109	2,231	2,379
Hispanic	129	145	167	192	211
Asian/Pacific Islander	5	7	9	10	10
American Indian/Alaska Native	5	5	5	5	5
Unknown/Multiple Race	35	33	30	30	30
Total	4,279	4,458	4,710	4,984	5,280

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in MIDDLE, by year and race/ethnicity:sex

	2004	2005	2006	2007	2008
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	1,820	1,917	2,017	2,130	2,238
White, not Hispanic: Female	344	354	373	386	407
Black, not Hispanic: Male	1,381	1,418	1,478	1,567	1,670
Black, not Hispanic: Female	560	579	631	664	709
Hispanic: Male	97	107	127	149	166
Hispanic: Female	32	38	40	43	45
Asian/Pacific Islander: Male	4	6	8	9	9
Asian/Pacific Islander: Female	1	1	1	1	1
American Indian/Alaska Native: Male	5	5	5	4	4
American Indian/Alaska Native: Female	0	0	0	1	1
Unknown/Multiple Race: Male	25	23	21	21	21
Unknown/Multiple Race: Female	10	10	9	9	9
Total	4,279	4,458	4,710	4,984	5,280

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in MIDDLE, by year and current age

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	6	9	10	11	13
13-14	3	3	4	4	6
15-24	38	55	68	100	153
25-34	457	513	596	691	795
35-44	1,495	1,584	1,666	1,742	1,825
45-54	1,597	1,614	1,686	1,740	1,784
55-64	554	554	553	567	576
>=65	129	126	127	129	128
Total	4,279	4,458	4,710	4,984	5,280

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in MIDDLE, by year and exposure category

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	2,138	2,252	2,368	2,520	2,687
Injection drug use (IDU)	743	734	734	737	732
Male-to-male sex and IDU	211	199	200	204	204
Heterosexual contact	837	879	939	996	1,039
Mother with/at risk for HIV	19	22	24	25	27
Other/unknown	331	372	445	502	591
Total	4,279	4,458	4,710	4,984	5,280

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MIDDLE, by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	109	90	63	56	41	1,395
Females	35	28	19	18	15	322
Total	144	118	82	74	56	1,717

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MIDDLE, by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	54	43	34	28	22	791
Black, not Hispanic	82	70	42	44	31	885
Hispanic	5	3	3	1	3	27
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	1	0	2
Unknown/Multiple Race	3	2	3	0	0	12
Total	144	118	82	74	56	1,717

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MIDDLE, by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	44	34	27	22	17	673
White, not Hispanic: Female	10	9	7	6	5	118
Black, not Hispanic: Male	60	51	33	32	21	691
Black, not Hispanic: Female	22	19	9	12	10	194
Hispanic: Male	3	3	1	1	3	22
Hispanic: Female	2	0	2	0	0	5
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	1	0	2
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	2	2	2	0	0	7
Unknown/Multiple Race: Female	1	0	1	0	0	5
Total	144	118	82	74	56	1,717

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MIDDLE, by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	3
13-14	0	0	0	0	0	1
15-24	0	0	1	1	1	17
25-34	14	13	8	5	3	390
35-44	50	38	27	25	24	672
45-54	53	35	27	29	17	430
55-64	20	26	14	11	7	152
>=65	7	6	5	3	4	52
Total	144	118	82	74	56	1,717

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in MIDDLE, by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	56	42	27	27	13	702
Injection drug use (IDU)	44	25	29	21	18	503
Male-to-male sex and IDU	8	15	4	4	4	123
Heterosexual contact	28	28	15	15	12	256
Mother with/at risk for HIV	0	0	0	0	0	4
Other/unknown	8	8	7	7	9	129
Total	144	118	82	74	56	1,717

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.