

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in SOUTHEAST, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	36	59	a	8	36	a	44	53	a
Black, not Hispanic	22	36	a	13	59	a	35	42	a
Hispanic	2	3	a	1	5	a	3	4	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	1	2	a	0	0	a	1	1	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	61	100	a	22	100	a	83	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SOUTHEAST, by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	14	23	5	23	19	23
25-34	17	28	10	45	27	33
35-44	17	28	2	9	19	23
45-54	10	16	4	18	14	17
55-64	2	3	1	5	3	4
>=65	1	2	0	0	1	1
Total	61	100	22	100	83	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SOUTHEAST, by sex and exposure category, 2008

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	37	61	a	a	37	45
Injection drug use (IDU)	3	5	2	9	5	6
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	1	2	3	14	4	5
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	20	33	17	77	37	45
Total	61	100	22	100	83	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SOUTHEAST, by race/ethnicity and exposure category, 2008

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	26	59	11	31	0	0	0	0	0	0	0	0	37	45
Injection drug use (IDU)	4	9	1	3	0	0	0	0	0	0	0	0	5	6
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	1	2	3	9	0	0	0	0	0	0	0	0	4	5
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	13	30	20	57	3	100	0	0	1	100	0	0	37	45
Total	44	100	35	100	3	100	0	0	1	100	0	0	83	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SOUTHEAST, by sex and tuberculosis comorbidity, 2008

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	61	100	22	100	83	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	61	100	22	100	83	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in SOUTHEAST, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	8	57	a	1	25	a	9	50	a
Black, not Hispanic	5	36	a	2	50	a	7	39	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	1	7	a	1	25	a	2	11	a
Total	14	100	a	4	100	a	18	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SOUTHEAST, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	53	52	51	39	61	1,207
Females	23	19	23	15	22	375
Total	76	71	74	54	83	1,582

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in SOUTHEAST, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	42	39	24	27	44	867
Black, not Hispanic	30	31	47	21	35	657
Hispanic	3	1	1	5	3	43
Asian/Pacific Islander	0	0	2	1	0	5
American Indian/Alaska Native	0	0	0	0	1	1
Unknown/Multiple Race	1	0	0	0	0	9
Total	76	71	74	54	83	1,582

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in SOUTHEAST, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	33	30	18	21	36	723
White, not Hispanic: Female	9	9	6	6	8	144
Black, not Hispanic: Male	20	21	30	12	22	440
Black, not Hispanic: Female	10	10	17	9	13	217
Hispanic: Male	0	1	1	5	2	34
Hispanic: Female	3	0	0	0	1	9
Asian/Pacific Islander: Male	0	0	2	1	0	4
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	1	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	5
Unknown/Multiple Race: Female	1	0	0	0	0	4
Total	76	71	74	54	83	1,582

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in SOUTHEAST, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	8
13-14	0	0	0	0	0	0
15-24	12	10	16	14	19	244
25-34	23	15	12	14	27	581
35-44	24	21	26	15	19	464
45-54	10	18	13	10	14	205
55-64	7	4	5	1	3	65
>=65	0	3	2	0	1	15
Total	76	71	74	54	83	1,582

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in SOUTHEAST, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	33	25	31	28	37	808
Injection drug use (IDU)	4	0	3	1	5	197
Male-to-male sex and IDU	4	0	1	0	0	57
Heterosexual contact	7	5	7	4	4	271
Mother with/at risk for HIV	0	0	0	0	0	6
Other/unknown	28	41	32	21	37	243
Total	76	71	74	54	83	1,582

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in SOUTHEAST, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	37	33	35	27	46	682
Females	10	13	15	13	17	221
Total	47	46	50	40	63	903

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in SOUTHEAST, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	26	25	16	20	34	496
Black, not Hispanic	20	20	33	17	27	377
Hispanic	1	1	0	3	2	24
Asian/Pacific Islander	0	0	1	0	0	3
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	3
Total	47	46	50	40	63	903

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in SOUTHEAST, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	24	19	11	16	28	410
White, not Hispanic: Female	2	6	5	4	6	86
Black, not Hispanic: Male	13	13	23	8	17	249
Black, not Hispanic: Female	7	7	10	9	10	128
Hispanic: Male	0	1	0	3	1	19
Hispanic: Female	1	0	0	0	1	5
Asian/Pacific Islander: Male	0	0	1	0	0	2
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	2
Unknown/Multiple Race: Female	0	0	0	0	0	1
Total	47	46	50	40	63	903

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in SOUTHEAST, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	6
13-14	0	0	0	0	0	0
15-24	8	6	14	13	19	150
25-34	18	10	9	9	19	328
35-44	11	16	17	10	14	265
45-54	6	10	7	8	9	117
55-64	4	2	2	0	1	29
>=65	0	2	1	0	1	8
Total	47	46	50	40	63	903

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in SOUTHEAST, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	21	17	20	20	28	450
Injection drug use (IDU)	3	0	1	1	2	100
Male-to-male sex and IDU	3	0	0	0	0	31
Heterosexual contact	2	3	5	4	3	148
Mother with/at risk for HIV	0	0	0	0	0	6
Other/unknown	18	26	24	15	30	168
Total	47	46	50	40	63	903

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in SOUTHEAST, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	18	36	21	22	27	525
Females	11	11	14	5	14	154
Total	29	47	35	27	41	679

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in SOUTHEAST, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	17	28	13	12	18	371
Black, not Hispanic	11	16	18	12	21	280
Hispanic	0	1	3	2	1	19
Asian/Pacific Islander	0	0	1	1	0	2
American Indian/Alaska Native	0	0	0	0	1	1
Unknown/Multiple Race	1	2	0	0	0	6
Total	29	47	35	27	41	679

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in SOUTHEAST, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	12	23	10	8	14	313
White, not Hispanic: Female	5	5	3	4	4	58
Black, not Hispanic: Male	6	11	9	11	11	191
Black, not Hispanic: Female	5	5	9	1	10	89
Hispanic: Male	0	1	1	2	1	15
Hispanic: Female	0	0	2	0	0	4
Asian/Pacific Islander: Male	0	0	1	1	0	2
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	1	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	1	0	0	0	3
Unknown/Multiple Race: Female	1	1	0	0	0	3
Total	29	47	35	27	41	679

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in SOUTHEAST, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	2	4	1	1	2	36
25-34	6	9	8	12	12	249
35-44	14	18	12	7	11	222
45-54	5	10	9	5	12	121
55-64	2	5	4	1	4	43
>=65	0	1	1	1	0	8
Total	29	47	35	27	41	679

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in SOUTHEAST, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	13	21	13	13	16	358
Injection drug use (IDU)	2	4	2	2	7	97
Male-to-male sex and IDU	2	1	1	0	0	26
Heterosexual contact	5	8	7	2	7	123
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	7	13	12	10	11	75
Total	29	47	35	27	41	679

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in SOUTHEAST, by year and sex

	2004	2005	2006	2007	2008
Sex	No.	No.	No.	No.	No.
Males	726	757	790	821	868
Females	231	246	260	270	288
Total	957	1,003	1,050	1,091	1,156

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in SOUTHEAST, by year and race/ethnicity

	2004	2005	2006	2007	2008
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	560	581	593	616	651
Black, not Hispanic	359	384	417	429	457
Hispanic	29	29	30	35	38
Asian/Pacific Islander	2	2	4	5	5
American Indian/Alaska Native	0	0	0	0	1
Unknown/Multiple Race	7	7	6	6	4
Total	957	1,003	1,050	1,091	1,156

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in SOUTHEAST, by year and race/ethnicity:sex

	2004	2005	2006	2007	2008
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	468	481	490	509	537
White, not Hispanic: Female	92	100	103	107	114
Black, not Hispanic: Male	232	250	272	278	295
Black, not Hispanic: Female	127	134	145	151	162
Hispanic: Male	22	22	23	28	30
Hispanic: Female	7	7	7	7	8
Asian/Pacific Islander: Male	1	1	3	4	4
Asian/Pacific Islander: Female	1	1	1	1	1
American Indian/Alaska Native: Male	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	3	3	2	2	1
Unknown/Multiple Race: Female	4	4	4	4	3
Total	957	1,003	1,050	1,091	1,156

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in SOUTHEAST, by year and current age

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	1	1	1	1	1
13-14	0	0	0	0	0
15-24	7	10	19	29	48
25-34	103	114	128	140	165
35-44	373	390	408	421	430
45-54	316	330	336	341	352
55-64	128	126	126	127	128
>=65	29	32	32	32	32
Total	957	1,003	1,050	1,091	1,156

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in SOUTHEAST, by year and exposure category

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	507	522	543	565	596
Injection drug use (IDU)	123	117	115	112	115
Male-to-male sex and IDU	35	34	34	34	34
Heterosexual contact	189	191	196	198	199
Mother with/at risk for HIV	4	4	4	4	4
Other/unknown	99	135	158	178	208
Total	957	1,003	1,050	1,091	1,156

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SOUTHEAST, by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	23	21	18	8	14	339
Females	5	4	9	5	4	87
Total	28	25	27	13	18	426

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SOUTHEAST, by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	11	18	12	4	9	216
Black, not Hispanic	16	6	14	9	7	200
Hispanic	1	1	0	0	0	5
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	1	0	2	5
Total	28	25	27	13	18	426

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SOUTHEAST, by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	10	17	9	2	8	186
White, not Hispanic: Female	1	1	3	2	1	30
Black, not Hispanic: Male	13	3	8	6	5	145
Black, not Hispanic: Female	3	3	6	3	2	55
Hispanic: Male	0	1	0	0	0	4
Hispanic: Female	1	0	0	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	1	0	1	4
Unknown/Multiple Race: Female	0	0	0	0	1	1
Total	28	25	27	13	18	426

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SOUTHEAST, by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	5
25-34	5	5	1	3	2	113
35-44	12	6	10	5	10	155
45-54	7	9	9	5	4	99
55-64	4	5	6	0	1	40
>=65	0	0	1	0	1	12
Total	28	25	27	13	18	426

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SOUTHEAST, by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	14	10	10	6	6	212
Injection drug use (IDU)	5	6	5	4	2	82
Male-to-male sex and IDU	0	1	1	0	0	23
Heterosexual contact	6	3	2	2	3	72
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	3	5	9	1	7	35
Total	28	25	27	13	18	426

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.