

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in SOUTHWEST, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	30	10	a	6	4	a	36	8	a
Black, not Hispanic	268	86	a	127	92	a	395	88	a
Hispanic	12	4	a	5	4	a	17	4	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	310	100	a	138	100	a	448	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SOUTHWEST, by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	1	0	1	1	2	0
13-14	0	0	0	0	0	0
15-24	85	27	29	21	114	25
25-34	86	28	44	32	130	29
35-44	66	21	28	20	94	21
45-54	52	17	23	17	75	17
55-64	17	5	11	8	28	6
>=65	3	1	2	1	5	1
Total	310	100	138	100	448	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SOUTHWEST, by sex and exposure category, 2008

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	126	41	a	a	126	28
Injection drug use (IDU)	0	0	1	1	1	0
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	61	20	78	57	139	31
Mother with/at risk for HIV	1	0	1	1	2	0
Other/unknown	122	39	58	42	180	40
Total	310	100	138	100	448	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SOUTHWEST, by race/ethnicity and exposure category, 2008

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Male-to-male sex	12	33	112	28	2	12	0	0	0	0	0	0	0	126	28
Injection drug use (IDU)	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	5	14	125	32	9	53	0	0	0	0	0	0	0	139	31
Mother with/at risk for HIV	0	0	1	0	1	6	0	0	0	0	0	0	0	2	0
Other/unknown	19	53	156	39	5	29	0	0	0	0	0	0	0	180	40
Total	36	100	395	100	17	100	0	0	0	0	0	0	0	448	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in SOUTHWEST, by sex and tuberculosis comorbidity, 2008

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	309	100	138	100	447	100
Definitive case	1	0	0	0	1	0
Presumptive case	0	0	0	0	0	0
Total	310	100	138	100	448	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in SOUTHWEST, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	6	14	a	2	10	a	8	13	a
Black, not Hispanic	36	84	a	18	90	a	54	86	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	1	2	a	0	0	a	1	2	a
Total	43	100	a	20	100	a	63	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in SOUTHWEST, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	292	296	295	310	310	5,939
Females	147	152	147	160	138	2,489
Total	439	448	442	470	448	8,428

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in SOUTHWEST, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	47	49	39	38	36	1,335
Black, not Hispanic	379	387	392	428	395	6,941
Hispanic	9	9	8	2	17	98
Asian/Pacific Islander	1	1	1	0	0	4
American Indian/Alaska Native	0	1	0	0	0	5
Unknown/Multiple Race	3	1	2	2	0	45
Total	439	448	442	470	448	8,428

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in SOUTHWEST, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	40	35	31	33	30	1,153
White, not Hispanic: Female	7	14	8	5	6	182
Black, not Hispanic: Male	240	252	256	274	268	4,666
Black, not Hispanic: Female	139	135	136	154	127	2,275
Hispanic: Male	9	6	5	1	12	78
Hispanic: Female	0	3	3	1	5	20
Asian/Pacific Islander: Male	0	1	1	0	0	3
Asian/Pacific Islander: Female	1	0	0	0	0	1
American Indian/Alaska Native: Male	0	1	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	2
Unknown/Multiple Race: Male	3	1	2	2	0	36
Unknown/Multiple Race: Female	0	0	0	0	0	9
Total	439	448	442	470	448	8,428

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in SOUTHWEST, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	2	2	1	0	2	64
13-14	0	0	0	0	0	14
15-24	91	94	93	113	114	1,625
25-34	131	126	116	130	130	2,998
35-44	114	134	130	130	94	2,316
45-54	76	64	74	66	75	1,008
55-64	19	20	22	26	28	299
>=65	6	8	6	5	5	104
Total	439	448	442	470	448	8,428

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in SOUTHWEST, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	168	173	190	125	126	3,555
Injection drug use (IDU)	5	7	15	4	1	489
Male-to-male sex and IDU	1	3	3	0	0	243
Heterosexual contact	111	112	152	161	139	2,475
Mother with/at risk for HIV	2	2	1	0	2	58
Other/unknown	152	151	81	180	180	1,608
Total	439	448	442	470	448	8,428

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in SOUTHWEST, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	161	170	197	256	278	3,682
Females	84	106	105	132	123	1,575
Total	245	276	302	388	401	5,257

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in SOUTHWEST, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	28	26	25	31	32	822
Black, not Hispanic	211	241	269	355	354	4,339
Hispanic	4	6	7	1	15	70
Asian/Pacific Islander	0	1	0	0	0	2
American Indian/Alaska Native	0	1	0	0	0	4
Unknown/Multiple Race	2	1	1	1	0	20
Total	245	276	302	388	401	5,257

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in SOUTHWEST, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	22	15	20	26	26	698
White, not Hispanic: Female	6	11	5	5	6	124
Black, not Hispanic: Male	133	148	172	229	241	2,907
Black, not Hispanic: Female	78	93	97	126	113	1,432
Hispanic: Male	4	4	4	0	11	56
Hispanic: Female	0	2	3	1	4	14
Asian/Pacific Islander: Male	0	1	0	0	0	2
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	1	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	1
Unknown/Multiple Race: Male	2	1	1	1	0	16
Unknown/Multiple Race: Female	0	0	0	0	0	4
Total	245	276	302	388	401	5,257

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in SOUTHWEST, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	2	2	1	0	2	62
13-14	0	0	0	0	0	12
15-24	61	71	81	104	107	1,116
25-34	73	89	83	108	123	1,870
35-44	59	70	79	102	81	1,387
45-54	39	31	40	54	59	561
55-64	9	12	13	17	24	186
>=65	2	1	5	3	5	63
Total	245	276	302	388	401	5,257

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in SOUTHWEST, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	89	94	127	97	114	2,124
Injection drug use (IDU)	2	4	11	3	1	287
Male-to-male sex and IDU	0	1	2	0	0	154
Heterosexual contact	64	75	104	130	122	1,520
Mother with/at risk for HIV	2	2	1	0	2	58
Other/unknown	88	100	57	158	162	1,114
Total	245	276	302	388	401	5,257

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in SOUTHWEST, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	194	239	159	113	91	2,257
Females	69	93	102	81	39	914
Total	263	332	261	194	130	3,171

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in SOUTHWEST, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	24	45	23	17	11	513
Black, not Hispanic	232	283	234	174	115	2,602
Hispanic	3	4	2	1	3	28
Asian/Pacific Islander	0	0	1	0	1	2
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	4	0	1	2	0	25
Total	263	332	261	194	130	3,171

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in SOUTHWEST, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	21	38	19	11	10	455
White, not Hispanic: Female	3	7	4	6	1	58
Black, not Hispanic: Male	167	198	136	100	79	1,759
Black, not Hispanic: Female	65	85	98	74	36	843
Hispanic: Male	3	3	2	0	2	22
Hispanic: Female	0	1	0	1	1	6
Asian/Pacific Islander: Male	0	0	1	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	1	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	1
Unknown/Multiple Race: Male	3	0	1	2	0	20
Unknown/Multiple Race: Female	1	0	0	0	0	5
Total	263	332	261	194	130	3,171

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in SOUTHWEST, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	24	24	18	18	17	269
25-34	77	80	75	50	26	993
35-44	91	126	92	71	42	1,123
45-54	53	72	64	40	30	584
55-64	15	18	12	10	15	155
>=65	3	12	0	5	0	47
Total	263	332	261	194	130	3,171

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in SOUTHWEST, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	115	140	99	65	41	1,431
Injection drug use (IDU)	15	10	9	6	3	202
Male-to-male sex and IDU	5	7	2	0	2	89
Heterosexual contact	66	83	89	73	44	955
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	62	92	62	50	40	494
Total	263	332	261	194	130	3,171

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in SOUTHWEST, by year and sex

	2004	2005	2006	2007	2008
Sex	No.	No.	No.	No.	No.
Males	3,287	3,441	3,640	3,864	4,131
Females	1,467	1,566	1,666	1,793	1,911
Total	4,754	5,007	5,306	5,657	6,042

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in SOUTHWEST, by year and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic	827	853	877	904	932
Black, not Hispanic	3,842	4,063	4,329	4,650	4,991
Hispanic	50	56	64	65	82
Asian/Pacific Islander	2	3	4	4	4
American Indian/Alaska Native	2	2	2	2	2
Unknown/Multiple Race	31	30	30	32	31
Total	4,754	5,007	5,306	5,657	6,042

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in SOUTHWEST, by year and race/ethnicity:sex

	2004	2005	2006	2007	2008
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	710	724	743	765	789
White, not Hispanic: Female	117	129	134	139	143
Black, not Hispanic: Male	2,511	2,645	2,819	3,019	3,251
Black, not Hispanic: Female	1,331	1,418	1,510	1,631	1,740
Hispanic: Male	42	47	52	52	64
Hispanic: Female	8	9	12	13	18
Asian/Pacific Islander: Male	1	2	3	3	3
Asian/Pacific Islander: Female	1	1	1	1	1
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	2	2	2	2	2
Unknown/Multiple Race: Male	23	23	23	25	24
Unknown/Multiple Race: Female	8	7	7	7	7
Total	4,754	5,007	5,306	5,657	6,042

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in SOUTHWEST, by year and current age

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	28	30	31	31	33
13-14	6	6	6	6	6
15-24	95	144	210	293	406
25-34	875	976	1,081	1,210	1,323
35-44	1,669	1,748	1,831	1,914	2,001
45-54	1,445	1,473	1,507	1,542	1,599
55-64	514	508	519	534	547
>=65	122	122	121	127	127
Total	4,754	5,007	5,306	5,657	6,042

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in SOUTHWEST, by year and exposure category

Exposure category	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
Male-to-male sex	2,039	2,130	2,266	2,338	2,445
Injection drug use (IDU)	276	266	266	264	264
Male-to-male sex and IDU	120	120	121	120	118
Heterosexual contact	1,417	1,473	1,586	1,712	1,829
Mother with/at risk for HIV	51	53	54	54	56
Other/unknown	851	965	1,013	1,169	1,330
Total	4,754	5,007	5,306	5,657	6,042

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SOUTHWEST, by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	117	142	96	86	43	1,808
Females	54	53	47	33	20	578
Total	171	195	143	119	63	2,386

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SOUTHWEST, by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	21	23	15	11	8	403
Black, not Hispanic	148	166	126	107	54	1,950
Hispanic	1	3	0	1	0	16
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	1	0	0	0	3
Unknown/Multiple Race	1	2	2	0	1	14
Total	171	195	143	119	63	2,386

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SOUTHWEST, by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	19	21	12	11	6	364
White, not Hispanic: Female	2	2	3	0	2	39
Black, not Hispanic: Male	96	118	82	74	36	1,415
Black, not Hispanic: Female	52	48	44	33	18	535
Hispanic: Male	1	1	0	1	0	14
Hispanic: Female	0	2	0	0	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	1	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	1	1	2	0	1	12
Unknown/Multiple Race: Female	0	1	0	0	0	2
Total	171	195	143	119	63	2,386

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SOUTHWEST, by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	3
13-14	0	0	0	0	0	0
15-24	10	4	0	2	0	83
25-34	35	40	21	21	12	645
35-44	56	61	50	45	13	867
45-54	47	56	54	37	21	519
55-64	15	25	11	12	12	180
>=65	8	9	7	2	5	89
Total	171	195	143	119	63	2,386

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in SOUTHWEST, by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	64	82	54	53	19	1,110
Injection drug use (IDU)	10	17	15	6	1	225
Male-to-male sex and IDU	8	3	2	1	2	125
Heterosexual contact	60	56	39	35	22	646
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	29	37	33	24	19	278
Total	171	195	143	119	63	2,386

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.