

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in TN, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	269	34	a	58	20	a	327	31	a
Black, not Hispanic	466	59	a	216	76	a	682	64	a
Hispanic	46	6	a	10	4	a	56	5	a
Asian/Pacific Islander	2	0	a	1	0	a	3	0	a
American Indian/Alaska Native	1	0	a	0	0	a	1	0	a
Unknown/Multiple Race	2	0	a	0	0	a	2	0	a
Total	786	100	a	285	100	a	1,071	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in TN, by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	2	0	2	1	4	0
13-14	1	0	1	0	2	0
15-24	174	22	46	16	220	21
25-34	219	28	92	32	311	29
35-44	194	25	78	27	272	25
45-54	148	19	44	15	192	18
55-64	39	5	20	7	59	6
>=65	9	1	2	1	11	1
Total	786	100	285	100	1,071	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in TN, by sex and exposure category, 2008

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	426	54	a	a	426	40
Injection drug use (IDU)	10	1	18	6	28	3
Male-to-male sex and IDU	8	1	a	a	8	1
Heterosexual contact	87	11	144	51	231	22
Mother with/at risk for HIV	2	0	2	1	4	0
Other/unknown	253	32	121	42	374	35
Total	786	100	285	100	1,071	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in TN, by race/ethnicity and exposure category, 2008

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	181	55	222	33	21	38	0	0	0	0	2	100	426	40
Injection drug use (IDU)	20	6	8	1	0	0	0	0	0	0	0	0	28	3
Male-to-male sex and IDU	6	2	2	0	0	0	0	0	0	0	0	0	8	1
Heterosexual contact	27	8	187	27	16	29	1	33	0	0	0	0	231	22
Mother with/at risk for HIV	0	0	3	0	1	2	0	0	0	0	0	0	4	0
Other/unknown	93	28	260	38	18	32	2	67	1	100	0	0	374	35
Total	327	100	682	100	56	100	3	100	1	100	2	100	1,071	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in TN, by sex and tuberculosis comorbidity, 2008

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	782	99	284	100	1,066	100
Definitive case	4	1	1	0	5	0
Presumptive case	0	0	0	0	0	0
Total	786	100	285	100	1,071	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in TN, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	50	40	a	11	23	a	61	36	a
Black, not Hispanic	69	56	a	35	74	a	104	61	a
Hispanic	3	2	a	0	0	a	3	2	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	2	2	a	1	2	a	3	2	a
Total	124	100	a	47	100	a	171	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	714	718	690	735	786	15,285
Females	280	274	291	266	285	5,020
Total	994	992	981	1,001	1,071	20,305

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	349	341	287	302	327	7,823
Black, not Hispanic	590	603	643	655	682	11,853
Hispanic	45	41	41	39	56	469
Asian/Pacific Islander	1	4	7	2	3	27
American Indian/Alaska Native	1	1	0	1	1	16
Unknown/Multiple Race	8	2	3	2	2	117
Total	994	992	981	1,001	1,071	20,305

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	281	278	239	264	269	6,635
White, not Hispanic: Female	68	63	48	38	58	1,188
Black, not Hispanic: Male	392	404	412	434	466	8,167
Black, not Hispanic: Female	198	199	231	221	216	3,686
Hispanic: Male	35	29	30	33	46	367
Hispanic: Female	10	12	11	6	10	102
Asian/Pacific Islander: Male	0	4	7	2	2	22
Asian/Pacific Islander: Female	1	0	0	0	1	5
American Indian/Alaska Native: Male	0	1	0	0	1	11
American Indian/Alaska Native: Female	1	0	0	1	0	5
Unknown/Multiple Race: Male	6	2	2	2	2	83
Unknown/Multiple Race: Female	2	0	1	0	0	34
Total	994	992	981	1,001	1,071	20,305

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	5	5	3	2	4	136
13-14	0	0	0	1	2	23
15-24	161	161	159	187	220	3,213
25-34	283	262	245	281	311	7,352
35-44	313	323	332	287	272	6,141
45-54	175	163	186	176	192	2,520
55-64	47	63	43	58	59	721
>=65	10	15	13	9	11	199
Total	994	992	981	1,001	1,071	20,305

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	421	434	430	402	426	9,435
Injection drug use (IDU)	59	36	55	40	28	2,345
Male-to-male sex and IDU	19	13	13	10	8	782
Heterosexual contact	227	224	253	247	231	4,601
Mother with/at risk for HIV	5	5	4	2	4	121
Other/unknown	263	280	226	300	374	3,021
Total	994	992	981	1,001	1,071	20,305

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in TN, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	448	459	491	574	644	9,568
Females	168	194	204	215	236	3,201
Total	616	653	695	789	880	12,769

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in TN, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	236	228	210	231	258	4,920
Black, not Hispanic	349	395	446	527	576	7,451
Hispanic	25	25	33	30	44	316
Asian/Pacific Islander	0	2	4	0	2	17
American Indian/Alaska Native	0	1	0	0	0	8
Unknown/Multiple Race	6	2	2	1	0	57
Total	616	653	695	789	880	12,769

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in TN, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	192	182	175	201	211	4,141
White, not Hispanic: Female	44	46	35	30	47	779
Black, not Hispanic: Male	231	255	288	348	397	5,119
Black, not Hispanic: Female	118	140	158	179	179	2,332
Hispanic: Male	20	17	23	24	35	246
Hispanic: Female	5	8	10	6	9	70
Asian/Pacific Islander: Male	0	2	4	0	1	14
Asian/Pacific Islander: Female	0	0	0	0	1	3
American Indian/Alaska Native: Male	0	1	0	0	0	6
American Indian/Alaska Native: Female	0	0	0	0	0	2
Unknown/Multiple Race: Male	5	2	1	1	0	42
Unknown/Multiple Race: Female	1	0	1	0	0	15
Total	616	653	695	789	880	12,769

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in TN, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	5	5	3	2	4	128
13-14	0	0	0	1	1	19
15-24	112	124	135	167	202	2,175
25-34	176	186	182	225	267	4,607
35-44	186	199	218	214	211	3,765
45-54	106	92	123	143	139	1,515
55-64	27	40	25	31	45	434
>=65	4	7	9	6	11	126
Total	616	653	695	789	880	12,769

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in TN, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	264	279	306	303	346	5,789
Injection drug use (IDU)	35	28	39	30	17	1,432
Male-to-male sex and IDU	12	8	10	8	8	472
Heterosexual contact	133	150	168	191	186	2,821
Mother with/at risk for HIV	5	5	4	2	4	121
Other/unknown	167	183	168	255	319	2,134
Total	616	653	695	789	880	12,769

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	398	449	315	307	289	5,717
Females	137	160	173	158	119	1,819
Total	535	609	488	465	408	7,536

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	161	182	127	139	134	2,903
Black, not Hispanic	352	403	344	305	246	4,402
Hispanic	17	20	12	15	18	153
Asian/Pacific Islander	0	2	2	1	4	10
American Indian/Alaska Native	0	0	0	1	2	8
Unknown/Multiple Race	5	2	3	4	4	60
Total	535	609	488	465	408	7,536

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	131	150	106	107	106	2,494
White, not Hispanic: Female	30	32	21	32	28	409
Black, not Hispanic: Male	251	281	196	185	161	3,048
Black, not Hispanic: Female	101	122	148	120	85	1,354
Hispanic: Male	13	15	9	10	15	121
Hispanic: Female	4	5	3	5	3	32
Asian/Pacific Islander: Male	0	2	2	1	3	8
Asian/Pacific Islander: Female	0	0	0	0	1	2
American Indian/Alaska Native: Male	0	0	0	0	1	5
American Indian/Alaska Native: Female	0	0	0	1	1	3
Unknown/Multiple Race: Male	3	1	2	4	3	41
Unknown/Multiple Race: Female	2	1	1	0	1	19
Total	535	609	488	465	408	7,536

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	1	2
15-24	42	39	24	35	35	492
25-34	142	149	127	119	92	2,425
35-44	209	238	188	163	138	2,781
45-54	101	135	115	101	102	1,371
55-64	31	35	29	39	38	372
>=65	10	13	5	8	2	93
Total	535	609	488	465	408	7,536

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	232	261	192	188	158	3,646
Injection drug use (IDU)	61	41	45	32	34	913
Male-to-male sex and IDU	21	15	6	7	3	310
Heterosexual contact	133	159	141	149	113	1,780
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	88	133	104	89	100	887
Total	535	609	488	465	408	7,536

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and sex

	2004	2005	2006	2007	2008
Sex	No.	No.	No.	No.	No.
Males	8,896	9,317	9,798	10,354	11,016
Females	3,063	3,236	3,444	3,647	3,885
Total	11,959	12,553	13,242	14,001	14,901

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and race/ethnicity

	2004	2005	2006	2007	2008
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	4,891	5,110	5,317	5,555	5,821
Black, not Hispanic	6,711	7,054	7,496	7,977	8,555
Hispanic	251	283	319	355	408
Asian/Pacific Islander	11	14	21	23	26
American Indian/Alaska Native	9	9	9	9	10
Unknown/Multiple Race	86	83	80	82	81
Total	11,959	12,553	13,242	14,001	14,901

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and race/ethnicity:sex

	2004	2005	2006	2007	2008
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	4,116	4,292	4,468	4,679	4,898
White, not Hispanic: Female	775	818	849	876	923
Black, not Hispanic: Male	4,513	4,734	5,008	5,320	5,717
Black, not Hispanic: Female	2,198	2,320	2,488	2,657	2,838
Hispanic: Male	194	216	243	273	316
Hispanic: Female	57	67	76	82	92
Asian/Pacific Islander: Male	7	10	17	19	21
Asian/Pacific Islander: Female	4	4	4	4	5
American Indian/Alaska Native: Male	5	5	5	4	5
American Indian/Alaska Native: Female	4	4	4	5	5
Unknown/Multiple Race: Male	61	60	57	59	59
Unknown/Multiple Race: Female	25	23	23	23	22
Total	11,959	12,553	13,242	14,001	14,901

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and current age

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	43	48	50	52	56
13-14	13	13	14	14	16
15-24	163	241	341	481	691
25-34	1,669	1,866	2,096	2,364	2,656
35-44	4,297	4,521	4,737	4,940	5,162
45-54	4,014	4,099	4,226	4,326	4,472
55-64	1,416	1,421	1,435	1,473	1,500
>=65	344	344	343	351	348
Total	11,959	12,553	13,242	14,001	14,901

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and exposure category

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	5,703	5,983	6,300	6,602	6,977
Injection drug use (IDU)	1,421	1,394	1,392	1,393	1,397
Male-to-male sex and IDU	446	437	443	447	448
Heterosexual contact	2,814	2,941	3,132	3,319	3,506
Mother with/at risk for HIV	94	99	103	105	109
Other/unknown	1,481	1,699	1,872	2,135	2,464
Total	11,959	12,553	13,242	14,001	14,901

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	284	297	209	179	124	4,269
Females	103	101	83	63	47	1,135
Total	387	398	292	242	171	5,404

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	120	122	80	64	61	2,002
Black, not Hispanic	254	260	201	174	104	3,298
Hispanic	9	9	5	3	3	61
Asian/Pacific Islander	0	1	0	0	0	1
American Indian/Alaska Native	0	1	0	1	0	6
Unknown/Multiple Race	4	5	6	0	3	36
Total	387	398	292	242	171	5,404

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	100	102	63	53	50	1,737
White, not Hispanic: Female	20	20	17	11	11	265
Black, not Hispanic: Male	175	183	138	122	69	2,450
Black, not Hispanic: Female	79	77	63	52	35	848
Hispanic: Male	6	7	3	3	3	51
Hispanic: Female	3	2	2	0	0	10
Asian/Pacific Islander: Male	0	1	0	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	1	0	1	0	6
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	3	3	5	0	2	24
Unknown/Multiple Race: Female	1	2	1	0	1	12
Total	387	398	292	242	171	5,404

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	12
13-14	0	0	0	0	0	1
15-24	10	4	1	3	1	123
25-34	57	69	32	33	21	1,344
35-44	137	125	104	88	53	2,035
45-54	121	117	103	88	54	1,263
55-64	45	66	37	24	27	450
>=65	17	17	15	6	15	176
Total	387	398	292	242	171	5,404

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	155	154	113	100	51	2,458
Injection drug use (IDU)	65	63	57	39	24	948
Male-to-male sex and IDU	17	22	7	6	7	334
Heterosexual contact	102	97	62	60	44	1,095
Mother with/at risk for HIV	0	0	0	0	0	12
Other/unknown	48	62	53	37	45	557
Total	387	398	292	242	171	5,404

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.