

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in WEST, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	10	29	a	2	18	a	12	26	a
Black, not Hispanic	23	66	a	9	82	a	32	70	a
Hispanic	1	3	a	0	0	a	1	2	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	1	3	a	0	0	a	1	2	a
Total	35	100	a	11	100	a	46	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in WEST, by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	11	31	1	9	12	26
25-34	11	31	2	18	13	28
35-44	5	14	5	45	10	22
45-54	6	17	2	18	8	17
55-64	1	3	1	9	2	4
>=65	1	3	0	0	1	2
Total	35	100	11	100	46	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in WEST, by sex and exposure category, 2008

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	17	49	a	a	17	37
Injection drug use (IDU)	0	0	0	0	0	0
Male-to-male sex and IDU	2	6	a	a	2	4
Heterosexual contact	6	17	7	64	13	28
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	10	29	4	36	14	30
Total	35	100	11	100	46	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in WEST, by race/ethnicity and exposure category, 2008

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	5	42	11	34	0	0	0	0	0	0	1	100	17	37
Injection drug use (IDU)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male-to-male sex and IDU	1	8	1	3	0	0	0	0	0	0	0	0	2	4
Heterosexual contact	2	17	11	34	0	0	0	0	0	0	0	0	13	28
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	4	33	9	28	1	100	0	0	0	0	0	0	14	30
Total	12	100	32	100	1	100	0	0	0	0	1	100	46	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in WEST, by sex and tuberculosis comorbidity, 2008

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	35	100	11	100	46	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	35	100	11	100	46	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in WEST, by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	5	56	a	0	0	a	5	38	a
Black, not Hispanic	4	44	a	4	100	a	8	62	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	9	100	a	4	100	a	13	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in WEST, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	29	38	25	31	35	661
Females	21	13	11	7	11	238
Total	50	51	36	38	46	899

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in WEST, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	25	12	10	9	12	341
Black, not Hispanic	21	35	24	26	32	522
Hispanic	2	3	1	3	1	26
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	1	0	0	0	0	1
Unknown/Multiple Race	1	1	1	0	1	8
Total	50	51	36	38	46	899

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in WEST, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	15	10	8	8	10	279
White, not Hispanic: Female	10	2	2	1	2	62
Black, not Hispanic: Male	13	25	16	20	23	358
Black, not Hispanic: Female	8	10	8	6	9	164
Hispanic: Male	0	2	1	3	1	18
Hispanic: Female	2	1	0	0	0	8
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	1	0	0	0	0	1
Unknown/Multiple Race: Male	1	1	0	0	1	6
Unknown/Multiple Race: Female	0	0	1	0	0	2
Total	50	51	36	38	46	899

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in WEST, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	1	0	0	1	0	11
13-14	0	0	0	0	0	0
15-24	7	5	6	9	12	157
25-34	13	9	8	9	13	315
35-44	16	21	15	10	10	259
45-54	9	11	5	7	8	111
55-64	4	5	1	2	2	35
>=65	0	0	1	0	1	11
Total	50	51	36	38	46	899

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in WEST, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	15	14	10	15	17	344
Injection drug use (IDU)	4	6	5	3	0	128
Male-to-male sex and IDU	1	3	3	1	2	55
Heterosexual contact	20	21	10	3	13	235
Mother with/at risk for HIV	1	0	0	1	0	10
Other/unknown	9	7	8	15	14	127
Total	50	51	36	38	46	899

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in WEST, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	16	22	16	23	26	374
Females	10	11	5	7	6	136
Total	26	33	21	30	32	510

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in WEST, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	13	7	4	9	8	183
Black, not Hispanic	12	24	16	19	23	311
Hispanic	0	1	0	2	1	13
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	1	1	1	0	0	3
Total	26	33	21	30	32	510

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in WEST, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	8	5	3	8	8	149
White, not Hispanic: Female	5	2	1	1	0	34
Black, not Hispanic: Male	7	16	13	13	17	215
Black, not Hispanic: Female	5	8	3	6	6	96
Hispanic: Male	0	0	0	2	1	8
Hispanic: Female	0	1	0	0	0	5
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	1	1	0	0	0	2
Unknown/Multiple Race: Female	0	0	1	0	0	1
Total	26	33	21	30	32	510

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in WEST, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	1	0	0	1	0	10
13-14	0	0	0	0	0	0
15-24	3	5	5	7	10	91
25-34	3	6	5	6	8	178
35-44	10	12	6	7	6	140
45-54	6	9	4	7	5	65
55-64	3	1	0	2	2	21
>=65	0	0	1	0	1	5
Total	26	33	21	30	32	510

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in WEST, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	7	9	6	9	12	192
Injection drug use (IDU)	1	5	2	3	0	70
Male-to-male sex and IDU	0	2	3	1	2	27
Heterosexual contact	10	12	5	2	6	120
Mother with/at risk for HIV	1	0	0	1	0	10
Other/unknown	7	5	5	14	12	91
Total	26	33	21	30	32	510

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in WEST, by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	21	26	9	13	12	287
Females	7	8	13	8	10	102
Total	28	34	22	21	22	389

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in WEST, by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	15	9	11	3	4	158
Black, not Hispanic	12	21	10	17	16	211
Hispanic	1	4	1	1	0	13
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	1	1
Unknown/Multiple Race	0	0	0	0	1	5
Total	28	34	22	21	22	389

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in WEST, by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	10	7	6	3	2	130
White, not Hispanic: Female	5	2	5	0	2	28
Black, not Hispanic: Male	11	16	2	9	9	143
Black, not Hispanic: Female	1	5	8	8	7	68
Hispanic: Male	0	3	1	1	0	10
Hispanic: Female	1	1	0	0	0	3
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	1	1
Unknown/Multiple Race: Male	0	0	0	0	1	4
Unknown/Multiple Race: Female	0	0	0	0	0	1
Total	28	34	22	21	22	389

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in WEST, by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	5	1	1	1	3	37
25-34	5	9	5	6	6	127
35-44	12	14	10	11	8	141
45-54	4	5	5	2	5	61
55-64	0	5	0	1	0	16
>=65	2	0	1	0	0	7
Total	28	34	22	21	22	389

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in WEST, by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	13	6	7	7	6	152
Injection drug use (IDU)	2	6	6	2	1	58
Male-to-male sex and IDU	0	2	0	0	0	28
Heterosexual contact	10	18	7	9	13	115
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	3	2	2	3	2	36
Total	28	34	22	21	22	389

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in WEST, by year and sex

	2004	2005	2006	2007	2008
Sex	No.	No.	No.	No.	No.
Males	375	400	411	435	461
Females	159	164	174	178	185
Total	534	564	585	613	646

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in WEST, by year and race/ethnicity

	2004	2005	2006	2007	2008
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	211	216	224	230	237
Black, not Hispanic	300	322	335	354	378
Hispanic	17	20	19	22	23
Asian/Pacific Islander	1	1	1	1	1
American Indian/Alaska Native	1	1	1	1	1
Unknown/Multiple Race	4	4	5	5	6
Total	534	564	585	613	646

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in WEST, by year and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic: Male	163	167	173	179	184
White, not Hispanic: Female	48	49	51	51	53
Black, not Hispanic: Male	198	216	222	237	256
Black, not Hispanic: Female	102	106	113	117	122
Hispanic: Male	11	13	12	15	16
Hispanic: Female	6	7	7	7	7
Asian/Pacific Islander: Male	0	0	0	0	0
Asian/Pacific Islander: Female	1	1	1	1	1
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	1	1	1	1	1
Unknown/Multiple Race: Male	3	4	4	4	5
Unknown/Multiple Race: Female	1	0	1	1	1
Total	534	564	585	613	646

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in WEST, by year and current age

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	5	5	5	6	6
13-14	0	0	0	0	0
15-24	11	14	18	26	38
25-34	79	86	92	100	113
35-44	208	218	227	234	240
45-54	162	170	174	175	179
55-64	49	52	51	54	54
>=65	20	19	18	18	16
Total	534	564	585	613	646

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in WEST, by year and exposure category

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	200	210	212	225	238
Injection drug use (IDU)	89	90	94	93	92
Male-to-male sex and IDU	29	31	34	35	37
Heterosexual contact	157	173	181	181	190
Mother with/at risk for HIV	8	8	8	9	9
Other/unknown	51	52	56	70	80
Total	534	564	585	613	646

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in WEST, by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	10	13	14	7	9	200
Females	4	8	1	3	4	53
Total	14	21	15	10	13	253

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in WEST, by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	9	7	2	3	5	104
Black, not Hispanic	5	13	11	7	8	144
Hispanic	0	0	2	0	0	3
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	1	0	0	0	2
Total	14	21	15	10	13	253

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in WEST, by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	7	6	2	2	5	95
White, not Hispanic: Female	2	1	0	1	0	9
Black, not Hispanic: Male	3	7	10	5	4	102
Black, not Hispanic: Female	2	6	1	2	4	42
Hispanic: Male	0	0	2	0	0	2
Hispanic: Female	0	0	0	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	1	0	0	0	1
Total	14	21	15	10	13	253

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in WEST, by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	9
25-34	0	4	2	2	1	62
35-44	5	7	6	4	2	87
45-54	4	6	3	4	5	57
55-64	4	4	2	0	2	26
>=65	1	0	2	0	3	11
Total	14	21	15	10	13	253

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in WEST, by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	8	4	8	2	4	106
Injection drug use (IDU)	0	5	1	4	1	36
Male-to-male sex and IDU	0	1	0	0	0	18
Heterosexual contact	3	5	2	3	4	45
Mother with/at risk for HIV	0	0	0	0	0	1
Other/unknown	3	6	4	1	4	47
Total	14	21	15	10	13	253

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.