

Epi Profile

HIV/AIDS cases and rates (per 100,000 population) in NDR [Nashville/Davidson Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	67	40	a	11	19	a	78	35	a
Black, not Hispanic	87	52	a	45	79	a	132	59	a
Hispanic	*	*	a	*	*	a	14	6	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	167	100	a	57	100	a	224	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	*	*	*	*	*	*
13-14	*	*	*	*	*	*
15-24	29	17	5	9	34	15
25-34	49	29	18	32	67	30
35-44	47	28	26	46	73	33
45-54	*	*	*	*	40	18
55-64	*	*	*	*	7	3
>=65	*	*	*	*	*	*
Total	167	100	57	100	224	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by sex and exposure category, 2008

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	121	72	a	a	121	54
Injection drug use (IDU)	*	*	*	*	10	4
Male-to-male sex and IDU	*	*	a	a	*	*
Heterosexual contact	9	5	34	60	43	19
Mother with/at risk for HIV	*	*	*	*	*	*
Other/unknown	32	19	15	26	47	21
Total	167	100	57	100	224	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile

HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by race/ethnicity and exposure category, 2008

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	54	69	58	44	9	64	0	0	0	0	0	0	121	54
Injection drug use (IDU)	6	8	*	*	0	0	0	0	0	0	*	*	10	4
Male-to-male sex and IDU	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Heterosexual contact	7	9	33	25	*	*	0	0	0	0	*	*	43	19
Mother with/at risk for HIV	0	0	*	*	0	0	0	0	0	0	*	*	*	*
Other/unknown	10	13	35	27	*	*	0	0	0	0	*	*	47	21
Total	78	100	132	100	14	100	0	0	0	0	0	0	224	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by sex and tuberculosis comorbidity, 2008

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	164	98	57	100	221	99
Definitive case	*	*	*	*	*	*
Presumptive case	*	*	*	*	*	*
Total	167	100	57	100	224	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	11	31	a
Black, not Hispanic	18	60	a	5	83	a	23	64	a
Hispanic	*	*	a	*	*	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	*	a	*	*	a	*	*	a
Total	30	100	a	6	100	a	36	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	165	161	152	182	167	3,965
Females	43	45	65	50	57	1,061
Total	208	206	217	232	224	5,026

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	84	97	85	87	78	2,150
Black, not Hispanic	107	97	116	126	132	2,690
Hispanic	16	11	14	18	14	149
Asian/Pacific Islander	*	*	*	*	*	6
American Indian/Alaska Native	0	0	0	0	0	2
Unknown/Multiple Race	*	*	*	*	*	29
Total	208	206	217	232	224	5,026

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	72	85	69	74	67	1,864
White, not Hispanic: Female	12	12	16	13	11	286
Black, not Hispanic: Male	81	66	68	91	87	1,955
Black, not Hispanic: Female	26	31	48	35	45	735
Hispanic: Male	12	9	13	16	13	118
Hispanic: Female	*	*	*	*	*	31
Asian/Pacific Islander: Male	0	*	*	*	0	6
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	2
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*	20
Unknown/Multiple Race: Female	*	*	*	*	*	9
Total	208	206	217	232	224	5,026

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	*	*	*	*	*	20
13-14	0	0	0	*	*	4
15-24	26	21	23	28	34	618
25-34	53	58	52	65	67	1,911
35-44	80	72	77	62	73	1,649
45-54	37	36	52	54	40	628
55-64	7	15	8	18	7	156
>=65	*	*	*	*	*	40
Total	208	206	217	232	224	5,026

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	103	107	92	114	121	2,462
Injection drug use (IDU)	23	7	22	19	10	998
Male-to-male sex and IDU	*	*	*	*	*	236
Heterosexual contact	59	59	60	56	43	955
Mother with/at risk for HIV	*	*	*	*	*	19
Other/unknown	19	28	37	39	47	356
Total	208	206	217	232	224	5,026

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

HIV (not AIDS) cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	111	118	121	139	132	2,615
Females	26	34	46	35	39	677
Total	137	152	167	174	171	3,292

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

HIV (not AIDS) cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	52	75	69	69	57	1,424
Black, not Hispanic	74	71	83	92	102	1,743
Hispanic	10	6	13	13	12	104
Asian/Pacific Islander	*	0	*	0	0	4
American Indian/Alaska Native	0	0	0	0	0	2
Unknown/Multiple Race	*	0	*	0	0	15
Total	137	152	167	174	171	3,292

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	46	67	58	59	50	1,238
White, not Hispanic: Female	6	8	11	10	7	186
Black, not Hispanic: Male	58	46	49	69	71	1,276
Black, not Hispanic: Female	16	25	34	23	31	467
Hispanic: Male	7	5	12	11	11	84
Hispanic: Female	*	*	*	*	*	20
Asian/Pacific Islander: Male	0	0	*	0	0	4
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	2
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*	11
Unknown/Multiple Race: Female	*	*	*	*	*	4
Total	137	152	167	174	171	3,292

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	*	*	*	*	*	20
13-14	0	0	0	*	*	4
15-24	20	18	17	23	30	425
25-34	37	46	45	52	57	1,281
35-44	48	50	56	43	52	1,025
45-54	24	22	40	46	25	418
55-64	5	12	5	6	*	94
>=65	*	*	*	*	*	25
Total	137	152	167	174	171	3,292

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile

HIV (not AIDS) cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	69	80	75	88	98	1,615
Injection drug use (IDU)	15	6	17	15	*	640
Male-to-male sex and IDU	*	*	*	*	*	142
Heterosexual contact	36	43	40	37	29	612
Mother with/at risk for HIV	*	*	*	*	*	19
Other/unknown	15	19	29	31	37	264
Total	137	152	167	174	171	3,292

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	83	77	66	76	75	1,350
Females	30	31	25	42	39	384
Total	113	108	91	118	114	1,734

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	44	37	32	36	40	726
Black, not Hispanic	64	64	57	73	66	947
Hispanic	5	6	*	7	6	45
Asian/Pacific Islander	0	*	*	*	*	2
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	*	*	*	*	14
Total	113	108	91	118	114	1,734

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile

AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	38	28	28	24	32	626
White, not Hispanic: Female	6	9	*	12	8	100
Black, not Hispanic: Male	43	43	36	44	38	679
Black, not Hispanic: Female	21	21	21	29	28	268
Hispanic: Male	*	5	*	6	*	34
Hispanic: Female	*	*	0	*	*	11
Asian/Pacific Islander: Male	0	*	0	0	*	2
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*	9
Unknown/Multiple Race: Female	*	*	*	*	*	5
Total	113	108	91	118	114	1,734

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	*	*	*	80
25-34	24	26	17	25	22	508
35-44	50	48	36	43	45	725
45-54	22	28	24	22	29	313
55-64	7	*	10	17	10	86
>=65	*	*	*	*	*	22
Total	113	108	91	118	114	1,734

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in NDR [Nashville/Davidson Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	49	48	37	48	45	847
Injection drug use (IDU)	24	11	17	14	16	358
Male-to-male sex and IDU	7	*	*	*	0	94
Heterosexual contact	28	38	25	42	34	343
Mother with/at risk for HIV	0	*	*	*	0	0
Other/unknown	5	8	10	10	19	92
Total	113	108	91	118	114	1,734

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in NDR [Nashville/Davidson Region], by year and sex

	2004	2005	2006	2007	2008
Sex	No.	No.	No.	No.	No.
Males	2,436	2,526	2,626	2,765	2,902
Females	677	698	754	790	841
Total	3,113	3,224	3,380	3,555	3,743

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in NDR [Nashville/Davidson Region], by year and race/ethnicity

	2004	2005	2006	2007	2008
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	1,386	1,456	1,516	1,583	1,650
Black, not Hispanic	1,617	1,651	1,734	1,825	1,934
Hispanic	80	88	101	118	130
Asian/Pacific Islander	*	*	*	*	*
American Indian/Alaska Native	*	*	*	*	*
Unknown/Multiple Race	26	24	22	22	22
Total	3,113	3,224	3,380	3,555	3,743

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of persons living with HIV/AIDS in NDR [Nashville/Davidson Region], by year and race/ethnicity:sex

	2004	2005	2006	2007	2008
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	1,199	1,264	1,312	1,371	1,428
White, not Hispanic: Female	187	192	204	212	222
Black, not Hispanic: Male	1,156	1,176	1,215	1,280	1,349
Black, not Hispanic: Female	461	475	519	545	585
Hispanic: Male	57	63	75	90	101
Hispanic: Female	23	25	26	28	29
Asian/Pacific Islander: Male	*	*	*	*	*
Asian/Pacific Islander: Female	0	0	0	0	0
American Indian/Alaska Native: Male	*	*	*	*	*
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	20	18	17	17	17
Unknown/Multiple Race: Female	6	6	5	5	5
Total	3,113	3,224	3,380	3,555	3,743

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in NDR [Nashville/Davidson Region], by year and current age

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	*	*	*	*	*
15-24	29	39	49	70	99
25-34	325	360	413	474	542
35-44	1,088	1,146	1,189	1,238	1,297
45-54	1,186	1,199	1,249	1,281	1,310
55-64	395	390	387	397	400
>=65	85	83	84	85	83
Total	3,113	3,224	3,380	3,555	3,743

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in NDR [Nashville/Davidson Region], by year and exposure category

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	1,587	1,659	1,727	1,820	1,932
Injection drug use (IDU)	602	590	589	589	585
Male-to-male sex and IDU	146	135	137	137	137
Heterosexual contact	608	646	697	743	780
Mother with/at risk for HIV	11	13	15	16	17
Other/unknown	159	181	215	250	292
Total	3,113	3,224	3,380	3,555	3,743

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	87	71	52	43	30	1,063
Females	27	24	9	14	6	220
Total	114	95	61	57	36	1,283

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	39	27	25	20	11	500
Black, not Hispanic	71	63	33	35	23	756
Hispanic	*	*	*	*	*	19
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	*	*	*	*	*	1
Unknown/Multiple Race	*	*	*	*	*	7
Total	114	95	61	57	36	1,283

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	32	20	21	15	10	436
White, not Hispanic: Female	7	7	*	5	*	64
Black, not Hispanic: Male	53	46	29	26	18	606
Black, not Hispanic: Female	18	17	*	9	5	150
Hispanic: Male	*	*	*	*	*	17
Hispanic: Female	*	0	0	0	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	*	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*	3
Unknown/Multiple Race: Female	*	*	*	*	*	4
Total	114	95	61	57	36	1,283

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	*	*	*	11
25-34	12	11	6	*	*	293
35-44	39	33	20	20	12	502
45-54	40	24	19	23	14	322
55-64	17	21	11	*	*	113
>=65	6	6	*	*	*	40
Total	114	95	61	57	36	1,283

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in NDR [Nashville/Davidson Region], by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	42	35	24	21	9	530
Injection drug use (IDU)	39	19	23	19	14	413
Male-to-male sex and IDU	*	14	*	*	*	99
Heterosexual contact	23	21	9	10	6	175
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	6	*	*	*	64
Total	114	95	61	57	36	1,283

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.