

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in ETR [East Tennessee Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	20	74	a	6	55	a	26	68	a
Black, not Hispanic	3	11	a	3	27	a	6	16	a
Hispanic	3	11	a	2	18	a	5	13	a
Asian/Pacific Islander	1	4	a	0	0	a	1	3	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	27	100	a	11	100	a	38	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	0	3	27	3	8
25-34	8	30	4	36	12	32
35-44	10	37	1	9	11	29
45-54	7	26	3	27	10	26
55-64	2	7	0	0	2	5
>=65	0	0	0	0	0	0
Total	27	100	11	100	38	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by sex and exposure category, 2008

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	15	56	a	a	15	39
Injection drug use (IDU)	4	15	1	9	5	13
Male-to-male sex and IDU	1	4	a	a	1	3
Heterosexual contact	2	7	5	45	7	18
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	5	19	5	45	10	26
Total	27	100	11	100	38	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by race/ethnicity and exposure category, 2008

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	12	46	2	33	1	20	0	0	0	0	0	0	15	39
Injection drug use (IDU)	5	19	0	0	0	0	0	0	0	0	0	0	5	13
Male-to-male sex and IDU	1	4	0	0	0	0	0	0	0	0	0	0	1	3
Heterosexual contact	3	12	1	17	3	60	0	0	0	0	0	0	7	18
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	5	19	3	50	1	20	1	100	0	0	0	0	10	26
Total	26	100	6	100	5	100	1	100	0	0	0	0	38	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by sex and tuberculosis comorbidity, 2008

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	27	100	10	91	37	97
Definitive case	0	0	1	9	1	3
Presumptive case	0	0	0	0	0	0
Total	27	100	11	100	38	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	8	100	a	2	100	a	10	100	a
Black, not Hispanic	0	0	a	0	0	a	0	0	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	8	100	a	2	100	a	10	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	29	28	29	28	27	552
Females	9	12	6	4	11	125
Total	38	40	35	32	38	677

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	32	29	31	31	26	577
Black, not Hispanic	4	6	2	1	6	70
Hispanic	2	5	1	0	5	26
Asian/Pacific Islander	0	0	1	0	1	3
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	1
Total	38	40	35	32	38	677

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	25	20	26	27	20	479
White, not Hispanic: Female	7	9	5	4	6	98
Black, not Hispanic: Male	2	4	2	1	3	51
Black, not Hispanic: Female	2	2	0	0	3	19
Hispanic: Male	2	4	0	0	3	18
Hispanic: Female	0	1	1	0	2	8
Asian/Pacific Islander: Male	0	0	1	0	1	3
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	38	40	35	32	38	677

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	1	0	0	0	0	8
13-14	0	0	0	0	0	0
15-24	3	1	3	1	3	73
25-34	8	9	7	13	12	241
35-44	19	13	14	9	11	228
45-54	6	11	9	6	10	97
55-64	1	5	2	2	2	27
>=65	0	1	0	1	0	3
Total	38	40	35	32	38	677

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	13	22	21	22	15	366
Injection drug use (IDU)	9	2	2	1	5	85
Male-to-male sex and IDU	3	0	1	1	1	29
Heterosexual contact	6	6	3	2	7	101
Mother with/at risk for HIV	1	0	1	0	0	7
Other/unknown	6	10	7	6	10	89
Total	38	40	35	32	38	677

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in ETR [East Tennessee Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	20	20	19	21	19	355
Females	8	7	6	4	10	91
Total	28	27	25	25	29	446

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	24	20	22	24	21	378
Black, not Hispanic	3	4	1	1	4	46
Hispanic	1	3	1	0	4	19
Asian/Pacific Islander	0	0	1	0	0	2
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	1
Total	28	27	25	25	29	446

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	18	14	17	20	15	306
White, not Hispanic: Female	6	6	5	4	6	72
Black, not Hispanic: Male	1	4	1	1	2	34
Black, not Hispanic: Female	2	0	0	0	2	12
Hispanic: Male	1	2	0	0	2	12
Hispanic: Female	0	1	1	0	2	7
Asian/Pacific Islander: Male	0	0	1	0	0	2
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	28	27	25	25	29	446

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in ETR [East Tennessee Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	1	0	0	0	0	8
13-14	0	0	0	0	0	0
15-24	2	1	3	1	3	48
25-34	7	5	7	11	9	154
35-44	12	9	8	6	8	151
45-54	5	6	6	6	7	64
55-64	1	5	1	0	2	19
>=65	0	1	0	1	0	2
Total	28	27	25	25	29	446

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile

HIV (not AIDS) cases among persons in ETR [East Tennessee Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	11	15	14	16	10	238
Injection drug use (IDU)	6	1	2	1	4	54
Male-to-male sex and IDU	2	0	0	1	1	19
Heterosexual contact	4	3	3	2	6	68
Mother with/at risk for HIV	1	0	1	0	0	7
Other/unknown	4	8	5	5	8	60
Total	28	27	25	25	29	446

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	11	12	13	12	12	197
Females	1	7	2	0	1	34
Total	12	19	15	12	13	231

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	11	12	14	11	9	199
Black, not Hispanic	0	4	1	1	2	24
Hispanic	1	3	0	0	1	7
Asian/Pacific Islander	0	0	0	0	1	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	12	19	15	12	13	231

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	10	8	13	11	9	173
White, not Hispanic: Female	1	4	1	0	0	26
Black, not Hispanic: Male	0	2	0	1	1	17
Black, not Hispanic: Female	0	2	1	0	1	7
Hispanic: Male	1	2	0	0	1	6
Hispanic: Female	0	1	0	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	1	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	12	19	15	12	13	231

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	1	0	0	0	9
25-34	4	5	1	2	5	79
35-44	8	8	8	5	3	90
45-54	0	5	5	2	5	41
55-64	0	0	1	3	0	11
>=65	0	0	0	0	0	1
Total	12	19	15	12	13	231

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in ETR [East Tennessee Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	6	7	7	11	7	128
Injection drug use (IDU)	3	1	4	0	1	31
Male-to-male sex and IDU	1	1	1	0	1	10
Heterosexual contact	2	6	1	0	1	33
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	0	4	2	1	3	29
Total	12	19	15	12	13	231

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in ETR [East Tennessee Region], by year and sex

	2004	2005	2006	2007	2008
Sex	No.	No.	No.	No.	No.
Males	313	327	349	372	391
Females	67	75	76	79	88
Total	380	402	425	451	479

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in ETR [East Tennessee Region], by year and race/ethnicity

	2004	2005	2006	2007	2008
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	330	344	366	391	407
Black, not Hispanic	35	41	40	41	47
Hispanic	13	16	17	17	22
Asian/Pacific Islander	1	0	1	1	2
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	1	1	1	1	1
Total	380	402	425	451	479

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of persons living with HIV/AIDS in ETR [East Tennessee Region], by year and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic: Male	277	286	306	328	340
White, not Hispanic: Female	53	58	60	63	67
Black, not Hispanic: Male	25	29	30	31	34
Black, not Hispanic: Female	10	12	10	10	13
Hispanic: Male	9	11	11	11	14
Hispanic: Female	4	5	6	6	8
Asian/Pacific Islander: Male	1	0	1	1	2
Asian/Pacific Islander: Female	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	1	1	1	1	1
Unknown/Multiple Race: Female	0	0	0	0	0
Total	380	402	425	451	479

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in ETR [East Tennessee Region], by year and current age

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	2	2	2	2	2
13-14	2	2	2	2	2
15-24	1	1	3	4	6
25-34	32	35	43	50	62
35-44	163	173	181	193	201
45-54	129	134	137	138	144
55-64	42	45	47	51	51
>=65	9	10	10	11	11
Total	380	402	425	451	479

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile

Numbers of persons living with HIV/AIDS in ETR [East Tennessee Region], by year and exposure category

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	208	221	236	256	267
Injection drug use (IDU)	50	51	50	50	53
Male-to-male sex and IDU	16	15	16	17	17
Heterosexual contact	62	65	65	66	73
Mother with/at risk for HIV	4	4	5	5	5
Other/unknown	40	46	53	57	64
Total	380	402	425	451	479

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	8	14	7	5	8	161
Females	3	4	5	1	2	37
Total	11	18	12	6	10	198

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	11	15	9	6	10	170
Black, not Hispanic	0	0	3	0	0	23
Hispanic	0	2	0	0	0	4
Asian/Pacific Islander	0	1	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	11	18	12	6	10	198

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	8	11	6	5	8	139
White, not Hispanic: Female	3	4	3	1	2	31
Black, not Hispanic: Male	0	0	1	0	0	17
Black, not Hispanic: Female	0	0	2	0	0	6
Hispanic: Male	0	2	0	0	0	4
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	1	0	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	11	18	12	6	10	198

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	2
25-34	2	3	0	1	1	39
35-44	4	6	6	1	2	78
45-54	4	5	5	4	6	57
55-64	0	3	1	0	1	16
>=65	1	1	0	0	0	4
Total	11	18	12	6	10	198

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in ETR [East Tennessee Region], by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	6	9	6	2	4	99
Injection drug use (IDU)	2	1	3	1	2	32
Male-to-male sex and IDU	0	1	0	0	1	12
Heterosexual contact	2	3	3	1	0	28
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	1	4	0	2	3	25
Total	11	18	12	6	10	198

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.