

Epi Profile

HIV/AIDS cases and rates (per 100,000 population) in CHR [Chattanooga/Hamilton Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	27	41	a
Black, not Hispanic	22	46	a	13	72	a	35	53	a
Hispanic	*	*	a	*	*	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	*	*	a	*	*	a	*	*	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	48	100	a	18	100	a	66	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	*	*	16	24
25-34	14	29	9	50	23	35
35-44	*	*	*	*	14	21
45-54	*	*	*	*	11	17
55-64	*	*	*	*	*	*
>=65	0	0	0	0	0	0
Total	48	100	18	100	66	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by sex and exposure category, 2008

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	27	56	a	a	27	41
Injection drug use (IDU)	*	*	*	*	*	*
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	*	*	*	*	*	*
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	18	38	14	78	32	48
Total	48	100	18	100	66	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile

HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by race/ethnicity and exposure category, 2008

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	16	59	11	31	0	0	0	0	0	0	0	0	27	41
Injection drug use (IDU)	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	0	0	3	9	0	0	0	0	0	0	*	*	*	*
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	8	30	20	57	*	*	0	0	*	*	*	*	32	48
Total	27	100	35	100	*	*	0	0	*	*	*	*	66	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by sex and tuberculosis comorbidity, 2008

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	48	100	18	100	66	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	48	100	18	100	66	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	7	54	a	0	0	a	7	44	a
Black, not Hispanic	*	*	a	*	*	a	*	*	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	*	a	*	*	a	*	*	a
Total	13	100	a	3	100	a	16	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	39	36	42	29	48	932
Females	20	13	20	15	18	306
Total	59	49	62	44	66	1,238

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	26	20	18	19	27	579
Black, not Hispanic	29	28	41	20	35	610
Hispanic	*	*	*	*	*	34
Asian/Pacific Islander	0	0	*	*	0	5
American Indian/Alaska Native	0	0	0	0	*	1
Unknown/Multiple Race	*	*	*	*	*	9
Total	59	49	62	44	66	1,238

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	20	16	13	13	23	489
White, not Hispanic: Female	6	*	5	6	*	90
Black, not Hispanic: Male	19	19	26	11	22	408
Black, not Hispanic: Female	10	9	15	9	13	202
Hispanic: Male	0	*	*	*	*	25
Hispanic: Female	*	0	0	0	*	9
Asian/Pacific Islander: Male	0	0	*	*	0	4
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	*	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*	5
Unknown/Multiple Race: Female	*	*	*	*	*	4
Total	59	49	62	44	66	1,238

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	6
13-14	0	0	0	0	0	0
15-24	12	6	15	13	16	193
25-34	19	9	9	10	23	451
35-44	17	15	23	11	14	358
45-54	7	14	11	9	11	170
55-64	*	*	*	*	*	49
>=65	*	*	*	*	*	11
Total	59	49	62	44	66	1,238

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile

HIV/AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	23	16	24	21	27	617
Injection drug use (IDU)	*	0	*	*	*	157
Male-to-male sex and IDU	*	0	*	0	0	45
Heterosexual contact	5	*	7	*	*	221
Mother with/at risk for HIV	0	0	0	0	0	4
Other/unknown	*	*	*	*	*	194
Total	59	49	62	44	66	1,238

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

HIV (not AIDS) cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	28	22	30	19	36	529
Females	9	10	12	13	14	183
Total	37	32	42	32	50	712

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

HIV (not AIDS) cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	17	13	13	14	21	338
Black, not Hispanic	19	18	28	16	27	348
Hispanic	*	*	*	*	*	20
Asian/Pacific Islander	0	0	*	0	0	3
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*	3
Total	37	32	42	32	50	712

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	16	9	9	10	18	281
White, not Hispanic: Female	*	*	*	*	*	57
Black, not Hispanic: Male	12	12	20	7	17	229
Black, not Hispanic: Female	7	6	8	9	10	119
Hispanic: Male	0	*	0	*	*	15
Hispanic: Female	*	0	0	0	*	5
Asian/Pacific Islander: Male	0	0	*	0	0	2
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*	2
Unknown/Multiple Race: Female	*	*	*	*	*	1
Total	37	32	42	32	50	712

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	4
13-14	0	0	0	0	0	0
15-24	8	*	13	12	16	119
25-34	14	6	6	6	17	260
35-44	8	11	15	7	10	203
45-54	5	7	6	7	7	98
55-64	*	*	*	0	0	21
>=65	*	*	*	0	0	7
Total	37	32	42	32	50	712

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile

HIV (not AIDS) cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	16	10	17	14	20	343
Injection drug use (IDU)	*	0	*	*	*	78
Male-to-male sex and IDU	*	0	0	0	0	27
Heterosexual contact	*	*	5	*	*	124
Mother with/at risk for HIV	0	0	0	0	0	4
Other/unknown	14	20	19	13	27	136
Total	37	32	42	32	50	712

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	15	24	17	*	23	403
Females	9	7	11	*	13	123
Total	24	31	28	21	36	526

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	12	13	6	7	13	241
Black, not Hispanic	11	15	18	11	21	262
Hispanic	0	*	*	*	*	14
Asian/Pacific Islander	0	0	*	*	0	2
American Indian/Alaska Native	0	0	0	0	*	1
Unknown/Multiple Race	*	*	*	*	*	6
Total	24	31	28	21	36	526

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile

AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	9	12	6	*	10	208
White, not Hispanic: Female	*	*	0	*	*	33
Black, not Hispanic: Male	6	10	9	10	11	179
Black, not Hispanic: Female	5	5	9	*	10	83
Hispanic: Male	0	*	*	*	*	10
Hispanic: Female	0	0	*	0	0	4
Asian/Pacific Islander: Male	0	0	*	*	0	2
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	*	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	*	0	0	0	3
Unknown/Multiple Race: Female	*	*	0	0	0	3
Total	24	31	28	21	36	526

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	*	*	*	28
25-34	6	6	6	11	9	188
35-44	11	11	11	*	10	172
45-54	*	8	7	*	11	98
55-64	*	*	*	*	*	35
>=65	0	0	0	*	0	5
Total	24	31	28	21	36	526

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in CHR [Chattanooga/Hamilton Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	11	13	10	9	14	274
Injection drug use (IDU)	*	*	*	*	6	79
Male-to-male sex and IDU	*	*	*	0	0	18
Heterosexual contact	5	*	5	*	7	97
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	5	12	10	8	9	58
Total	24	31	28	21	36	526

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year and sex

	2004	2005	2006	2007	2008
Sex	No.	No.	No.	No.	No.
Males	547	573	600	622	657
Females	186	195	207	218	233
Total	733	768	807	840	890

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year and race/ethnicity

	2004	2005	2006	2007	2008
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	371	381	390	406	426
Black, not Hispanic	330	355	383	395	423
Hispanic	23	23	24	28	31
Asian/Pacific Islander	*	*	*	5	5
American Indian/Alaska Native	0	0	0	0	*
Unknown/Multiple Race	*	*	*	*	*
Total	733	768	807	840	890

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of persons living with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic: Male	314	321	328	340	356
White, not Hispanic: Female	57	60	62	66	70
Black, not Hispanic: Male	213	232	250	255	272
Black, not Hispanic: Female	117	123	133	140	151
Hispanic: Male	16	16	17	21	23
Hispanic: Female	7	7	7	7	8
Asian/Pacific Islander: Male	*	*	*	*	*
Asian/Pacific Islander: Female	*	*	*	*	*
American Indian/Alaska Native: Male	0	0	0	0	*
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*
Unknown/Multiple Race: Female	*	*	*	*	*
Total	733	768	807	840	890

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year and current age

	2004	2005	2006	2007	2008
Current age (yrs)	No.	No.	No.	No.	No.
<13	0	0	0	0	0
13-14	0	0	0	0	0
15-24	5	8	17	27	43
25-34	87	92	102	109	130
35-44	276	289	305	315	321
45-54	242	253	259	264	272
55-64	100	100	100	101	101
>=65	23	26	24	24	23
Total	733	768	807	840	890

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile

Numbers of persons living with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year and exposure category

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	380	392	408	424	445
Injection drug use (IDU)	95	91	89	87	89
Male-to-male sex and IDU	26	25	25	25	25
Heterosexual contact	153	152	158	160	161
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	*	*	*	*	*
Total	733	768	807	840	890

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	21	*	15	*	*	275
Females	5	*	8	*	*	73
Total	26	14	23	11	16	348

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	9	10	9	*	7	153
Black, not Hispanic	16	*	13	8	7	187
Hispanic	*	*	0	0	0	3
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*	5
Total	26	14	23	11	16	348

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	8	9	6	*	7	133
White, not Hispanic: Female	*	*	*	*	0	20
Black, not Hispanic: Male	13	0	8	6	5	136
Black, not Hispanic: Female	*	*	5	*	*	51
Hispanic: Male	0	*	0	0	0	2
Hispanic: Female	*	0	0	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*	4
Unknown/Multiple Race: Female	*	*	*	*	*	1
Total	26	14	23	11	16	348

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	4
25-34	5	*	*	*	*	92
35-44	10	*	8	*	8	125
45-54	7	6	8	*	*	83
55-64	*	*	5	0	*	31
>=65	0	0	*	0	*	11
Total	26	14	23	11	16	348

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in CHR [Chattanooga/Hamilton Region], by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	13	*	8	5	6	172
Injection drug use (IDU)	5	*	5	*	*	68
Male-to-male sex and IDU	0	*	*	0	0	20
Heterosexual contact	6	*	*	*	*	60
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	*	8	*	6	26
Total	26	14	23	11	16	348

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.