

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in MCR [Mid Cumberland Region], by sex and race/ethnicity, 2008**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	45	55	a	9	50	a	54	54	a
Black, not Hispanic	33	40	a	8	44	a	41	41	a
Hispanic	4	5	a	1	6	a	5	5	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	82	100	a	18	100	a	100	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by sex and age at diagnosis, 2008**

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	1	6	1	1
13-14	0	0	0	0	0	0
15-24	22	27	1	6	23	23
25-34	23	28	5	28	28	28
35-44	20	24	7	39	27	27
45-54	10	12	4	22	14	14
55-64	6	7	0	0	6	6
>=65	1	1	0	0	1	1
Total	82	100	18	100	100	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by sex and exposure category, 2008**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	49	60	a	a	49	49
Injection drug use (IDU)	0	0	1	6	1	1
Male-to-male sex and IDU	1	1	a	a	1	1
Heterosexual contact	3	4	5	28	8	8
Mother with/at risk for HIV	0	0	1	6	1	1
Other/unknown	29	35	11	61	40	40
Total	82	100	18	100	100	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by race/ethnicity and exposure category, 2008**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	30	56	16	39	3	60	0	0	0	0	0	0	49	49
Injection drug use (IDU)	1	2	0	0	0	0	0	0	0	0	0	0	1	1
Male-to-male sex and IDU	1	2	0	0	0	0	0	0	0	0	0	0	1	1
Heterosexual contact	1	2	6	15	1	20	0	0	0	0	0	0	8	8
Mother with/at risk for HIV	0	0	1	2	0	0	0	0	0	0	0	0	1	1
Other/unknown	21	39	18	44	1	20	0	0	0	0	0	0	40	40
Total	54	100	41	100	5	100	0	0	0	0	0	0	100	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by sex and tuberculosis comorbidity, 2008**

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	82	100	18	100	100	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	82	100	18	100	100	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

## Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	4	57	a	3	43	a	7	50	a
Black, not Hispanic	3	43	a	4	57	a	7	50	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	7	100	a	7	100	a	14	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	51	46	66	69	82	1,020
Females	8	14	16	12	18	262
Total	59	60	82	81	100	1,282

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	38	28	47	40	54	782
Black, not Hispanic	16	25	30	35	41	438
Hispanic	4	6	5	6	5	46
Asian/Pacific Islander	0	1	0	0	0	4
American Indian/Alaska Native	0	0	0	0	0	3
Unknown/Multiple Race	1	0	0	0	0	9
Total	59	60	82	81	100	1,282

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	32	23	42	37	45	659
White, not Hispanic: Female	6	5	5	3	9	123
Black, not Hispanic: Male	15	19	21	26	33	313
Black, not Hispanic: Female	1	6	9	9	8	125
Hispanic: Male	3	3	3	6	4	36
Hispanic: Female	1	3	2	0	1	10
Asian/Pacific Islander: Male	0	1	0	0	0	3
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	1	0	0	0	0	6
Unknown/Multiple Race: Female	0	0	0	0	0	3
Total	59	60	82	81	100	1,282

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	1	12
13-14	0	0	0	0	0	4
15-24	9	12	8	10	23	182
25-34	17	18	21	25	28	427
35-44	15	17	38	28	27	435
45-54	16	8	11	11	14	164
55-64	2	5	3	7	6	46
>=65	0	0	1	0	1	12
Total	59	60	82	81	100	1,282

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	37	30	39	45	49	631
Injection drug use (IDU)	2	5	5	5	1	145
Male-to-male sex and IDU	1	0	0	2	1	51
Heterosexual contact	8	8	6	10	8	190
Mother with/at risk for HIV	0	0	0	0	1	8
Other/unknown	11	17	32	19	40	257
Total	59	60	82	81	100	1,282

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**HIV (not AIDS) cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	35	33	50	50	66	663
Females	6	10	10	9	17	194
Total	41	43	60	59	83	857

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

## Epi Profile

## HIV (not AIDS) cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	31	21	37	25	44	511
Black, not Hispanic	6	17	19	28	35	297
Hispanic	3	5	4	6	4	37
Asian/Pacific Islander	0	0	0	0	0	3
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	1	0	0	0	0	8
Total	41	43	60	59	83	857

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## HIV (not AIDS) cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	26	16	33	23	36	418
White, not Hispanic: Female	5	5	4	2	8	93
Black, not Hispanic: Male	6	14	15	21	27	208
Black, not Hispanic: Female	0	3	4	7	8	89
Hispanic: Male	2	3	2	6	3	29
Hispanic: Female	1	2	2	0	1	8
Asian/Pacific Islander: Male	0	0	0	0	0	2
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	1	0	0	0	0	5
Unknown/Multiple Race: Female	0	0	0	0	0	3
Total	41	43	60	59	83	857

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## HIV (not AIDS) cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	1	9
13-14	0	0	0	0	0	3
15-24	6	10	6	8	21	136
25-34	14	12	13	18	23	268
35-44	10	12	30	22	21	301
45-54	10	7	9	6	11	103
55-64	1	2	2	5	5	27
>=65	0	0	0	0	1	10
Total	41	43	60	59	83	857

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV (not AIDS) cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	27	22	30	33	40	400
Injection drug use (IDU)	1	4	4	2	1	95
Male-to-male sex and IDU	1	0	0	1	1	31
Heterosexual contact	5	6	5	7	8	129
Mother with/at risk for HIV	0	0	0	0	1	8
Other/unknown	7	11	21	16	32	194
Total	41	43	60	59	83	857

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	27	18	16	31	28	357
Females	8	2	8	8	1	68
Total	35	20	24	39	29	425

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	15	12	10	24	17	271
Black, not Hispanic	18	7	12	13	11	141
Hispanic	2	0	2	2	1	9
Asian/Pacific Islander	0	1	0	0	0	1
American Indian/Alaska Native	0	0	0	0	0	2
Unknown/Multiple Race	0	0	0	0	0	1
Total	35	20	24	39	29	425

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and race/ethnicity:sex**

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	12	12	9	21	16	241
White, not Hispanic: Female	3	0	1	3	1	30
Black, not Hispanic: Male	13	5	5	10	11	105
Black, not Hispanic: Female	5	2	7	3	0	36
Hispanic: Male	2	0	2	0	1	7
Hispanic: Female	0	0	0	2	0	2
Asian/Pacific Islander: Male	0	1	0	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	2
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	35	20	24	39	29	425

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	1
15-24	2	1	2	2	3	20
25-34	8	7	9	13	7	152
35-44	14	7	9	9	11	146
45-54	8	3	2	10	4	80
55-64	3	2	1	5	3	23
>=65	0	0	1	0	1	3
Total	35	20	24	39	29	425

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in MCR [Mid Cumberland Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	12	14	9	17	19	231
Injection drug use (IDU)	7	1	1	5	1	50
Male-to-male sex and IDU	3	0	0	3	0	20
Heterosexual contact	9	2	3	7	0	61
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	4	3	11	7	9	63
Total	35	20	24	39	29	425

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in MCR [Mid Cumberland Region], by year and sex**

	2004	2005	2006	2007	2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	591	621	682	742	817
Females	166	178	185	195	206
Total	757	799	867	937	1,023

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in MCR [Mid Cumberland Region], by year and race/ethnicity**

	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	491	507	548	583	630
Black, not Hispanic	234	253	277	306	340
Hispanic	22	28	31	37	42
Asian/Pacific Islander	3	4	4	4	4
American Indian/Alaska Native	2	2	2	2	2
Unknown/Multiple Race	5	5	5	5	5
<b>Total</b>	<b>757</b>	<b>799</b>	<b>867</b>	<b>937</b>	<b>1,023</b>

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## Numbers of persons living with HIV/AIDS in MCR [Mid Cumberland Region], by year and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic: Male	404	416	455	487	528
White, not Hispanic: Female	87	91	93	96	102
Black, not Hispanic: Male	162	176	195	217	247
Black, not Hispanic: Female	72	77	82	89	93
Hispanic: Male	18	21	24	30	34
Hispanic: Female	4	7	7	7	8
Asian/Pacific Islander: Male	2	3	3	3	3
Asian/Pacific Islander: Female	1	1	1	1	1
American Indian/Alaska Native: Male	2	2	2	2	2
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	3	3	3	3	3
Unknown/Multiple Race: Female	2	2	2	2	2
Total	757	799	867	937	1,023

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in MCR [Mid Cumberland Region], by year and current age**

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	1	1	1	1	2
13-14	1	1	1	1	1
15-24	9	14	17	26	46
25-34	95	111	129	153	184
35-44	251	269	299	318	337
45-54	281	282	296	308	318
55-64	93	96	98	103	107
>=65	26	25	26	27	28
Total	757	799	867	937	1,023

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in MCR [Mid Cumberland Region], by year and exposure category**

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	375	401	438	478	524
Injection drug use (IDU)	86	86	87	91	88
Male-to-male sex and IDU	39	38	37	38	39
Heterosexual contact	130	132	133	142	147
Mother with/at risk for HIV	6	6	6	6	7
Other/unknown	121	136	166	182	218
Total	757	799	867	937	1,023

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

### Epi Profile

Numbers of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	12	16	5	9	7	203
Females	3	2	9	2	7	56
Total	15	18	14	11	14	259

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

## Epi Profile

## Numbers of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	6	12	6	5	7	152
Black, not Hispanic	7	6	6	6	7	98
Hispanic	0	0	2	0	0	4
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	2	0	0	0	0	4
Total	15	18	14	11	14	259

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## Numbers of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	6	11	3	5	4	131
White, not Hispanic: Female	0	1	3	0	3	21
Black, not Hispanic: Male	4	5	2	4	3	66
Black, not Hispanic: Female	3	1	4	2	4	32
Hispanic: Male	0	0	0	0	0	2
Hispanic: Female	0	0	2	0	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	2	0	0	0	0	3
Unknown/Multiple Race: Female	0	0	0	0	0	1
Total	15	18	14	11	14	259

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## Numbers of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	0	0	0	1	0	5
25-34	1	2	2	0	0	46
35-44	4	2	6	4	8	100
45-54	8	9	5	5	3	75
55-64	2	5	1	1	2	23
>=65	0	0	0	0	1	9
Total	15	18	14	11	14	259

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

### Epi Profile

#### Numbers of deaths among persons with HIV/AIDS in MCR [Mid Cumberland Region], by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	9	4	2	5	3	107
Injection drug use (IDU)	2	5	4	1	4	57
Male-to-male sex and IDU	2	1	1	1	0	12
Heterosexual contact	2	6	5	1	3	43
Mother with/at risk for HIV	0	0	0	0	0	1
Other/unknown	0	2	2	3	4	39
Total	15	18	14	11	14	259

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.