

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in JMR [Jackson/Madison Region], by sex and race/ethnicity, 2008**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	*	*	a
Black, not Hispanic	*	*	a	*	*	a	11	73	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	*	a	*	*	a	*	*	a
Total	10	100	a	5	100	a	15	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by sex and age at diagnosis, 2008**

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	*	*	*	6	40
25-34	*	*	*	*	*	*
35-44	0	0	*	*	*	*
45-54	*	*	0	0	*	*
55-64	*	*	0	0	*	*
>=65	0	0	0	0	0	0
Total	10	100	5	100	15	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by sex and exposure category, 2008**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	6	60	a	a	6	40
Injection drug use (IDU)	0	0	0	0	0	0
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	*	*	*	*	*	*
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	*	*	*	*	*	*
Total	10	100	5	100	15	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by race/ethnicity and exposure category, 2008**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	*	*	5	45	0	0	0	0	0	0	0	0	6	40
Injection drug use (IDU)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	*	*	*	*	0	0	0	0	0	0	0	0	5	33
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	*	*	*	*	0	0	0	0	0	0	0	0	*	*
Total	*	*	11	100	0	0	0	0	0	0	0	0	15	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by sex and tuberculosis comorbidity, 2008**

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	10	100	5	100	15	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	10	100	5	100	15	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

## Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	0	0	a	*	*	a
Black, not Hispanic	*	*	a	0	0	a	*	*	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	5	100	a	0	0	a	5	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	7	*	*	*	10	190
Females	5	*	*	*	5	61
Total	12	9	12	14	15	251

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	5	*	0	*	*	76
Black, not Hispanic	7	5	12	12	11	163
Hispanic	0	*	0	*	0	10
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	*	0	*	*	2
Total	12	9	12	14	15	251

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	0	*	*	67
White, not Hispanic: Female	*	0	0	0	*	9
Black, not Hispanic: Male	*	*	9	8	7	114
Black, not Hispanic: Female	*	*	*	*	*	49
Hispanic: Male	0	*	0	*	0	7
Hispanic: Female	0	*	0	0	0	3
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*	2
Unknown/Multiple Race: Female	*	*	*	*	*	0
Total	12	9	12	14	15	251

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	*	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	*	*	*	5	6	45
25-34	*	*	*	*	*	94
35-44	*	*	*	*	*	67
45-54	*	*	*	*	*	33
55-64	*	0	*	0	*	5
>=65	0	0	*	0	0	5
Total	12	9	12	14	15	251

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	5	7	6	116
Injection drug use (IDU)	0	0	0	*	0	31
Male-to-male sex and IDU	0	*	*	0	0	14
Heterosexual contact	6	5	*	*	5	58
Mother with/at risk for HIV	*	0	0	0	0	2
Other/unknown	*	*	*	*	*	30
Total	12	9	12	14	15	251

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**HIV (not AIDS) cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	*	*	*	*	*	110
Females	*	*	*	*	*	39
Total	10	5	8	11	9	149

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

## Epi Profile

## HIV (not AIDS) cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	0	0	*	*	41
Black, not Hispanic	6	*	8	9	7	99
Hispanic	0	*	0	*	0	8
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*	1
Total	10	5	8	11	9	149

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## HIV (not AIDS) cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	0	0	*	*	36
White, not Hispanic: Female	0	0	0	0	0	5
Black, not Hispanic: Male	*	*	7	5	5	68
Black, not Hispanic: Female	*	0	*	*	*	31
Hispanic: Male	0	0	0	*	0	5
Hispanic: Female	0	*	0	0	0	3
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*	1
Unknown/Multiple Race: Female	*	*	*	*	*	0
Total	10	5	8	11	9	149

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

HIV (not AIDS) cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	*	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	*	*	*	*	*	26
25-34	*	0	*	*	*	55
35-44	*	*	*	*	*	39
45-54	*	*	*	*	*	22
55-64	*	0	0	0	*	3
>=65	0	0	*	0	0	2
Total	10	5	8	11	9	149

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV (not AIDS) cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	*	*	*	70
Injection drug use (IDU)	0	0	0	*	0	18
Male-to-male sex and IDU	0	0	*	0	0	5
Heterosexual contact	*	*	0	*	*	33
Mother with/at risk for HIV	*	0	0	0	0	2
Other/unknown	*	0	*	5	*	21
Total	10	5	8	11	9	149

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	*	*	*	*	*	80
Females	*	*	*	*	*	22
Total	5	10	6	*	7	102

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	*	0	*	35
Black, not Hispanic	*	6	5	*	5	64
Hispanic	0	*	0	0	0	2
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	1
Total	5	10	6	*	7	102

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and race/ethnicity:sex**

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	*	0	*	31
White, not Hispanic: Female	*	*	0	0	*	4
Black, not Hispanic: Male	*	*	*	*	*	46
Black, not Hispanic: Female	*	*	*	*	*	18
Hispanic: Male	0	*	0	0	0	2
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	5	10	6	*	7	102

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	0	0	0	*	9
25-34	*	6	*	*	*	37
35-44	*	*	*	*	*	35
45-54	0	*	*	0	*	16
55-64	0	0	0	0	0	1
>=65	0	0	*	0	0	4
Total	5	10	6	*	7	102

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in JMR [Jackson/Madison Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	*	*	*	46
Injection drug use (IDU)	0	*	*	0	0	13
Male-to-male sex and IDU	0	*	0	0	0	9
Heterosexual contact	*	6	*	*	*	25
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	*	*	*	*	*	9
Total	5	10	6	*	7	102

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in JMR [Jackson/Madison Region], by year and sex**

	2004	2005	2006	2007	2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	116	119	125	133	138
Females	38	39	42	45	50
Total	154	158	167	178	188

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in JMR [Jackson/Madison Region], by year and race/ethnicity**

	2004	2005	2006	2007	2008
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	50	48	48	49	50
Black, not Hispanic	98	101	110	119	128
Hispanic	*	*	*	*	*
Asian/Pacific Islander	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*
<b>Total</b>	<b>154</b>	<b>158</b>	<b>167</b>	<b>178</b>	<b>188</b>

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## Numbers of persons living with HIV/AIDS in JMR [Jackson/Madison Region], by year and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic: Male	44	42	42	43	43
White, not Hispanic: Female	6	6	6	6	7
Black, not Hispanic: Male	67	70	76	82	87
Black, not Hispanic: Female	31	31	34	37	41
Hispanic: Male	*	*	*	*	*
Hispanic: Female	*	*	*	*	*
Asian/Pacific Islander: Male	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*
Unknown/Multiple Race: Female	*	*	*	*	*
Total	154	158	167	178	188

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in JMR [Jackson/Madison Region], by year and current age**

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	0	0	0	0	0
15-24	*	*	*	8	14
25-34	19	22	26	28	31
35-44	65	63	65	68	69
45-54	46	49	49	50	52
55-64	16	16	16	17	16
>=65	*	*	*	*	*
Total	154	158	167	178	188

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in JMR [Jackson/Madison Region], by year and exposure category**

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	72	72	75	81	84
Injection drug use (IDU)	25	24	24	25	24
Male-to-male sex and IDU	6	7	8	8	8
Heterosexual contact	38	42	44	43	47
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	*	*	*	*	*
<b>Total</b>	<b>154</b>	<b>158</b>	<b>167</b>	<b>178</b>	<b>188</b>

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

## Epi Profile

Numbers of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	*	*	*	*	5	52
Females	*	*	*	*	0	11
Total	*	5	*	*	5	63

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

## Epi Profile

Numbers of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	*	*	0	0	*	26
Black, not Hispanic	*	*	*	*	*	35
Hispanic	0	0	0	0	0	1
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*	1
Total	*	5	*	*	5	63

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

Numbers of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	*	*	0	0	*	24
White, not Hispanic: Female	*	0	0	0	0	2
Black, not Hispanic: Male	*	*	*	*	*	27
Black, not Hispanic: Female	0	*	0	*	0	8
Hispanic: Male	0	0	0	0	0	0
Hispanic: Female	0	0	0	0	0	1
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	*	5	*	*	5	63

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

Numbers of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	0
25-34	0	*	*	*	*	15
35-44	*	*	0	*	0	24
45-54	*	*	*	0	*	16
55-64	0	0	0	0	*	4
>=65	*	0	0	0	*	4
Total	*	5	*	*	5	63

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

## Epi Profile

Numbers of deaths among persons with HIV/AIDS in JMR [Jackson/Madison Region], by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	*	*	*	*	32
Injection drug use (IDU)	0	*	0	0	*	7
Male-to-male sex and IDU	0	0	0	0	0	6
Heterosexual contact	*	*	0	*	*	11
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	*	0	*	0	0	7
Total	*	5	*	*	5	63

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.