

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in SER [Southeast Region], by sex and race/ethnicity, 2008**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	13	100	a	4	100	a	17	100	a
Black, not Hispanic	0	0	a	0	0	a	0	0	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	13	100	a	4	100	a	17	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in SER [Southeast Region], by sex and age at diagnosis, 2008**

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	2	15	1	25	3	18
25-34	3	23	1	25	4	24
35-44	4	31	1	25	5	29
45-54	2	15	1	25	3	18
55-64	1	8	0	0	1	6
>=65	1	8	0	0	1	6
Total	13	100	4	100	17	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in SER [Southeast Region], by sex and exposure category, 2008**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	10	77	a	a	10	59
Injection drug use (IDU)	1	8	0	0	1	6
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	0	0	1	25	1	6
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	2	15	3	75	5	29
Total	13	100	4	100	17	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in SER [Southeast Region], by race/ethnicity and exposure category, 2008**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	10	59	0	0	0	0	0	0	0	0	0	0	10	59
Injection drug use (IDU)	1	6	0	0	0	0	0	0	0	0	0	0	1	6
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	1	6	0	0	0	0	0	0	0	0	0	0	1	6
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	5	29	0	0	0	0	0	0	0	0	0	0	5	29
Total	17	100	0	0	0	0	0	0	0	0	0	0	17	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in SER [Southeast Region], by sex and tuberculosis comorbidity, 2008**

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	13	100	4	100	17	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	13	100	4	100	17	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

## Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in SER [Southeast Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	1	100	a	1	100	a	2	100	a
Black, not Hispanic	0	0	a	0	0	a	0	0	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	1	100	a	1	100	a	2	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in SER [Southeast Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	14	16	9	10	13	275
Females	3	6	3	0	4	69
Total	17	22	12	10	17	344

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	16	19	6	8	17	288
Black, not Hispanic	1	3	6	1	0	47
Hispanic	0	0	0	1	0	9
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	17	22	12	10	17	344

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## HIV/AIDS cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	13	14	5	8	13	234
White, not Hispanic: Female	3	5	1	0	4	54
Black, not Hispanic: Male	1	2	4	1	0	32
Black, not Hispanic: Female	0	1	2	0	0	15
Hispanic: Male	0	0	0	1	0	9
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	17	22	12	10	17	344

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV/AIDS cases among persons in SER [Southeast Region], by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	4	1	1	3	51
25-34	4	6	3	4	4	130
35-44	7	6	3	4	5	106
45-54	3	4	2	1	3	35
55-64	3	1	2	0	1	16
>=65	0	1	1	0	1	4
Total	17	22	12	10	17	344

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in SER [Southeast Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	10	9	7	7	10	191
Injection drug use (IDU)	0	0	0	0	1	40
Male-to-male sex and IDU	0	0	0	0	0	12
Heterosexual contact	2	3	0	0	1	50
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	5	10	5	3	5	49
Total	17	22	12	10	17	344

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**HIV (not AIDS) cases among persons in SER [Southeast Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	9	11	5	8	10	153
Females	1	3	3	0	3	38
Total	10	14	8	8	13	191

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV (not AIDS) cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	9	12	3	6	13	158
Black, not Hispanic	1	2	5	1	0	29
Hispanic	0	0	0	1	0	4
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	10	14	8	8	13	191

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## HIV (not AIDS) cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	8	10	2	6	10	129
White, not Hispanic: Female	1	2	1	0	3	29
Black, not Hispanic: Male	1	1	3	1	0	20
Black, not Hispanic: Female	0	1	2	0	0	9
Hispanic: Male	0	0	0	1	0	4
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	10	14	8	8	13	191

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV (not AIDS) cases among persons in SER [Southeast Region], by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	2	1	1	3	31
25-34	4	4	3	3	2	68
35-44	3	5	2	3	4	62
45-54	1	3	1	1	2	19
55-64	2	0	1	0	1	8
>=65	0	0	0	0	1	1
Total	10	14	8	8	13	191

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV (not AIDS) cases among persons in SER [Southeast Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	5	7	3	6	8	107
Injection drug use (IDU)	0	0	0	0	1	22
Male-to-male sex and IDU	0	0	0	0	0	4
Heterosexual contact	1	1	0	0	1	24
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	4	6	5	2	3	32
Total	10	14	8	8	13	191

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**AIDS cases among persons in SER [Southeast Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	3	12	4	5	4	122
Females	2	4	3	1	1	31
Total	5	16	7	6	5	153

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	5	15	7	5	5	130
Black, not Hispanic	0	1	0	1	0	18
Hispanic	0	0	0	0	0	5
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	5	16	7	6	5	153

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in SER [Southeast Region], by year of diagnosis and race/ethnicity:sex**

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	3	11	4	4	4	105
White, not Hispanic: Female	2	4	3	1	1	25
Black, not Hispanic: Male	0	1	0	1	0	12
Black, not Hispanic: Female	0	0	0	0	0	6
Hispanic: Male	0	0	0	0	0	5
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	5	16	7	6	5	153

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in SER [Southeast Region], by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	1	0	0	0	8
25-34	0	3	2	1	3	61
35-44	3	7	1	3	1	50
45-54	2	2	2	2	1	23
55-64	0	2	1	0	0	8
>=65	0	1	1	0	0	3
Total	5	16	7	6	5	153

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in SER [Southeast Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	2	8	3	4	2	84
Injection drug use (IDU)	0	2	0	0	1	18
Male-to-male sex and IDU	1	0	0	0	0	8
Heterosexual contact	0	5	2	0	0	26
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	2	1	2	2	2	17
Total	5	16	7	6	5	153

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in SER [Southeast Region], by year and sex**

	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	179	184	190	199	211
Females	45	51	53	52	55
Total	224	235	243	251	266

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in SER [Southeast Region], by year and race/ethnicity**

	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	189	200	203	210	225
Black, not Hispanic	29	29	34	34	34
Hispanic	6	6	6	7	7
Asian/Pacific Islander	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0
<b>Total</b>	<b>224</b>	<b>235</b>	<b>243</b>	<b>251</b>	<b>266</b>

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in SER [Southeast Region], by year and race/ethnicity:sex**

Race/ethnicity:Sex	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic: Male	154	160	162	169	181
White, not Hispanic: Female	35	40	41	41	44
Black, not Hispanic: Male	19	18	22	23	23
Black, not Hispanic: Female	10	11	12	11	11
Hispanic: Male	6	6	6	7	7
Hispanic: Female	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0
<b>Total</b>	<b>224</b>	<b>235</b>	<b>243</b>	<b>251</b>	<b>266</b>

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in SER [Southeast Region], by year and current age**

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	1	1	1	1	1
13-14	0	0	0	0	0
15-24	2	2	2	2	5
25-34	16	22	26	31	35
35-44	97	101	103	106	109
45-54	74	77	77	77	80
55-64	28	26	26	26	27
>=65	6	6	8	8	9
Total	224	235	243	251	266

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in SER [Southeast Region], by year and exposure category**

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	127	130	135	141	151
Injection drug use (IDU)	28	26	26	25	26
Male-to-male sex and IDU	9	9	9	9	9
Heterosexual contact	36	39	38	38	38
Mother with/at risk for HIV	2	2	2	2	2
Other/unknown	22	29	33	36	40
Total	224	235	243	251	266

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in SER [Southeast Region], by year of death and sex**

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	2	11	3	1	1	64
Females	0	0	1	1	1	14
Total	2	11	4	2	2	78

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in SER [Southeast Region], by year of death and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	2	8	3	1	2	63
Black, not Hispanic	0	3	1	1	0	13
Hispanic	0	0	0	0	0	2
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	2	11	4	2	2	78

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## Numbers of deaths among persons with HIV/AIDS in SER [Southeast Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	2	8	3	1	1	53
White, not Hispanic: Female	0	0	0	0	1	10
Black, not Hispanic: Male	0	3	0	0	0	9
Black, not Hispanic: Female	0	0	1	1	0	4
Hispanic: Male	0	0	0	0	0	2
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	2	11	4	2	2	78

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in SER [Southeast Region], by year of death and age at death**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	1
25-34	0	1	0	0	0	21
35-44	2	4	2	1	2	30
45-54	0	3	1	1	0	16
55-64	0	3	1	0	0	9
>=65	0	0	0	0	0	1
Total	2	11	4	2	2	78

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in SER [Southeast Region], by year of death and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	1	6	2	1	0	40
Injection drug use (IDU)	0	2	0	1	0	14
Male-to-male sex and IDU	0	0	0	0	0	3
Heterosexual contact	0	0	1	0	1	12
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	1	3	1	0	1	9
Total	2	11	4	2	2	78

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.