

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in MSR [Memphis/Shelby Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	28	9	a	6	5	a	34	8	a
Black, not Hispanic	262	87	a	121	92	a	383	88	a
Hispanic	12	4	a	5	4	a	17	4	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	302	100	a	132	100	a	434	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	*	*	*	*	*	*
13-14	0	0	0	0	0	0
15-24	85	28	27	20	112	26
25-34	83	27	43	33	126	29
35-44	63	21	28	21	91	21
45-54	50	17	21	16	71	16
55-64	17	6	10	8	27	6
>=65	*	*	*	*	5	1
Total	302	100	132	100	434	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by sex and exposure category, 2008

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	123	41	a	a	123	28
Injection drug use (IDU)	*	*	*	*	*	*
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	61	20	74	56	135	31
Mother with/at risk for HIV	*	*	*	*	*	*
Other/unknown	117	39	56	42	173	40
Total	302	100	132	100	434	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by race/ethnicity and exposure category, 2008

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	12	35	109	28	*	*	*	*	*	*	*	*	123	28
Injection drug use (IDU)	0	0	*	*	0	0	0	0	0	0	*	*	*	*
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	5	15	121	32	9	53	0	0	0	0	0	0	135	31
Mother with/at risk for HIV	0	0	*	*	*	*	0	0	0	0	*	*	*	*
Other/unknown	17	50	151	39	5	29	0	0	0	0	0	0	173	40
Total	34	100	383	100	17	100	0	0	0	0	0	0	434	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by sex and tuberculosis comorbidity, 2008

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	301	100	132	100	433	100
Definitive case	*	*	*	*	*	*
Presumptive case	*	*	*	*	*	*
Total	302	100	132	100	434	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	*	a	*	*	a	7	11	a
Black, not Hispanic	35	85	a	18	90	a	53	87	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	*	a	*	*	a	*	*	a
Total	41	100	a	20	100	a	61	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	283	292	291	306	302	5,820
Females	146	150	145	160	132	2,435
Total	429	442	436	466	434	8,255

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	44	48	39	36	34	1,288
Black, not Hispanic	372	383	386	426	383	6,819
Hispanic	9	8	8	*	17	96
Asian/Pacific Islander	*	*	*	0	0	4
American Indian/Alaska Native	0	*	0	0	0	5
Unknown/Multiple Race	*	*	*	*	0	43
Total	429	442	436	466	434	8,255

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	38	34	31	31	28	1,117
White, not Hispanic: Female	6	14	8	5	6	171
Black, not Hispanic: Male	233	250	252	272	262	4,585
Black, not Hispanic: Female	139	133	134	154	121	2,234
Hispanic: Male	9	5	5	*	12	76
Hispanic: Female	0	*	*	*	5	20
Asian/Pacific Islander: Male	0	*	*	0	0	3
Asian/Pacific Islander: Female	*	*	0	0	0	1
American Indian/Alaska Native: Male	0	*	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	2
Unknown/Multiple Race: Male	*	*	*	*	0	36
Unknown/Multiple Race: Female	0	0	0	0	0	7
Total	429	442	436	466	434	8,255

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	*	*	*	0	*	63
13-14	*	*	*	0	*	14
15-24	88	91	93	112	112	1,590
25-34	130	124	112	129	126	2,944
35-44	112	133	129	129	91	2,262
45-54	73	64	73	65	71	985
55-64	19	20	22	26	27	295
>=65	5	8	6	5	5	102
Total	429	442	436	466	434	8,255

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	164	171	187	122	123	3,503
Injection drug use (IDU)	5	7	15	*	*	471
Male-to-male sex and IDU	*	*	*	0	0	236
Heterosexual contact	108	109	150	160	135	2,422
Mother with/at risk for HIV	*	*	*	*	*	57
Other/unknown	149	150	80	180	173	1,566
Total	429	442	436	466	434	8,255

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	156	166	196	254	270	3,612
Females	83	104	103	132	119	1,542
Total	239	270	299	386	389	5,154

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	26	25	25	30	30	791
Black, not Hispanic	207	237	266	354	344	4,270
Hispanic	*	5	7	*	15	68
Asian/Pacific Islander	0	*	*	*	0	2
American Indian/Alaska Native	0	*	*	*	0	4
Unknown/Multiple Race	*	*	*	*	0	19
Total	239	270	299	386	389	5,154

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	21	14	20	25	24	675
White, not Hispanic: Female	5	11	5	5	6	116
Black, not Hispanic: Male	129	146	171	228	235	2,862
Black, not Hispanic: Female	78	91	95	126	109	1,408
Hispanic: Male	*	*	*	*	11	54
Hispanic: Female	*	*	*	*	*	14
Asian/Pacific Islander: Male	0	*	0	0	0	2
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	*	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	1
Unknown/Multiple Race: Male	*	*	*	*	0	16
Unknown/Multiple Race: Female	*	*	*	*	*	3
Total	239	270	299	386	389	5,154

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	*	*	*	*	*	61
13-14	0	0	0	0	0	12
15-24	58	68	81	103	105	1,090
25-34	73	87	80	107	120	1,841
35-44	58	69	79	102	78	1,352
45-54	37	31	40	54	56	551
55-64	9	12	13	17	23	184
>=65	*	*	*	*	*	63
Total	239	270	299	386	389	5,154

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	88	92	126	95	111	2,092
Injection drug use (IDU)	*	*	11	*	*	278
Male-to-male sex and IDU	0	*	*	0	0	150
Heterosexual contact	61	72	102	130	120	1,489
Mother with/at risk for HIV	*	*	*	*	*	57
Other/unknown	86	99	57	158	155	1,088
Total	239	270	299	386	389	5,154

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	190	236	155	110	90	2,208
Females	68	91	101	80	37	893
Total	258	327	256	190	127	3,101

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	23	43	23	16	11	497
Black, not Hispanic	228	280	229	171	112	2,549
Hispanic	*	*	*	*	*	28
Asian/Pacific Islander	0	0	*	*	*	2
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	*	*	*	*	*	24
Total	258	327	256	190	127	3,101

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	20	37	19	10	10	442
White, not Hispanic: Female	*	6	*	6	*	55
Black, not Hispanic: Male	164	196	132	98	78	1,723
Black, not Hispanic: Female	64	84	97	73	34	826
Hispanic: Male	*	*	*	0	*	22
Hispanic: Female	0	*	0	*	*	6
Asian/Pacific Islander: Male	0	0	*	0	0	1
Asian/Pacific Islander: Female	0	0	0	0	*	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	1
Unknown/Multiple Race: Male	*	*	*	*	*	20
Unknown/Multiple Race: Female	*	*	*	*	*	4
Total	258	327	256	190	127	3,101

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	*	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	24	23	18	18	17	264
25-34	76	79	74	50	25	978
35-44	89	125	89	70	41	1,095
45-54	52	71	63	38	29	568
55-64	15	18	12	9	15	152
>=65	*	11	0	5	0	44
Total	258	327	256	190	127	3,101

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	111	139	97	64	41	1,411
Injection drug use (IDU)	15	9	9	6	*	193
Male-to-male sex and IDU	5	7	*	0	*	86
Heterosexual contact	65	82	87	71	42	933
Mother with/at risk for HIV	0	0	*	0	0	0
Other/unknown	62	90	61	49	39	478
Total	258	327	256	190	127	3,101

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and sex

	2004	2005	2006	2007	2008
Sex	No.	No.	No.	No.	No.
Males	3,215	3,369	3,565	3,789	4,050
Females	1,437	1,536	1,635	1,762	1,874
Total	4,652	4,905	5,200	5,551	5,924

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and race/ethnicity

	2004	2005	2006	2007	2008
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	797	822	846	871	898
Black, not Hispanic	3,773	3,996	4,258	4,581	4,911
Hispanic	49	54	62	63	80
Asian/Pacific Islander	*	*	*	*	*
American Indian/Alaska Native	*	*	*	*	*
Unknown/Multiple Race	29	28	28	30	29
Total	4,652	4,905	5,200	5,551	5,924

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic: Male	688	701	720	740	763
White, not Hispanic: Female	109	121	126	131	135
Black, not Hispanic: Male	2,462	2,598	2,769	2,971	3,198
Black, not Hispanic: Female	1,311	1,398	1,489	1,610	1,713
Hispanic: Male	41	45	50	50	62
Hispanic: Female	8	9	12	13	18
Asian/Pacific Islander: Male	*	*	*	*	*
Asian/Pacific Islander: Female	*	*	*	*	*
American Indian/Alaska Native: Male	*	*	*	*	*
American Indian/Alaska Native: Female	*	*	*	*	*
Unknown/Multiple Race: Male	23	23	23	25	24
Unknown/Multiple Race: Female	6	5	5	5	5
Total	4,652	4,905	5,200	5,551	5,924

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and current age

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	28	30	31	31	33
13-14	6	6	6	6	6
15-24	92	139	205	287	398
25-34	854	953	1,056	1,186	1,296
35-44	1,642	1,722	1,803	1,885	1,968
45-54	1,410	1,440	1,474	1,510	1,564
55-64	501	495	506	521	534
>=65	119	120	119	125	125
Total	4,652	4,905	5,200	5,551	5,924

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and exposure category

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	2,011	2,101	2,234	2,304	2,409
Injection drug use (IDU)	264	255	255	253	253
Male-to-male sex and IDU	117	117	118	117	115
Heterosexual contact	1,379	1,434	1,546	1,673	1,786
Mother with/at risk for HIV	51	53	54	54	56
Other/unknown	830	945	993	1,150	1,305
Total	4,652	4,905	5,200	5,551	5,924

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	117	138	95	82	41	1,770
Females	53	51	46	33	20	561
Total	170	189	141	115	61	2,331

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	21	23	15	11	7	390
Black, not Hispanic	147	160	124	103	53	1,908
Hispanic	*	*	*	*	*	16
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	*	0	0	0	3
Unknown/Multiple Race	*	*	*	0	*	14
Total	170	189	141	115	61	2,331

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	19	21	12	11	5	354
White, not Hispanic: Female	*	*	*	0	*	36
Black, not Hispanic: Male	96	114	81	70	35	1,387
Black, not Hispanic: Female	51	46	43	33	18	521
Hispanic: Male	*	*	0	*	0	14
Hispanic: Female	0	*	0	0	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	*	0	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	*	12
Unknown/Multiple Race: Female	*	*	*	*	*	2
Total	170	189	141	115	61	2,331

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	10	*	0	*	0	82
25-34	35	38	21	20	12	632
35-44	56	60	48	44	13	847
45-54	46	54	54	35	20	505
55-64	15	25	11	12	11	176
>=65	8	*	7	*	5	87
Total	170	189	141	115	61	2,331

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	64	81	54	52	18	1,094
Injection drug use (IDU)	10	16	15	6	*	218
Male-to-male sex and IDU	8	*	*	*	*	121
Heterosexual contact	59	54	38	33	22	636
Mother with/at risk for HIV	0	*	*	*	*	1
Other/unknown	29	35	32	23	18	261
Total	170	189	141	115	61	2,331

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.