

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in UCR [Upper Cumberland Region], by sex and race/ethnicity, 2008**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	10	71	a	2	67	a	12	71	a
Black, not Hispanic	1	7	a	1	33	a	2	12	a
Hispanic	3	21	a	0	0	a	3	18	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	14	100	a	3	100	a	17	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

## Epi Profile

## HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	1	7	0	0	1	6
15-24	3	21	0	0	3	18
25-34	3	21	1	33	4	24
35-44	4	29	1	33	5	29
45-54	3	21	0	0	3	18
55-64	0	0	1	33	1	6
>=65	0	0	0	0	0	0
Total	14	100	3	100	17	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by sex and exposure category, 2008**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	6	43	a	a	6	35
Injection drug use (IDU)	0	0	2	67	2	12
Male-to-male sex and IDU	1	7	a	a	1	6
Heterosexual contact	0	0	0	0	0	0
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	7	50	1	33	8	47
Total	14	100	3	100	17	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by race/ethnicity and exposure category, 2008**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	5	42	0	0	1	33	0	0	0	0	0	0	6	35
Injection drug use (IDU)	2	17	0	0	0	0	0	0	0	0	0	0	2	12
Male-to-male sex and IDU	1	8	0	0	0	0	0	0	0	0	0	0	1	6
Heterosexual contact	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	4	33	2	100	2	67	0	0	0	0	0	0	8	47
Total	12	100	2	100	3	100	0	0	0	0	0	0	17	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by sex and tuberculosis comorbidity, 2008**

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	14	100	3	100	17	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	14	100	3	100	17	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

## Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	1	50	a	1	100	a	2	67	a
Black, not Hispanic	0	0	a	0	0	a	0	0	a
Hispanic	1	50	a	0	0	a	1	33	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	2	100	a	1	100	a	3	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	14	8	10	11	14	239
Females	0	3	1	1	3	57
Total	14	11	11	12	17	296

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	11	10	9	12	12	246
Black, not Hispanic	0	0	1	0	2	22
Hispanic	3	1	1	0	3	26
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	2
Total	14	11	11	12	17	296

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	11	8	8	11	10	201
White, not Hispanic: Female	0	2	1	1	2	45
Black, not Hispanic: Male	0	0	1	0	1	16
Black, not Hispanic: Female	0	0	0	0	1	6
Hispanic: Male	3	0	1	0	3	22
Hispanic: Female	0	1	0	0	0	4
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	2
Total	14	11	11	12	17	296

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	1	0	0	0	3
13-14	0	0	0	0	1	1
15-24	0	2	1	2	3	36
25-34	3	2	4	2	4	103
35-44	10	4	3	5	5	106
45-54	1	2	3	3	3	40
55-64	0	0	0	0	1	6
>=65	0	0	0	0	0	1
Total	14	11	11	12	17	296

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	9	5	7	7	6	142
Injection drug use (IDU)	1	2	0	0	2	39
Male-to-male sex and IDU	1	0	1	2	1	20
Heterosexual contact	1	2	1	0	0	58
Mother with/at risk for HIV	0	1	0	0	0	3
Other/unknown	2	1	2	3	8	34
Total	14	11	11	12	17	296

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**

**HIV (not AIDS) cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	8	5	10	8	9	155
Females	0	1	1	0	1	34
Total	8	6	11	8	10	189

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

## Epi Profile

## HIV (not AIDS) cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	8	6	9	8	9	165
Black, not Hispanic	0	0	1	0	1	14
Hispanic	0	0	1	0	0	10
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	8	6	11	8	10	189

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## HIV (not AIDS) cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	8	5	8	8	8	137
White, not Hispanic: Female	0	1	1	0	1	28
Black, not Hispanic: Male	0	0	1	0	1	10
Black, not Hispanic: Female	0	0	0	0	0	4
Hispanic: Male	0	0	1	0	0	8
Hispanic: Female	0	0	0	0	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	8	6	11	8	10	189

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV (not AIDS) cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	1	0	0	0	3
13-14	0	0	0	0	0	0
15-24	0	1	1	2	2	22
25-34	1	1	4	1	3	65
35-44	6	2	3	3	4	67
45-54	1	1	3	2	1	27
55-64	0	0	0	0	0	4
>=65	0	0	0	0	0	1
Total	8	6	11	8	10	189

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**

**HIV (not AIDS) cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	6	2	7	4	4	89
Injection drug use (IDU)	0	2	0	0	1	25
Male-to-male sex and IDU	1	0	1	2	1	13
Heterosexual contact	0	1	1	0	0	36
Mother with/at risk for HIV	0	1	0	0	0	3
Other/unknown	1	0	2	2	4	23
Total	8	6	11	8	10	189

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and sex**

	2004	2005	2006	2007	2008	Cumulative cases through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	11	4	2	6	6	84
Females	3	2	1	0	3	23
Total	14	6	3	6	9	107

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity**

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	9	5	1	5	5	81
Black, not Hispanic	0	0	1	1	1	8
Hispanic	5	1	1	0	3	16
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	2
Total	14	6	3	6	9	107

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

## Epi Profile

## AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	6	4	1	5	3	64
White, not Hispanic: Female	3	1	0	0	2	17
Black, not Hispanic: Male	0	0	1	1	0	6
Black, not Hispanic: Female	0	0	0	0	1	2
Hispanic: Male	5	0	0	0	3	14
Hispanic: Female	0	1	1	0	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	2
Total	14	6	3	6	9	107

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and age at diagnosis**

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	1	1
15-24	1	1	0	0	1	4
25-34	4	1	0	1	1	37
35-44	9	1	3	4	3	46
45-54	0	3	0	1	2	17
55-64	0	0	0	0	1	2
>=65	0	0	0	0	0	0
Total	14	6	3	6	9	107

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in UCR [Upper Cumberland Region], by year of diagnosis and exposure category**

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	6	4	2	5	3	53
Injection drug use (IDU)	2	0	0	0	1	14
Male-to-male sex and IDU	0	0	0	0	0	7
Heterosexual contact	4	2	0	0	0	22
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	2	0	1	1	5	11
Total	14	6	3	6	9	107

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in UCR [Upper Cumberland Region], by year and sex**

	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	148	154	161	171	183
Females	36	37	38	39	41
Total	184	191	199	210	224

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in UCR [Upper Cumberland Region], by year and race/ethnicity**

	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>2007</b>	<b>2008</b>
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	148	155	161	172	182
Black, not Hispanic	15	14	15	15	17
Hispanic	19	20	21	21	23
Asian/Pacific Islander	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	2	2	2	2	2
<b>Total</b>	<b>184</b>	<b>191</b>	<b>199</b>	<b>210</b>	<b>224</b>

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

## Numbers of persons living with HIV/AIDS in UCR [Upper Cumberland Region], by year and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic: Male	121	127	132	142	151
White, not Hispanic: Female	27	28	29	30	31
Black, not Hispanic: Male	11	11	12	12	13
Black, not Hispanic: Female	4	3	3	3	4
Hispanic: Male	16	16	17	17	19
Hispanic: Female	3	4	4	4	4
Asian/Pacific Islander: Male	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0
Unknown/Multiple Race: Female	2	2	2	2	2
Total	184	191	199	210	224

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in UCR [Upper Cumberland Region], by year and current age**

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	2	3	3	3	3
13-14	0	0	0	0	1
15-24	0	2	2	3	6
25-34	16	17	21	24	28
35-44	76	79	81	84	87
45-54	60	60	63	67	69
55-64	26	26	26	26	27
>=65	4	4	3	3	3
Total	184	191	199	210	224

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in UCR [Upper Cumberland Region], by year and exposure category**

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	92	95	101	108	113
Injection drug use (IDU)	20	21	20	19	21
Male-to-male sex and IDU	13	13	14	16	16
Heterosexual contact	42	43	44	44	43
Mother with/at risk for HIV	2	3	3	3	3
Other/unknown	15	16	17	20	28
Total	184	191	199	210	224

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by year of death and sex**

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	6	2	3	1	2	56
Females	1	2	0	0	1	16
Total	7	4	3	1	3	72

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

## Epi Profile

Numbers of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	5	3	3	1	2	64
Black, not Hispanic	1	1	0	0	0	5
Hispanic	1	0	0	0	1	3
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	7	4	3	1	3	72

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

Numbers of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	4	2	3	1	1	50
White, not Hispanic: Female	1	1	0	0	1	14
Black, not Hispanic: Male	1	0	0	0	0	3
Black, not Hispanic: Female	0	1	0	0	0	2
Hispanic: Male	1	0	0	0	1	3
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	0	0	0	0	0
Total	7	4	3	1	3	72

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

## Epi Profile

Numbers of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	0
25-34	0	0	0	0	0	18
35-44	3	3	0	0	3	31
45-54	4	1	2	1	0	18
55-64	0	0	0	0	0	4
>=65	0	0	1	0	0	1
Total	7	4	3	1	3	72

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

### Epi Profile

Numbers of deaths among persons with HIV/AIDS in UCR [Upper Cumberland Region], by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	3	2	1	0	1	29
Injection drug use (IDU)	3	1	1	1	0	18
Male-to-male sex and IDU	0	0	0	0	1	4
Heterosexual contact	1	1	0	0	1	15
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	0	0	1	0	0	6
Total	7	4	3	1	3	72

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.