

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in WTR [West Tennessee Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	9	27	a	1	8	a	10	22	a
Black, not Hispanic	22	67	a	11	92	a	33	73	a
Hispanic	1	3	a	0	0	a	1	2	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	1	3	a	0	0	a	1	2	a
Total	33	100	a	12	100	a	45	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by sex and age at diagnosis, 2008

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	6	18	2	17	8	18
25-34	12	36	2	17	14	31
35-44	8	24	2	17	10	22
45-54	6	18	4	33	10	22
55-64	0	0	2	17	2	4
>=65	1	3	0	0	1	2
Total	33	100	12	100	45	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by sex and exposure category, 2008

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	14	42	a	a	14	31
Injection drug use (IDU)	0	0	0	0	0	0
Male-to-male sex and IDU	2	6	a	a	2	4
Heterosexual contact	4	12	8	67	12	27
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	13	39	4	33	17	38
Total	33	100	12	100	45	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile

HIV/AIDS cases among persons in WTR [West Tennessee Region], by race/ethnicity and exposure category, 2008

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	4	40	9	27	0	0	0	0	0	0	1	100	14	31
Injection drug use (IDU)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Male-to-male sex and IDU	1	10	1	3	0	0	0	0	0	0	0	0	2	4
Heterosexual contact	0	0	12	36	0	0	0	0	0	0	0	0	12	27
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	5	50	11	33	1	100	0	0	0	0	0	0	17	38
Total	10	100	33	100	1	100	0	0	0	0	1	100	45	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by sex and tuberculosis comorbidity, 2008

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	33	100	12	100	45	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	33	100	12	100	45	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by sex and race/ethnicity, 2008

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	3	50	a	0	0	a	3	30	a
Black, not Hispanic	3	50	a	4	100	a	7	70	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	6	100	a	4	100	a	10	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	31	35	20	25	33	590
Females	17	13	10	3	12	231
Total	48	48	30	28	45	821

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	23	12	10	10	10	312
Black, not Hispanic	21	34	18	16	33	481
Hispanic	2	2	1	2	1	18
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	1	0	0	0	0	1
Unknown/Multiple Race	1	0	1	0	1	8
Total	48	48	30	28	45	821

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	13	10	8	9	9	248
White, not Hispanic: Female	10	2	2	1	1	64
Black, not Hispanic: Male	17	23	11	14	22	325
Black, not Hispanic: Female	4	11	7	2	11	156
Hispanic: Male	0	2	1	2	1	13
Hispanic: Female	2	0	0	0	0	5
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	1	0	0	0	0	1
Unknown/Multiple Race: Male	1	0	0	0	1	4
Unknown/Multiple Race: Female	0	0	1	0	0	4
Total	48	48	30	28	45	821

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	1	0	10
13-14	0	0	0	0	0	0
15-24	8	7	3	5	8	147
25-34	12	9	8	7	14	275
35-44	15	18	14	8	10	246
45-54	9	9	5	5	10	101
55-64	3	5	0	2	2	34
>=65	1	0	0	0	1	8
Total	48	48	30	28	45	821

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	15	13	8	11	14	280
Injection drug use (IDU)	4	6	5	2	0	115
Male-to-male sex and IDU	1	2	2	1	2	48
Heterosexual contact	17	19	10	3	12	230
Mother with/at risk for HIV	0	0	0	1	0	9
Other/unknown	11	8	5	10	17	139
Total	48	48	30	28	45	821

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in WTR [West Tennessee Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	14	22	10	18	27	334
Females	8	12	6	3	8	130
Total	22	34	16	21	35	464

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	11	8	4	9	8	173
Black, not Hispanic	10	25	11	11	26	281
Hispanic	0	1	0	1	1	7
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	1	0	1	0	0	3
Total	22	34	16	21	35	464

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	5	6	3	8	8	136
White, not Hispanic: Female	6	2	1	1	0	37
Black, not Hispanic: Male	8	15	7	9	18	192
Black, not Hispanic: Female	2	10	4	2	8	89
Hispanic: Male	0	1	0	1	1	5
Hispanic: Female	0	0	0	0	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	1	0	0	0	0	1
Unknown/Multiple Race: Female	0	0	1	0	0	2
Total	22	34	16	21	35	464

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in WTR [West Tennessee Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	1	0	9
13-14	0	0	0	0	0	0
15-24	4	7	2	4	8	91
25-34	2	8	6	5	10	152
35-44	9	11	5	5	7	136
45-54	5	7	3	4	7	53
55-64	2	1	0	2	2	20
>=65	0	0	0	0	1	3
Total	22	34	16	21	35	464

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in WTR [West Tennessee Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	4	8	3	7	11	154
Injection drug use (IDU)	1	5	2	2	0	61
Male-to-male sex and IDU	0	2	2	1	2	26
Heterosexual contact	9	13	7	1	6	118
Mother with/at risk for HIV	0	0	0	1	0	9
Other/unknown	8	6	2	9	16	96
Total	22	34	16	21	35	464

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and sex

	2004	2005	2006	2007	2008	Cumulative cases through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	22	22	10	14	9	256
Females	6	7	11	7	9	101
Total	28	29	21	21	18	357

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	14	8	10	4	2	139
Black, not Hispanic	13	18	10	16	14	200
Hispanic	1	3	1	1	0	11
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	0	0	0	0	1	1
Unknown/Multiple Race	0	0	0	0	1	5
Total	28	29	21	21	18	357

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	10	6	5	4	1	112
White, not Hispanic: Female	4	2	5	0	1	27
Black, not Hispanic: Male	12	14	4	9	7	133
Black, not Hispanic: Female	1	4	6	7	7	67
Hispanic: Male	0	2	1	1	0	8
Hispanic: Female	1	1	0	0	0	3
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	1	1
Unknown/Multiple Race: Male	0	0	0	0	1	3
Unknown/Multiple Race: Female	0	0	0	0	0	2
Total	28	29	21	21	18	357

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and age at diagnosis

Age (yrs)	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	5	2	1	1	0	33
25-34	4	4	5	4	5	105
35-44	11	14	11	10	8	134
45-54	5	3	4	4	5	61
55-64	0	5	0	2	0	18
>=65	3	1	0	0	0	6
Total	28	29	21	21	18	357

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in WTR [West Tennessee Region], by year of diagnosis and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative cases through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	15	6	7	6	3	126
Injection drug use (IDU)	2	5	5	2	1	54
Male-to-male sex and IDU	0	1	0	0	0	22
Heterosexual contact	9	13	7	9	12	112
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	2	4	2	4	2	43
Total	28	29	21	21	18	357

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in WTR [West Tennessee Region], by year and sex

	2004	2005	2006	2007	2008
Sex	No.	No.	No.	No.	No.
Males	331	353	361	377	404
Females	151	155	163	164	172
Total	482	508	524	541	576

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in WTR [West Tennessee Region], by year and race/ethnicity

	2004	2005	2006	2007	2008
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	191	199	207	214	221
Black, not Hispanic	271	288	296	304	330
Hispanic	12	14	13	15	16
Asian/Pacific Islander	1	1	1	1	1
American Indian/Alaska Native	1	1	1	1	1
Unknown/Multiple Race	6	5	6	6	7
Total	482	508	524	541	576

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of persons living with HIV/AIDS in WTR [West Tennessee Region], by year and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
White, not Hispanic: Male	141	148	154	161	167
White, not Hispanic: Female	50	51	53	53	54
Black, not Hispanic: Male	180	193	196	203	222
Black, not Hispanic: Female	91	95	100	101	108
Hispanic: Male	7	9	8	10	11
Hispanic: Female	5	5	5	5	5
Asian/Pacific Islander: Male	0	0	0	0	0
Asian/Pacific Islander: Female	1	1	1	1	1
American Indian/Alaska Native: Male	0	0	0	0	0
American Indian/Alaska Native: Female	1	1	1	1	1
Unknown/Multiple Race: Male	3	3	3	3	4
Unknown/Multiple Race: Female	3	2	3	3	3
Total	482	508	524	541	576

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in WTR [West Tennessee Region], by year and current age

Current age (yrs)	2004	2005	2006	2007	2008
	No.	No.	No.	No.	No.
<13	4	4	4	5	5
13-14	0	0	0	0	0
15-24	11	16	19	24	32
25-34	81	87	91	96	109
35-44	170	181	190	195	204
45-54	151	154	158	157	162
55-64	46	49	48	50	51
>=65	19	17	14	14	13
Total	482	508	524	541	576

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in WTR [West Tennessee Region], by year and exposure category

	2004	2005	2006	2007	2008
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	156	167	169	178	190
Injection drug use (IDU)	76	77	81	79	79
Male-to-male sex and IDU	26	27	29	30	32
Heterosexual contact	157	170	177	177	186
Mother with/at risk for HIV	6	6	6	7	7
Other/unknown	61	61	62	70	82
Total	482	508	524	541	576

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by year of death and sex

	2004	2005	2006	2007	2008	Cumulative deaths through 2008
Sex	No.	No.	No.	No.	No.	No.
Males	7	13	12	9	6	186
Females	4	9	2	2	4	59
Total	11	22	14	11	10	245

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by year of death and race/ethnicity

Race/ethnicity	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic	6	4	2	3	3	91
Black, not Hispanic	5	17	10	8	7	151
Hispanic	0	0	2	0	0	2
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	1	0	0	0	1
Total	11	22	14	11	10	245

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	5	3	2	2	3	81
White, not Hispanic: Female	1	1	0	1	0	10
Black, not Hispanic: Male	2	10	8	7	3	103
Black, not Hispanic: Female	3	7	2	1	4	48
Hispanic: Male	0	0	2	0	0	2
Hispanic: Female	0	0	0	0	0	0
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	0	0	0	0
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	0	0	0	0	0	0
Unknown/Multiple Race: Female	0	1	0	0	0	1
Total	11	22	14	11	10	245

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by year of death and age at death

Age (yrs)	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	10
25-34	0	5	0	2	0	60
35-44	4	5	8	3	2	83
45-54	3	7	2	6	5	55
55-64	4	4	2	0	1	26
>=65	0	1	2	0	2	9
Total	11	22	14	11	10	245

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in WTR [West Tennessee Region], by year of death and exposure category

Exposure category	2004	2005	2006	2007	2008	Cumulative deaths through 2008
	No.	No.	No.	No.	No.	No.
Male-to-male sex	6	2	6	2	2	90
Injection drug use (IDU)	0	5	1	4	0	36
Male-to-male sex and IDU	0	1	0	0	0	16
Heterosexual contact	3	6	3	3	3	44
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	2	8	4	2	5	57
Total	11	22	14	11	10	245

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.