

Collaborative Staging Codes

Bone

C40.0-C40.3, C40.8-C40.9, C41.0-C41.4, C41.8-C41.9

- C40.0 Long bones of upper limb, scapula and associated joints
- C40.1 Short bones of upper limb and associated joints
- C40.2 Long bones of lower limb and associated joints
- C40.3 Short bones of lower limb and associated joints
- C40.8 Overlapping lesion of bones, joints and articular cartilage of limbs
- C40.9 Bone of limb, NOS
- C41.0 Bones of skull and face and associated joints (excludes mandible C41.1)
- C41.1 Mandible
- C41.2 Vertebral column (excludes sacrum and coccyx C41.4)
- C41.3 Rib, sternum, clavicle and associated joints
- C41.4 Pelvic bones, sacrum, coccyx and associated joints
- C41.8 Overlapping lesion of bones, joints and articular cartilage
- C41.9 Bone, NOS

Note: Laterality must be coded for C40.0-C40.3, and C41.3-C41.4. For sternum, sacrum, coccyx, and symphysis pubis, laterality is coded 0.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Extension Size Table
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Bone

CS Tumor Size

SEE STANDARD TABLE

Bone

CS Extension

Note: The cortex of a bone is the dense outer shell that provides strength to the bone; the spongy center of a bone is the cancellous portion. The periosteum of the bone is the fibrous membrane covering of a bone that contains the blood vessels and nerves; the periosteum is similar to the capsule on a visceral organ.

Code	Description	TNM	SS77	SS2000
10	Invasive tumor confined to cortex of bone	*	L	L
20	Extension beyond cortex to periosteum (no break in periosteum)	*	L	L
30	Localized, NOS	*	L	L
40	Extension beyond periosteum to surrounding tissues, including adjacent skeletal muscle(s)	*	RE	RE
60	Adjacent bone/cartilage	*	RE	RE
70	Skin	*	D	D
80	Further contiguous extension	*	D	D
82	Skip metastases or discontinuous tumors in the same bone	T3	D	D

95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

* For codes 10, 20, 30, 40, 60, 70, and 80 ONLY, the T category is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

Bone

CS TS/Ext-Eval

SEE STANDARD TABLE

Bone

CS Lymph Nodes

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Note 2: Regional lymph nodes are defined as those in the vicinity of the primary tumor.

Note 3: Regional lymph node involvement is rare. If there is no mention of lymph node involvement clinically, assume that lymph nodes are negative.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s)	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Bone

CS Reg Nodes Eval

SEE STANDARD TABLE

Bone

Reg LN Pos

SEE STANDARD TABLE

Bone

Reg LN Exam

SEE STANDARD TABLE

Bone**CS Mets at DX**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s)	M1b	D	D
30	Distant metastasis to lung only	M1a	D	D
40	Distant metastases except distant lymph node(s) or lung Distant metastasis, NOS Carcinomatosis	M1b	D	D
50	(10) + [(30) + 40] Distant lymph node(s) plus other distant metastases	M1b	D	D
55	Stated as M1, NOS	M1NOS	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Bone**CS Mets Eval**

SEE STANDARD TABLE

Bone**CS Site-Specific Factor 1**

Code	Description
888	Not applicable for this site

Bone**CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

Bone**CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

Bone**CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

Bone**CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

Bone**CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

Collaborative Staging Codes

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

C44.0, C44.2-C44.9

C44.0 Skin of lip, NOS

C44.2 External ear

C44.3 Skin of ear and unspecified parts of face

C44.4 Skin of scalp and neck

C44.5 Skin of trunk

C44.6 Skin of upper limb and shoulder

C44.7 Skin of lower limb and hip

C44.8 Overlapping lesion of skin

C44.9 Skin, NOS

Note: Laterality must be coded for C44.2-C44.3 and C44.5-C44.7. For codes C44.3 and C44.5, if the tumor is midline (e.g., chin), code as 9, midline, in the laterality field.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Extension Size Table
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Tumor Size

SEE STANDARD TABLE

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Extension

Note 1: In the case of multiple simultaneous tumors, code the tumor with greatest extension.

Note 2: Skin ulceration does not alter the Collaborative Stage classification.

Note 3: Skin of genital sites is not included in this schema. These sites are skin of vulva (C51.0-C51.2, C51.8-C51.9), skin of penis (C60.0-C60.1, C60.8, C60.9) and skin of scrotum (C63.2).

Code	Description	TNM	SS77	SS2000
00	In situ: noninvasive; intraepidermal; Bowen disease	Tis	IS	IS
10	Lesion(s) confined to dermis	*	L	L
40	Localized, NOS	*	L	L
50	Subcutaneous tissue (through entire dermis)	*	L	L
70	Underlying cartilage, bone, skeletal muscle	T4	D	RE
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U

99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U
----	---	----	---	---

* For Extension codes 10, 40 and 50 ONLY, the T category is assigned based on value of CS Tumor Size from Extension Size Table for this site.

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS TS/Ext-Eval

SEE STANDARD TABLE

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s) by primary site (includes bilateral or contralateral nodes for head, neck, and trunk) Head and Neck: All subsites: Cervical Lip: Mandibular, NOS: Submandibular (submaxillary) External ear/auditory canal: Mastoid (post-/retro-auricular) (occipital) Preauricular Face, Other (cheek, chin, forehead, jaw, nose and temple): Facial, NOS: Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Scalp: Mastoid (post-/retro-auricular) (occipital) Parotid, NOS: Infra-auricular Preauricular Spinal accessory (posterior cervical) Neck: Axillary Mandibular, NOS Mastoid (post-/retro-auricular) (occipital) Parotid, NOS: Infra-auricular Preauricular Spinal accessory (posterior cervical) Supraclavicular (transverse cervical)	N1	RN	RN

10, cont'd	Upper Trunk: Axillary Cervical Internal mammary (parasternal) Supraclavicular (transverse cervical) Lower Trunk: Femoral (superficial inguinal) Arm/Shoulder: Axillary Epitrochlear for hand/forearm Spinal accessory for shoulder Leg/Hip: Femoral (superficial inguinal) Popliteal for heel and calf All sites: Regional lymph node(s), NOS			
20	Head and Neck: Lip: Facial, NOS: Buccinator (buccal) Nasolabial Submental Parotid, NOS: Infra-auricular Preauricular Face, Other (cheek, chin, forehead, jaw, nose, and temple): Submental Neck: Submental	N1	D	RN
30	(10) + (20)	N1	D	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Reg Nodes Eval

SEE STANDARD TABLE

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

Reg LN Pos

SEE STANDARD TABLE

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

Reg LN Exam

SEE STANDARD TABLE

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Mets at DX

SEE STANDARD TABLE

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Mets Eval

SEE STANDARD TABLE

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Site-Specific Factor 1

Code	Description
888	Not applicable for this site

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Site-Specific Factor 2

Code	Description
888	Not applicable for this site

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Site-Specific Factor 3

Code	Description
888	Not applicable for this site

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Site-Specific Factor 4

Code	Description
888	Not applicable for this site

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]

CS Site-Specific Factor 5

Code	Description
888	Not applicable for this site

Skin [excl. Skin of Eyelid] [excl. Malignant Melanoma, Kaposi Sarcoma, Mycosis Fungoides, Sezary Disease, and Other Lymphomas]
CS Site-Specific Factor 6

Code	Description
888	Not applicable for this site

Page intentionally blank

Collaborative Staging Codes

Skin of Eyelid

C44.1

C44.1 Eyelid

Note: Laterality must be coded for this site.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage for TNM sites with no stage groupings Extension Size Table
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Skin of Eyelid

CS Tumor Size

SEE STANDARD TABLE

Skin of Eyelid

CS Extension

Note 1: In the case of multiple simultaneous tumors, code the tumor with greatest extension.

Note 2: Skin ulceration does not alter the Collaborative Stage classification.

Note 3: Presence of tumor at eyelid margin takes priority over depth of invasion in dermis/tarsal plate; i.e., code 25 takes priority over codes 10-20.

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial Bowen disease; intraepidermal	Tis	IS	IS
10	Lesion(s) confined to dermis Minimal infiltration of dermis (not invading tarsal plate)	T1	L	L
20	Infiltrates deeply into dermis (invading tarsal plate)	T2	L	L
25	Tumor at eyelid margin	*	L	L
30	Involves full eyelid thickness	T3	L	L
40	Localized, NOS	T1	L	L
50	Subcutaneous tissue (through entire dermis)	T3	L	L
60	Adjacent structures, including Bulbar conjunctiva Globe Perineural space Sclera Soft tissues of orbit	T4	D	RE
70	Bone/periosteum of orbit Skeletal muscle Underlying cartilage	T4	D	RE

72	Nasal cavity Paranasal sinuses	T4	D	D
74	Central nervous system	T4	D	D
75	Metastatic skin lesion(s)	T4	D	D
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

* For Extension code 25 ONLY, the T category is assigned based on value of CS Tumor Size as shown in Extension Size Table. Tumors 5mm or less are T1, tumors 6-10mm are T2, and tumors more than 10mm are T3.

Skin of Eyelid

CS TS/Ext-Eval

SEE STANDARD TABLE

Skin of Eyelid

CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s) Cervical, NOS Facial, NOS: Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Submental Parotid, NOS: Infra-auricular Preauricular Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Skin of Eyelid

CS Reg Nodes Eval

SEE STANDARD TABLE

Skin of Eyelid
Reg LN Pos
SEE STANDARD TABLE

Skin of Eyelid
Reg LN Exam
SEE STANDARD TABLE

Skin of Eyelid
CS Mets at DX
SEE STANDARD TABLE

Skin of Eyelid
CS Mets Eval
SEE STANDARD TABLE

Skin of Eyelid
CS Site-Specific Factor 1

Code	Description
888	Not applicable for this site

Skin of Eyelid
CS Site-Specific Factor 2

Code	Description
888	Not applicable for this site

Skin of Eyelid
CS Site-Specific Factor 3

Code	Description
888	Not applicable for this site

Skin of Eyelid
CS Site-Specific Factor 4

Code	Description
888	Not applicable for this site

Skin of Eyelid
CS Site-Specific Factor 5

Code	Description
888	Not applicable for this site

Skin of Eyelid**CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

Collaborative Staging Codes

Malignant Melanoma of Skin, Vulva, Penis, Scrotum

C44.0-C44.9, C51.0-C51.2, C51.8-C51.9, C60.0-C60.2, C60.8-C60.9, C63.2

(M-8720-8790)

C44.0 Skin of lip, NOS

C44.1 Eyelid

C44.2 External ear

C44.3 Skin of ear and unspecified parts of face

C44.4 Skin of scalp and neck

C44.5 Skin of trunk

C44.6 Skin of upper limb and shoulder

C44.7 Skin of lower limb and hip

C44.8 Overlapping lesion of skin

C44.9 Skin, NOS

C51.0 Labium majus

C51.1 Labium minus

C51.2 Clitoris

C51.8 Overlapping lesion of vulva

C51.9 Vulva, NOS

C60.0 Prepuce

C60.1 Glans penis

C60.2 Body of penis

C60.8 Overlapping lesion of penis

C60.9 Penis

C63.2 Scrotum, NOS

Note 1: Laterality must be coded for C44.1-C44.3, and C44.5-C44.7. For codes C44.3 and C44.5, if the tumor is midline (e.g., chin), code as 9, midline, in the laterality field.

Note 2: For melanoma of sites other than those above, use the site-specific schema for the appropriate site.

Note 3: The level of invasion, as defined by Dr. Wallace Clark, is used when defining subcategories of T1 melanomas, but not for thicker melanoma (i.e., T2, T3 or T4).

CS Tumor Size	CS Site-Specific Factor 1 - Measured Thickness (Depth), Breslow's Measurement	The following tables are available at the collaborative staging website: Histologies for Which AJCC Staging Is Not Generated AJCC Stage Thickness and Ulceration Extension and Ulceration CS Reg Nodes Positive Clinical Status Code for Lymph Node (N1) Clinical Status Code for Lymph Node Category N (N2) Mets at DX and LDH
CS Extension	CS Site-Specific Factor 2 - Ulceration	
CS TS/Ext-Eval	CS Site-Specific Factor 3 - Clinical Status of Lymph Node	
CS Lymph Nodes	Mets	
CS Lymph Nodes Eval	CS Site-Specific Factor 4 - LDH	
Reg LN Pos	CS Site-Specific Factor 5	
Reg LN Exam	CS Site-Specific Factor 6	
CS Mets at DX		
CS Mets Eval		

Malignant Melanoma of Skin, Vulva, Penis, Scrotum

CS Tumor Size

Note: Record the size of the tumor in the CS Tumor Size table below, not depth or thickness. Depth or thickness is recorded in Site-Specific Factor 1 in the Measured Thickness (Depth), Breslow's Measurement table.

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)

989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
999	Unknown; size not stated Not documented in patient record

Malignant Melanoma of Skin, Vulva, Penis, Scrotum

CS Extension

Note 1: If there is a discrepancy between the Clark level and the pathologic description of extent, use the higher (more extensive) code.

Note 2: Satellite lesions/nodules or in-transit metastasis are coded under CS Lymph Nodes.

Note 3: Ulceration of melanoma is coded in Site-Specific Factor 2.

Code	Description	TNM	SS77	SS2000
00	In situ: noninvasive; intraepidermal Clark's level I Basement membrane of the epidermis is intact	Tis	IS	IS
10	Papillary dermis invaded Clark's level II	*	L	L
20	Papillary-reticular dermal interface invaded Clark's level III	*	L	L
30	Reticular dermis invaded Clark's level IV	*	L	L
40	Skin/dermis, NOS Localized, NOS	*	L	L
50	Subcutaneous tissue invaded (through entire dermis) Clark's level V	*	L	RE
80	Further contiguous extension: Underlying cartilage, bone, skeletal muscle	*	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed (e.g., shave biopsy or regressed melanoma) Not documented in patient record	*	U	U

* For Extension codes 10 - 80, and 99 ONLY, the T category is assigned based on value the of CS Site-Specific Factor 1, Measured Thickness and CS Site-Specific Factor 2, Ulceration, as well as Extra Table 1, Thickness and Ulceration and Extra Table 2, Extension and Ulceration.

Malignant Melanoma of Skin, Vulva, Penis, Scrotum
CS TS/Ext-Eval
SEE STANDARD TABLE

Malignant Melanoma of Skin, Vulva, Penis, Scrotum
CS Lymph Nodes

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Note 2: Satellite or in-transit metastasis are coded under CS Lymph Nodes.

Note 3: Use codes 10-12 if there is regional node involvement without satellite nodule(s) or in-transit metastases. Use codes 13-15 if there are satellite nodule(s) or in-transit metastases but there is either no regional lymph node involvement, or involvement of regional nodes is not stated. Use codes 20-22 if both satellite nodule(s)/in-transit metastases and regional lymph node(s) are present.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s) by primary site: (includes bilateral or contralateral nodes for head, neck, and trunk) Head and Neck - All subsites: Cervical, NOS Lip: Mandibular, NOS: Submandibular(submaxillary) Eyelid/canthus: Facial, NOS: Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Parotid, NOS: Infra-auricular External ear/auditory canal: Mastoid (post-/retro-auricular) (occipital) Preauricular Face, Other (cheek, chin forehead, jaw, nose and temple): Facial, NOS: Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Scalp: Mastoid (post-/retro-auricular) (occipital) Parotid, NOS: Infra-auricular Preauricular Spinal accessory (posterior cervical) Neck: Axillary Mandibular, NOS Mastoid (post-/retro-auricular) Parotid, NOS: Infra-auricular Preauricular Spinal accessory (posterior cervical)	*	RN	RN

10 cont'd	<p>Supraclavicular (transverse cervical)</p> <p>Upper Trunk: Axillary Cervical Internal mammary Supraclavicular</p> <p>Lower Trunk: Superficial inguinal (femoral)</p> <p>Arm/Shoulder: Axillary Epitrochlear for hand/forearm Spinal accessory (posterior cervical) for shoulder</p> <p>Leg/hip: Popliteal for heel and calf Superficial inguinal (femoral)</p> <p>Vulva/penis/scrotum: Deep inguinal: Rosenmuller or Cloquet node Superficial inguinal (femoral)</p> <p>All sites: Regional lymph node(s), NOS</p>			
12	<p>Regional lymph node(s) by primary site:</p> <p>Head and Neck Sites:</p> <p>Lip: Facial, NOS Buccinator (buccal) Nasolabial Mandibular, NOS Submental Parotid, NOS Infra-auricular Preauricular</p> <p>Eyelid/canthus: Facial, NOS: Mandibular, NOS Submental</p> <p>Face, Other (cheek, chin, forehead, jaw, nose, and temple) Mandibular, NOS Submental</p> <p>Neck: Mandibular, NOS Submental</p>	*	D	RN
13	Satellite nodule(s) or in-transit metastases, NOS (distance from primary tumor not stated) WITHOUT regional lymph node involvement or involvement of regional nodes not stated.	N2c	RE	RE
14	Satellite nodule(s) or in-transit metastases less than or equal to 2cm from primary tumor WITHOUT regional lymph node involvement or involvement of regional nodes not stated.	N2c	RE	RE
15	Satellite nodule(s) or in-transit metastases greater than 2cm from primary tumor WITHOUT regional lymph node involvement	N3	RN	RN
20	Satellite nodule(s) and regional lymph node(s)	N3	RN	RN
80	Lymph nodes, NOS	*	RN	RN

99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U
----	--	----	---	---

*Mapping of N depends on the values in Reg LN Pos and the Site-Specific Factor 3 Table, Clinical Status of Lymph Node Mets.

Malignant Melanoma of Skin, Vulva, Penis, Scrotum
CS Reg Nodes Eval
SEE STANDARD TABLE

Malignant Melanoma of Skin, Vulva, Penis, Scrotum
Reg LN Pos

Note 1: Record this field even if there has been preoperative treatment.

Note 2: Although satellite nodules and in-transit metastasis are coded under CS Lymph Nodes, DO NOT count as Reg LN Pos in this field.

Code	Description
00	All nodes examined negative.
01-89	01 - 89 nodes positive (code exact number of nodes positive)
90	90 or more nodes positive
95	Positive aspiration of lymph node(s)
97	Positive nodes - number unspecified
98	No nodes examined
99	Unknown if nodes are positive; not applicable Not documented in patient record

Malignant Melanoma of Skin, Vulva, Penis, Scrotum
Reg LN Exam

Note: Although satellite nodules and in-transit metastasis are coded under CS Lymph Nodes, DO NOT count as Reg LN Exam in this field.

Code	Description
00	No nodes examined
01-89	01 - 89 nodes examined (code exact number of regional lymph nodes examined)
90	90 or more nodes examined
95	No regional nodes removed, but aspiration of regional nodes performed
96	Regional lymph node removal documented as sampling and number of nodes unknown/not stated
97	Regional lymph node removal documented as dissection and number of nodes unknown/not stated
98	Regional lymph nodes surgically removed but number of lymph nodes unknown/not stated and not documented as sampling or dissection; nodes examined, but number unknown
99	Unknown if nodes were examined; not applicable or negative Not documented in patient record

**Malignant Melanoma of Skin, Vulva, Penis, Scrotum
CS Mets at DX**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
05	Underlying cartilage, bone, skeletal muscle	*	D	D
10	Distant lymph node(s)	*	D	D
40	Distant metastasis, NOS	*	D	D
42	Metastases to skin or subcutaneous tissue beyond regional lymph nodes	*	D	D
43	Lung	*	D	D
44	Other distant metastases	M1c	D	D
52	(10) + (42)	*	D	D
53	(10) + (43)	*	D	D
54	(10) + (44)	M1c	D	D
99	Unknown Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

*For codes 05, 10, 40, 42, 43, 52 and 53 ONLY, the M category is assigned based on the status of serum LDH as coded in Site-Specific Factor 4 LDH table and shown in the Special Mets at DX and LDH table.

**Malignant Melanoma of Skin, Vulva, Penis, Scrotum
CS Mets Eval
SEE STANDARD TABLE**

**Malignant Melanoma of Skin, Vulva, Penis, Scrotum
CS Site-Specific Factor 1 Measured Thickness (Depth), Breslow's Measurement**

Note: Code MEASURED THICKNESS (Depth) of tumor (Breslow's measurement), not size. Record actual thickness measurement in hundredths of millimeters from the pathology report.

Code	Description
000	No mass/tumor found
001-988	0.01 - 9.88 millimeters Code exact measurement in HUNDREDTHS of millimeters. Examples: Code Measured thickness 001 0.01 millimeter 002 0.02 millimeters 010 0.1 millimeter 074 0.74 millimeters 100 1 millimeters 105 1.05 millimeters 988 9.88 millimeters
989	9.89 millimeters or larger

990	Microinvasion; microscopic focus or foci only; no size given
999	Unknown; measured thickness not stated Not documented in patient record

Malignant Melanoma of Skin, Vulva, Penis, Scrotum

CS Site-Specific Factor 2 Ulceration

Note 1: Melanoma ulceration is the absence of an intact epidermis overlying the primary melanoma based upon histopathological examination.

Note 2: If the pathology report does not mention ulceration in diagnosis, No Ulceration Present, code 000.

Code	Description
000	No ulceration present
001	Ulceration present
999	Unknown Not stated Not documented in patient record

Malignant Melanoma of Skin, Vulva, Penis, Scrotum

CS Site-Specific Factor 3 Clinical Status of Lymph Node Mets

Code	Description
000	No lymph node metastases
001	Clinically occult (microscopic) lymph node metastases only
002	Clinically apparent (macroscopic) lymph node metastases
999	Unknown Not stated Not documented in patient record

Malignant Melanoma of Skin, Vulva, Penis, Scrotum

CS Site-Specific Factor 4 LDH

Note: Per AJCC, "An elevated serum LDH should be used only when there are 2 or more determinations obtained more than 24 hours apart, because an elevated serum LDH on a single determination can be falsely positive as a result of hemolysis or other factors unrelated to melanoma metastases."

Code	Description
000	Test not done, test was not ordered and was not performed
002	Within normal limits
004	Range 1 less than 1.5 x upper limit of normal for LDH assay
005	Range 2 1.5 - 10 x upper limit of normal for LDH assay
006	Range 3 more than 10 x upper limit of normal for LDH assay
008	Ordered, but results not in chart

999	Unknown Not stated Not documented in patient record
-----	---

Malignant Melanoma of Skin, Vulva, Penis, Scrotum

CS Site-Specific Factor 5

Code	Description
888	Not applicable for this site

Malignant Melanoma of Skin, Vulva, Penis, Scrotum

CS Site-Specific Factor 6

Code	Description
888	Not applicable for this site

Collaborative Staging Codes

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum (M-9700-9701)

C44.0-C44.9, C51.0-C51.2, C51.8-C51.9, C60.0-C60.2, C60.8-C60.9, C63.2

C44.0 Skin of lip, NOS

C44.1 Eyelid

C44.2 External ear

C44.3 Skin of ear and unspecified parts of face

C44.4 Skin of scalp and neck

C44.5 Skin of trunk

C44.6 Skin of upper limb and shoulder

C44.7 Skin of lower limb and hip

C44.8 Overlapping lesion of skin

C44.9 Skin, NOS

C51.0 Labium majus

C51.1 Labium minus

C51.2 Clitoris

C51.8 Overlapping lesion of vulva

C51.9 Vulva, NOS

C60.0 Prepuce

C60.1 Glans penis

C60.2 Body of penis

C60.8 Overlapping lesion of penis

C60.9 Penis

C63.2 Scrotum, NOS

Note 1: Laterality must be coded for C44.1-C44.3 and C44.5-C44.7. For codes C44.3 and C44.5, if the tumor is midline (e.g., chin), code as 9 (midline) in the laterality field.

Note 2: Source: Developed by the Mycosis Fungoides Cooperative Group (MFCG)

CS Tumor Size	CS Site-Specific Factor 1 -	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage
CS Extension	Peripheral Blood Involvement	
CS TS/Ext-Eval	CS Site-Specific Factor 2	
CS Lymph Nodes	CS Site-Specific Factor 3	
CS Reg Nodes Eval	CS Site-Specific Factor 4	
Reg LN Pos	CS Site-Specific Factor 5	
Reg LN Exam	CS Site-Specific Factor 6	
CS Mets at DX		
CS Mets Eval		

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum

CS Tumor Size

SEE STANDARD TABLE

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum

CS Extension

Note 1: In approximating body surface, the palmar surface of the hand, including digits, is about 1%.

Note 2: Use code 25 when skin involvement is present but only a general location/site is mentioned (i.e., face, legs, torso, arms). Use code 30 when there is skin involvement but there is no mention of location/site.

Code	Description	TNM	SS77	SS2000
10	Plaques, papules, or erythematous patches (plaque stage): Less than 10% of skin surface, no tumors Limited plaques/patches MFCG Stage I	T1	L	L

20	Plaques, papules, or erythematous patches ("plaque stage"): Greater than or equal to 10% of skin surface, no tumors Generalized plaques/patches MFCG Stage II	T2	L	L
25	Plaques, papules, or erythematous patches ("plaque stage"): % or body surface not stated, no tumors	T2	L	L
30	Skin involvement, NOS: Extent not stated, no tumors Localized, NOS	T1	L	L
50	One or more tumors (tumor stage) Cutaneous tumors	T3	RE	RE
70	Generalized erythroderma (greater than 50% of body involved with diffuse redness) Sezary syndrome/Sezary disease MFCG Stage III	T4	RE	RE
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum

CS TS/Ext-Eval

SEE STANDARD TABLE

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum

CS Lymph Nodes

Note: For this site, code ALL lymph node (regional and distant) involvement in this field.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Clinically enlarged palpable lymph node(s) (adenopathy), and either pathologically negative nodes or no pathological statement	N1	RN	RN
20	No clinically enlarged palpable lymph node(s) (adenopathy); pathologically positive lymph node(s)	N2	RN	RN
30	Both clinically enlarged palpable lymph node(s) (adenopathy) and pathologically positive lymph node(s)	N3	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Reg Nodes Eval
SEE STANDARD TABLE

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
Reg LN Pos
SEE STANDARD TABLE

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
Reg LN Exam
SEE STANDARD TABLE

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Mets at DX

Note: For this site, code ALL lymph node (regional and distant) involvement in the CS Lymph Nodes field.

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
40	Visceral (non-cutaneous, extra nodal) involvement: MFCG Stage IV Carcinomatosis Distant metastasis, NOS	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Mets Eval
SEE STANDARD TABLE

Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Site-Specific Factor 1 Peripheral Blood Involvement

Code	Description
000	No peripheral blood involvement Less than 1000 Sezary cells
001	Atypical circulating cells in peripheral blood: Less than 5% Greater than or equal to 1000 Sezary cells
002	Atypical circulating cells in peripheral blood: Greater than 5%
003	% not stated
999	Insufficient information Not documented in patient record

**Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

**Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

**Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

**Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

**Mycosis Fungoides and Sezary Disease of Skin, Vulva, Penis, Scrotum
CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

Collaborative Staging Codes

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

C47.0-C47.6, C47.8-C47.9, C49.0-C49.6, C49.8-C49.9

- C47.0 Peripheral nerves and autonomic nervous system of head, face and neck
- C47.1 Peripheral nerves and autonomic nervous system of upper limb and shoulder
- C47.2 Peripheral nerves and autonomic nervous system of lower limb and hip
- C47.3 Peripheral nerves and autonomic nervous system of thorax
- C47.4 Peripheral nerves and autonomic nervous system of abdomen
- C47.5 Peripheral nerves and autonomic nervous system of pelvis
- C47.6 Peripheral nerves and autonomic nervous system of trunk, NOS
- C47.8 Overlapping lesion of peripheral nerves and autonomic nervous system
- C47.9 Autonomic nervous system, NOS
- C49.0 Connective, subcutaneous and other soft tissues of head, face, and neck
- C49.1 Connective, subcutaneous and other soft tissues of upper limb and shoulder
- C49.2 Connective, subcutaneous and other soft tissues of lower limb and hip
- C49.3 Connective, subcutaneous and other soft tissues of thorax
- C49.4 Connective, subcutaneous and other soft tissues of abdomen
- C49.5 Connective, subcutaneous and other soft tissues of pelvis
- C49.6 Connective, subcutaneous and other soft tissues of trunk
- C49.8 Overlapping lesion of connective, subcutaneous and other soft tissues
- C49.9 Connective, subcutaneous and other soft tissues, NOS

Note 1: Laterality must be coded for C47.1-C47.2 and C49.1-C49.2.

Note 2: Soft tissue sarcomas of the heart and mediastinum (C38.0-C38.3 and C38.9) use the Heart, Mediastinum schema.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Special Extension Size Table 1 Special Extension Size Table 2 Special Extension Size Table 3
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Tumor Size

SEE STANDARD TABLE

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Extension

Note 1: Connective tissue includes adipose tissue; aponeuroses; arteries; blood vessels; bursa; connective tissue, NOS; fascia; fatty tissue; fibrous tissue; ligaments; lymphatic channels (not nodes); muscle; skeletal muscle; subcutaneous tissue; synovia; tendons; tendon sheaths; veins; and vessels, NOS. Peripheral nerves and autonomic nervous system includes: ganglia, nerve, parasympathetic nervous system, peripheral nerves, spinal nerves, sympathetic nervous system.

Note 2: If a vessel has a name, for example, brachial artery or recurrent laryngeal nerve, consider it a structure (code 60).

Note 3: For tumors of the extremities and trunk ONLY, superficial lesions are defined as those not involving the superficial muscular fascia. Deep lesions are those that involve or are beneath the superficial fascia.

Note 4: According to AJCC, "All intraperitoneal visceral lesions, retroperitoneal lesions, and intrathoracic lesions, and the majority of head and neck tumors are considered deep." For coding extension of soft tissue tumors in these sites (C47.0, C47.3-5, C49.0, C49.3-5), use only codes 12, 32, 42, 62, 80, 95, or 99.

Note 5: Definition of Adjacent Connective Tissue: Some of the schemes for ill-defined or non-specific sites in this manual contain a code 40, adjacent connective tissue, which is defined here as the unnamed tissues that immediately surround an organ or structure containing a primary cancer. Use this code when a tumor has invaded past the outer border (capsule, serosa, or other edge) of the primary organ into the organ's surrounding supportive structures but has not invaded into larger structures or adjacent organs. In general, these tissues do not have specific names. These tissues form the framework of many organs, provide support to hold organs in place, bind tissues and organs together, and serve as storage sites for nutrients. Blood, cartilage and bone are sometimes considered connective tissues, but in this manual they are listed separately.

Code	Description	TNM	SS77	SS2000
10	Invasive tumor confined to site/tissue of origin, NOS	***	L	L
11	Superficial invasive tumor confined to site/tissue of origin (lesion does not involve superficial fascia)	*	L	L
12	Deep tumor confined to site/tissue of origin	**	L	L
30	Localized, NOS	***	L	L
31	Superficial: localized tumor, NOS	*	L	L
32	Deep: localized tumor, NOS	**	L	L
40	Adjacent connective tissue (see Note 5)	***	RE	RE
41	Superficial tumor involving adjacent connective tissue	*	RE	RE
42	Deep tumor involving adjacent connective tissue	**	RE	RE
60	Adjacent organs/structures including bone/cartilage (including major vessel invasion) (see Note 5)	***	RE	RE
61	Superficial tumor involving adjacent organs/structures including bone/cartilage (including major vessel invasion) (see Note 5)	*	RE	RE
62	Deep tumor involving adjacent organs/structures including bone/cartilage (including major vessel invasion) (see Note 5)	**	RE	RE
80	Further contiguous extension	**	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

* For Extension codes 11, 31, 41, and 61 ONLY, the T category is assigned based on the value of CS Tumor Size as shown in the Special Extension Size Table 1 for this site.

** For Extension codes 12, 32, 42, 62 and 80 ONLY, the T category is assigned based on the value of CS Tumor Size as shown in the Special Extension Size Table 2 for this site.

*** For Extension codes 10, 30, 40, and 60 ONLY, the T category is assigned based on the value of CS Tumor Size as shown in the Special Extension Size Table 3 for this site.

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS TS/Ext-Eval

SEE STANDARD TABLE

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Lymph Nodes

Note 1: Regional lymph nodes are defined as those in the vicinity of the primary tumor.

Note 2: Regional lymph node involvement is rare. For this schema, if there is no mention of lymph node involvement clinically, assume that lymph nodes are negative (code 00). Use code 99 (Unknown) only when there is no available information on the extent of the patient's disease, for example, when a lab-only case is abstracted from a biopsy report and no clinical history is available.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s) by primary site (bilateral or contralateral for head, neck, trunk) Head and Neck: All subsites: Cervical, NOS Lip: Facial, NOS: Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Submental Parotid, NOS: Infra-auricular Preauricular Eyelid/canthus: Facial, NOS: Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Submental Parotid, NOS: Infra-auricular External ear and auditory canal: Mastoid (posterior, retro-auricular) (occipital) Preauricular Face, Other (cheek, chin, forehead, jaw, nose and temple): Facial, NOS: Buccinator (buccal) Nasolabial Mandibular, NOS: Submandibular (submaxillary) Submental Parotid, NOS: Infra-auricular Preauricular Scalp: Mastoid (posterior, retro-auricular) (occipital)	N1	RN	RN

10, cont'd	Parotid, NOS: Infra-auricular Preauricular Spinal accessory (posterior cervical) Neck: Axillary Mastoid (posterior, retro-auricular) (occipital) Mandibular, NOS: Parotid, NOS: Infra-auricular Preauricular Spinal accessory (posterior cervical) Supraclavicular (transverse cervical) Arm/shoulder: Axillary Spinal accessory for shoulder Epitrochlear for hand/forearm Leg/hip: Femoral (superficial inguinal) Popliteal for heel and calf Thorax: Hilar (bronchopulmonary) (proximal lobar) (pulmonary root) Mediastinal Abdomen: Celiac Iliac Para-aortic Pelvis: Deep inguinal, NOS: Rosenmuller or Cloquet node Superficial inguinal (femoral) Upper trunk: Axillary Cervical Internal mammary Supraclavicular (transverse cervical) Lower trunk: Superficial inguinal (femoral) All sites: Regional lymph node(s), NOS			
12	Submental nodes for neck primary only (bilateral or contralateral)	N1	D	RN
15	Neck primary only: (10) + (12)	N1	D	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown (see Note 2)	NX	U	U

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues
CS Reg Nodes Eval
SEE STANDARD TABLE

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

Reg LN Pos

SEE STANDARD TABLE

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

Reg LN Exam

SEE STANDARD TABLE

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Mets at DX

SEE STANDARD TABLE

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Mets Eval

SEE STANDARD TABLE

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Site-Specific Factor 1

Code	Description
888	Not applicable for this site

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Site-Specific Factor 2

Code	Description
888	Not applicable for this site

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Site-Specific Factor 3

Code	Description
888	Not applicable for this site

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Site-Specific Factor 4

Code	Description
888	Not applicable for this site

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Site-Specific Factor 5

Code	Description
888	Not applicable for this site

Peripheral Nerves and Autonomic Nervous System; Connective, Subcutaneous, and Other Soft Tissues

CS Site-Specific Factor 6

Code	Description
888	Not applicable for this site

Collaborative Staging Codes
Retroperitoneum and Peritoneum
C48.0-C48.2, C48.8

C48.0 Retroperitoneum

C48.1 Specified parts of peritoneum (including omentum and mesentery)

C48.2 Peritoneum, NOS

C48.8 Overlapping lesion of retroperitoneum and peritoneum

Note: AJCC includes these sites with soft tissue sarcomas (C47.0-C48.9)

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Extension Size Table
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Retroperitoneum and Peritoneum
CS Tumor Size
SEE STANDARD TABLE

Retroperitoneum and Peritoneum
CS Extension

Note: For AJCC TNM staging, all retroperitoneal lesions are considered deep lesions.

Code	Description	TNM	SS77	SS2000
10	Tumor confined to site of origin	*	L	L
30	Localized, NOS	*	L	L
40	Adjacent connective tissue see definition of adjacent connective tissue in General Instructions.	*	RE	RE
60	Adjacent organs/structures including bone/cartilage Retroperitoneum: Adrenal(s) (suprarenal gland(s)) Aorta Ascending colon Descending colon Kidney(s) Pancreas Vena cava Vertebra Peritoneum: Colon (except ascending and descending colon) Esophagus Gallbladder Liver Small intestine Spleen Stomach	*	RE	RE

80	Further contiguous extension, including: For retroperitoneum: extension to colon other than ascending or descending For peritoneum: extension to ascending or descending colon	*	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

* For codes 10-80 ONLY, the T category is assigned based on value of CS Tumor Size, as shown in the Extension Size Table for this site.

**Retroperitoneum and Peritoneum
CS TS/Ext-Eval
SEE STANDARD TABLE**

**Retroperitoneum and Peritoneum
CS Lymph Nodes**

Note 1: Regional lymph nodes are defined as those in the vicinity of the primary tumor.

Note 2: Regional lymph node involvement is rare. For this schema, if there is no mention of lymph node involvement clinically, assume that lymph nodes are negative (code 00). Use code 99 (Unknown) only when there is no available information on the extent of the patient's disease, for example, when a lab-only case is abstracted from a biopsy report and no clinical history is available.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s): Intra-abdominal Paracaval Pelvic Subdiaphragmatic Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown (see Note 2)	NX	U	U

**Retroperitoneum and Peritoneum
CS Reg Nodes Eval
SEE STANDARD TABLE**

**Retroperitoneum and Peritoneum
Reg LN Pos
SEE STANDARD TABLE**

**Retroperitoneum and Peritoneum
Reg LN Exam
SEE STANDARD TABLE**

**Retroperitoneum and Peritoneum
CS Mets at DX
SEE STANDARD TABLE**

**Retroperitoneum and Peritoneum
CS Mets Eval
SEE STANDARD TABLE**

**Retroperitoneum and Peritoneum
CS Site-Specific Factor 1**

Code	Description
888	Not applicable for this site

**Retroperitoneum and Peritoneum
CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

**Retroperitoneum and Peritoneum
CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

**Retroperitoneum and Peritoneum
CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

**Retroperitoneum and Peritoneum
CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

**Retroperitoneum and Peritoneum
CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

Page intentionally blank