

Collaborative Staging Codes

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

C69.0

C69.0 Conjunctiva

Note: Laterality must be coded for this site.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Extension Size Table
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Tumor Size

SEE STANDARD TABLE

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	Tis	IS	IS
10	Tumor confined to conjunctiva	*	L	L
30	Localized, NOS	*	L	L
40	Intraocular extension	T3	L	L
50	Adjacent extraocular extension, excluding orbit Eyelid	T3	RE	RE
70	Orbit, NOS	T4NOS	RE	RE
71	Orbital soft tissues without bone invasion	T4a	RE	RE
72	Bone of orbit	T4b	RE	RE
78	Adjacent paranasal sinuses	T4c	RE	RE
79	Brain	T4d	D	D
80	Further contiguous extension	T4NOS	D	D
95	No evidence of primary tumor	T0	U	U

99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U
----	---	----	---	---

* For Extension codes 10 and 30 ONLY, T category is assigned based on value of CS Tumor Size, as shown in Extension Size Table. Tumors 5mm or less are T1. Tumors more than 5mm are T2.

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS TS/Ext-Eval

SEE STANDARD TABLE

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Lymph Nodes

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph nodes Cervical Mandibular, NOS: Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Reg Nodes Eval

SEE STANDARD TABLE

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

Reg LN Pos

SEE STANDARD TABLE

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

Reg LN Exam

SEE STANDARD TABLE

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Mets at DX

SEE STANDARD TABLE

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Mets Eval

SEE STANDARD TABLE

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Site-Specific Factor 1

Code	Description
888	Not applicable for this site

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Site-Specific Factor 2

Code	Description
888	Not applicable for this site

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Site-Specific Factor 3

Code	Description
888	Not applicable for this site

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Site-Specific Factor 4

Code	Description
888	Not applicable for this site

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Site-Specific Factor 5

Code	Description
888	Not applicable for this site

Conjunctiva [excl. Retinoblastoma, Malignant Melanoma, Kaposi Sarcoma, and Lymphoma]

CS Site-Specific Factor 6

Code	Description
888	Not applicable for this site

Collaborative Staging Codes
Malignant Melanoma of Conjunctiva
C69.0

(M-8720-8790)
 C69.0 Conjunctiva

Note: Laterality must be coded for this site.

CS Tumor Size	CS Site-Specific Factor 1 - Measured Thickness (Depth), Breslow's Measurement	The following tables are available at the collaborative staging website: Histologies for Which AJCC Staging Is Not Generated AJCC Stage for TNM sites with no stage groupings
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Malignant Melanoma of Conjunctiva
CS Tumor Size

Note: Record the size of the tumor in the CS Tumor Size table below, not depth or thickness. Depth or thickness is recorded in Site Specific Factor 1 in the Measured Thickness (Depth), Breslow's Measurement table.

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
999	Unknown; size not stated Not documented in patient record

Malignant Melanoma of Conjunctiva
CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ	Tis	IS	IS
10	Tumor(s) of bulbar conjunctiva confined to the epithelium occupying more one quadrant or less	T1	L	L
12	Tumor(s) of bulbar conjunctiva confined to the epithelium occupying more than one quadrant	T1	L	L

15	Tumor(s) of bulbar conjunctiva, NOS	T1	L	L
30	Localized, NOS	T1	L	L
40	Tumor of bulbar conjunctiva, thickness not stated, WITH invasion of substantia propria (or with corneal extension, NOS)	T2	RE	RE
41	Tumor of bulbar conjunctiva, not more than 0.8 mm in thickness, WITH invasion of substantia propria (or with corneal extension, NOS)	T2	RE	RE
42	Tumor of bulbar conjunctiva, more than 0.8 mm in thickness, WITH invasion of substantia propria (or with corneal extension, NOS)	T3	RE	RE
44	Tumor involves: Caruncle Conjunctival fornix Palpebral conjunctiva	T3	L	L
46	(44) + any of [(40) or (42)]	T3	RE	RE
70	Extension to: Eyelid Globe Orbit	T4	RE	RE
80	Further contiguous extension, including: Central nervous system Sinuses	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Malignant Melanoma of Conjunctiva

CS TS/Ext-Eval

SEE STANDARD TABLE

Malignant Melanoma of Conjunctiva

CS Lymph Nodes

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph nodes Cervical Mandibular, NOS: Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Regional lymph node(s), NOS	N1	RN	RN

80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Malignant Melanoma of Conjunctiva

CS Reg Nodes Eval

SEE STANDARD TABLE

Malignant Melanoma of Conjunctiva

Reg LN Pos

SEE STANDARD TABLE

Malignant Melanoma of Conjunctiva

Reg LN Exam

SEE STANDARD TABLE

Malignant Melanoma of Conjunctiva

CS Mets at DX

SEE STANDARD TABLE

Malignant Melanoma of Conjunctiva

CS Mets Eval

SEE STANDARD TABLE

Malignant Melanoma of Conjunctiva

CS Site-Specific Factor 1 Measured Thickness (Depth), Breslow's Measurement

Note: Code MEASURED THICKNESS (Depth) of tumor (Breslow's measurement), not size. Record actual measurement in millimeters from the pathology report.

Code	Description
000	No mass/tumor found
001-988	0.01 - 9.88 millimeters Code exact measurement in HUNDREDTHS of millimeters. Examples: 001 0.01 millimeter 002 0.02 millimeters 010 0.1 millimeter 074 0.74 millimeters 100 1 millimeters 105 1.05 millimeters 988 9.88 millimeters
989	9.89 millimeters or larger
990	Microinvasion; microscopic focus or foci only; no size given
999	Unknown; size not stated Not documented in patient record

**Malignant Melanoma of Conjunctiva
CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

**Malignant Melanoma of Conjunctiva
CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

**Malignant Melanoma of Conjunctiva
CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

**Malignant Melanoma of Conjunctiva
CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

**Malignant Melanoma of Conjunctiva
CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

Collaborative Staging Codes

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

C69.1-C69.4, C69.8-C69.9

C69.1 Cornea, NOS

C69.2 Retina

C69.3 Choroid

C69.4 Ciliary body

C69.8 Overlapping lesion of eye and adnexa

C69.9 Eye, NOS

Note 1: Laterality must be coded for this site.

Note 2: AJCC does not define TNM staging for this site.

Note 3: AJCC includes primary site C69.8 (Overlapping lesions of eye and adnexa) in its chapter 46, Sarcoma of the Orbit. Collaborative Staging excludes melanomas and retinoblastomas from this schema. All other histologies are included with this schema.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histologies for Which AJCC Staging Is Not Generated AJCC Stage
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Tumor Size

SEE STANDARD TABLE

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ	NA	IS	IS
10	Tumor confined to site of origin	NA	L	L
30	Localized, NOS	NA	L	L
40	Intraocular extension	NA	L	L
70	Adjacent extraocular extension: Eyelid Orbit	NA	RE	RE
80	Further contiguous extension	NA	D	D
95	No evidence of primary tumor	NA	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	U	U

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS TS/Ext-Eval

Code	Description	Staging Basis
9	Not applicable for this site	NA

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	NA	NONE	NONE
10	Regional lymph nodes Cervical Mandibular, NOS: Submandibular (submaxillary) Parotid, NOS: Infra-auricular Preauricular Regional lymph node(s), NOS	NA	RN	RN
80	Lymph nodes, NOS	NA	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NA	U	U

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Reg Nodes Eval

Code	Description	Staging Basis
9	Not applicable for this site	NA

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

Reg LN Pos

SEE STANDARD TABLE

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

Reg LN Exam

SEE STANDARD TABLE

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	NA	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	NA	D	D
99	Unknown if distant metastasis Cannot be assessed Not documented in patient record	NA	U	U

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Mets Eval

Code	Description	Staging Basis
9	Not applicable for this site	NA

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Site-Specific Factor 1

Code	Description
888	Not applicable for this site

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Site-Specific Factor 2

Code	Description
888	Not applicable for this site

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Site-Specific Factor 3

Code	Description
888	Not applicable for this site

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Site-Specific Factor 4

Code	Description
888	Not applicable for this site

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Site-Specific Factor 5

Code	Description
888	Not applicable for this site

Cornea, Retina, Choroid, Ciliary Body (Iris, Lens, Sclera, Uveal Tract), Eyeball, Overlapping and Other Eye [Excluding Melanoma and Retinoblastoma]

CS Site-Specific Factor 6

Code	Description
888	Not applicable for this site

Collaborative Staging Codes
Malignant Melanoma of Iris and Ciliary Body
C69.4

(M-8720-8790)

C69.4 Ciliary Body and Iris

Note: Laterality must be coded for these sites

CS Tumor Size	CS Site-Specific Factor 1 - Measured Thickness (Depth), Breslow's Measurement	The following tables are available at the collaborative staging website: Histologies for Which AJCC Staging Is Not Generated AJCC Stage
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Malignant Melanoma of Iris and Ciliary Body

CS Tumor Size

SEE STANDARD TABLE

Malignant Melanoma of Iris and Ciliary Body

CS Extension

Note 1: AJCC 6th Edition states that when basal dimension and apical height do not fit this classification, the largest diameter should be used for classification. In clinical practice the tumor base may be estimated in optic disc diameters (dd) (average: 1 dd = 1.5mm). The elevation may be estimated in diopters (average: 3 diopters = 1 mm). Other techniques, such as ultrasonography and computerized stereometry, may provide a more accurate measurement.

Note 2: Iris and ciliary body are both included in the ICD-O-3 site code of C69.4, so they are in the same Collaborative Staging schema. However, they are staged with different criteria by AJCC. Many of the extension codes below are marked as applicable to either iris or ciliary body only. Any code not so marked may be used for either site.

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	Tis	IS	IS
10	FOR IRIS PRIMARY ONLY: Confined to iris, NOS	T1NOS	L	L
11	FOR IRIS PRIMARY ONLY: Limited to iris not more than 3 clock hours in size, WITHOUT melanomalytic glaucoma, or not stated if melanomalytic glaucoma	T1a	L	L
13	FOR IRIS PRIMARY ONLY: Limited to iris more than 3 clock hours in size, WITHOUT melanomalytic glaucoma, or not stated if melanomalytic glaucoma	T1b	L	L
14	FOR IRIS PRIMARY ONLY: Limited to iris WITH melanomalytic glaucoma	T1c	L	L

21	FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), not stated if extraocular extension present (See Note 1.)	T1NOS	L	L
22	FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITHOUT microscopic or macroscopic extraocular extension. (See Note 1.)	T1a	L	L
23	FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITH microscopic extraocular extension. (See Note 1.)	T1b	L	L
24	FOR CILIARY BODY PRIMARY ONLY: Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITH macroscopic extraocular extension. (See Note 1.)	T1c	L	L
30	Localized, NOS Diameter and/or thickness in clock hours or mm not stated	T1NOS	L	L
41	FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITHOUT melanomalytic glaucoma, or not stated if melanomalytic glaucoma	T2NOS	L	L
42	FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITH melanomalytic glaucoma	T2a	L	L
51	FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), not stated if extraocular extension present (See Note 1.)	T2NOS	L	L
52	FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITHOUT microscopic or macroscopic extraocular extension present. (See Note 1.)	T2a	L	L
53	FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITH microscopic extraocular extension present. (See Note 1.)	T2b	RE	RE
54	FOR CILIARY BODY PRIMARY ONLY: Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITH macroscopic extraocular extension present. (See Note 1.)	T2c	RE	RE

60	FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITH scleral extension, WITHOUT melanolytic glaucoma, or not stated if melanolytic glaucoma	T3NOS	L	L
61	FOR IRIS PRIMARY ONLY: Tumor confluent with or extending into the ciliary body and/or choroid WITH scleral extension, AND melanolytic glaucoma	T3a	L	L
65	FOR IRIS PRIMARY ONLY: Extraocular extension	T4	RE	RE
71	FOR CILIARY BODY PRIMARY ONLY: Tumor more than 16 mm in greatest basal diameter and/or greater than 10 mm in maximum height (thickness), WITHOUT extraocular extension or not stated if extraocular extension present. (See Note 1.)	T3NOS	L	L
75	FOR CILIARY BODY PRIMARY ONLY: Tumor more than 16 mm in greatest basal diameter and/or greater than 10 mm in maximum height (thickness), WITH extraocular extension. (See Note 1.)	T4	RE	RE
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Malignant Melanoma of Iris and Ciliary Body

CS TS/Ext-Eval

SEE STANDARD TABLE

Malignant Melanoma of Iris and Ciliary Body

CS Lymph Nodes

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph nodes Cervical Parotid (preauricular) Submandibular Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Malignant Melanoma of Iris and Ciliary Body
CS Reg Nodes Eval
SEE STANDARD TABLE

Malignant Melanoma of Iris and Ciliary Body
Reg LN Pos
SEE STANDARD TABLE

Malignant Melanoma of Iris and Ciliary Body
Reg LN Exam
SEE STANDARD TABLE

Malignant Melanoma of Iris and Ciliary Body
CS Mets at DX
SEE STANDARD TABLE

Malignant Melanoma of Iris and Ciliary Body
CS Mets Eval
SEE STANDARD TABLE

Malignant Melanoma of Iris and Ciliary Body
CS Site-Specific Factor 1 Measured Thickness (Depth), Breslow's Measurement

Note: Code MEASURED THICKNESS (Depth) of tumor (Breslow's measurement), not size. Record actual measurement in millimeters from the pathology report.

Code	Description
000	No mass/tumor found
001-988	0.01 - 9.88 millimeters Code exact measurement in HUNDREDTHS of millimeters. Examples: 001 0.01 millimeter 002 0.02 millimeters 010 0.1 millimeter 074 0.74 millimeters 100 1 millimeters 105 1.05 millimeters 988 9.88 millimeters
989	9.89 millimeters or larger
990	Microinvasion; microscopic focus or foci only; no size given
999	Unknown; size not stated Not documented in patient record

Malignant Melanoma of Iris and Ciliary Body
CS Site-Specific Factor 2

Code	Description
888	Not applicable for this site

Malignant Melanoma of Iris and Ciliary Body
CS Site-Specific Factor 3

Code	Description
888	Not applicable for this site

Malignant Melanoma of Iris and Ciliary Body
CS Site-Specific Factor 4

Code	Description
888	Not applicable for this site

Malignant Melanoma of Iris and Ciliary Body
CS Site-Specific Factor 5

Code	Description
888	Not applicable for this site

Malignant Melanoma of Iris and Ciliary Body
CS Site-Specific Factor 6

Code	Description
888	Not applicable for this site

Page intentionally blank

Collaborative Staging Codes
Malignant Melanoma of Choroid
C69.3

(M-8720-8790)
 C69.3 Choroid

Note: Laterality must be coded for these sites

CS Tumor Size	CS Site-Specific Factor 1 - Measured Thickness (Depth), Breslow's Measurement	The following tables are available at the collaborative staging website: Histologies for Which AJCC Staging Is Not Generated AJCC Stage
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Malignant Melanoma of Choroid

CS Tumor Size

SEE STANDARD TABLE

Malignant Melanoma of Choroid

CS Extension

Note: AJCC 6th Edition states that when basal dimension and apical height do not fit this classification, the largest diameter should be used for classification. In clinical practice the tumor base may be estimated in optic disc diameters (dd) (average: 1 dd = 1.5mm). The elevation may be estimated in diopters (average: 3 diopters = 1 mm). Other techniques, such as ultrasonography and computerized stereometry, may provide a more accurate measurement.

Code	Description	TNM	SS77	SS2000
00	In situ	Tis	IS	IS
22	Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), AND extraocular invasion unknown	T1NOS	L	L
24	Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITHOUT microscopic extraocular extension	T1a	L	L
26	Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITH microscopic extraocular extension	T1b	L	L
28	Tumor 10 mm or less in greatest diameter and 2.5 mm or less in greatest height (thickness), WITH macroscopic extraocular extension	T1c	L	L
30	Localized, NOS	T1NOS	L	L

42	Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), AND extraocular invasion unknown	T2NOS	L	L
44	Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITHOUT microscopic extraocular invasion	T2a	L	L
46	Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITH microscopic extraocular invasion	T2b	RE	RE
48	Tumor greater than 10 mm but not more than 16 mm in greatest basal diameter and between 2.5 mm and 10 mm in maximum height (thickness), WITH macroscopic extraocular invasion	T2c	RE	RE
66	Tumor greater than 16 mm in greatest diameter and/or greater than 10 mm in maximum height (thickness) WITH microscopic extraocular extension	T3	RE	RE
68	Tumor greater than 16 mm in greatest diameter and/or greater than 10 mm in maximum height (thickness) WITH macroscopic extraocular extension	T4	RE	RE
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Malignant Melanoma of Choroid

CS TS/Ext-Eval

SEE STANDARD TABLE

Malignant Melanoma of Choroid

CS Lymph Nodes

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph nodes Cervical Parotid (preauricular) Submandibular Regional lymph node(s), NOS	N1	RN	RN

80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Malignant Melanoma of Choroid

CS Reg Nodes Eval

SEE STANDARD TABLE

Malignant Melanoma of Choroid

Reg LN Pos

SEE STANDARD TABLE

Malignant Melanoma of Choroid

Reg LN Exam

SEE STANDARD TABLE

Malignant Melanoma of Choroid

CS Mets at DX

SEE STANDARD TABLE

Malignant Melanoma of Choroid

CS Mets Eval

SEE STANDARD TABLE

Malignant Melanoma of Choroid

CS Site-Specific Factor 1 Measured Thickness (Depth), Breslow's Measurement

Note: Code MEASURED THICKNESS (Depth) of tumor (Breslow's measurement), not size. Record actual measurement in millimeters from the pathology report.

Code	Description
000	No mass/tumor found
001-988	0.01 - 9.88 millimeters Code exact measurement in HUNDREDTHS of millimeters. Examples: 001 0.01 millimeter 002 0.02 millimeters 010 0.1 millimeter 074 0.74 millimeters 100 1 millimeters 105 1.05 millimeters 988 9.88 millimeters
989	9.89 millimeters or larger
990	Microinvasion; microscopic focus or foci only; no size given
999	Unknown; size not stated Not documented in patient record

**Malignant Melanoma of Choroid
CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

**Malignant Melanoma of Choroid
CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

**Malignant Melanoma of Choroid
CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

**Malignant Melanoma of Choroid
CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

**Malignant Melanoma of Choroid
CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

Collaborative Staging Codes
Malignant Melanoma of Other Eye
C69.1, C69.2, C69.5, C69.8-C69.9

(M-8720-8790)

C69.1 Cornea

C69.2 Retina

C69.5 Lacrimal gland

C69.8 Overlapping lesion of eye and adnexa

C69.9 Eye, NOS

Excludes 69.0 Conjunctiva, C69.3 Choroid, and C69.4 Ciliary Body

Note 1: Laterality must be coded for these sites

Note 2: AJCC includes primary site C69.8 (Overlapping lesions of eye and adnexa) in its chapter 46, Sarcoma of the Orbit. This schema includes only melanomas of the sites listed above.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histologies for Which AJCC Staging Is Not Generated AJCC Stage
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Malignant Melanoma of Other Eye

CS Tumor Size

SEE STANDARD TABLE

Malignant Melanoma of Other Eye

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	NA	IS	IS
10	Tumor limited to other part of eye WITH or WITHOUT intraocular extension	NA	L	L
30	Localized, NOS	NA	L	L
70	Adjacent extraocular extension	NA	RE	RE
80	Further contiguous extension	NA	D	D
95	No evidence of primary tumor	NA	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	U	U

Malignant Melanoma of Other Eye

CS TS/Ext-Eval

SEE STANDARD TABLE

**Malignant Melanoma of Other Eye
CS Lymph Nodes**

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	NA	NONE	NONE
10	Regional lymph nodes Cervical Parotid (preauricular) Submandibular Regional lymph node(s), NOS	NA	RN	RN
80	Lymph nodes, NOS	NA	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NA	U	U

**Malignant Melanoma of Other Eye
CS Reg Nodes Eval
SEE STANDARD TABLE**

**Malignant Melanoma of Other Eye
Reg LN Pos
SEE STANDARD TABLE**

**Malignant Melanoma of Other Eye
Reg LN Exam
SEE STANDARD TABLE**

**Malignant Melanoma of Other Eye
CS Mets at DX**

Code	Description	TNM	SS77	SS2000
00	No; none	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	NA	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	NA	D	D
99	Unknown if distant metastasis Cannot be assessed Not documented in patient record	NA	U	U

**Malignant Melanoma of Other Eye
CS Mets Eval
SEE STANDARD TABLE**

Malignant Melanoma of Other Eye**CS Site-Specific Factor 1**

Code	Description
888	Not applicable for this site

Malignant Melanoma of Other Eye**CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

Malignant Melanoma of Other Eye**CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

Malignant Melanoma of Other Eye**CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

Malignant Melanoma of Other Eye**CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

Malignant Melanoma of Other Eye**CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

Page intentionally blank