

Collaborative Staging Codes

Glottic Larynx

C32.0

C32.0 Glottis

CS Tumor Size	CS Site-Specific Factor 1 - Size of Lymph Nodes	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Lymph Nodes Size Table
CS Extension	CS Site-Specific Factor 2 - Extracapsular Extension, Lymph Nodes for Head and Neck	
CS TS/Ext-Eval	CS Site-Specific Factor 3 - Levels I-III, Lymph Nodes for Head and Neck	
CS Lymph Nodes	CS Site-Specific Factor 4 - Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck	
CS Reg Nodes Eval	CS Site-Specific Factor 5 - Levels VI-VII and Facial Lymph Nodes for Head and Neck	
Reg LN Pos	CS Site-Specific Factor 6 - Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Glottic Larynx

CS Tumor Size

SEE STANDARD TABLE

Glottic Larynx

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	Tis	IS	IS
10	Invasive tumor with normal vocal cord mobility Confined to glottis, NOS; intrinsic larynx; laryngeal commissure(s) anterior, posterior; vocal cord(s), NOS, true vocal cord(s), true cord(s)	T1NOS	L	L
11	One vocal cord	T1a	L	L
12	Both vocal cords	T1b	L	L
30	Tumor involves adjacent regions(s) of larynx: Subglottis Supraglottis False vocal cord (s)	T2	L	L
35	Impaired vocal cord mobility	T2	L	L
40	Tumor limited to larynx WITH vocal cord fixation Involvement of intrinsic muscle(s): Aryepiglottic: Corniculate tubercle Cuneiform tubercle Arytenoid	T3	L	L

40, cont'd	Cricoarytenoid Cricothyroid Thyroarytenoid Thyroepiglottic Vocalis			
45	Localized, NOS	T1NOS	L	L
51	Paraglottic space	T3	RE	RE
52	Minor thyroid cartilage erosion (e.g., inner cortex)	T3	RE	D
60	Base of tongue Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues Pyriform sinus Vallecula	T4a	RE	RE
68	Extension to/through Cricoid cartilage Thyroid cartilage except minor erosion, see code 52	T4a	RE	D
70	Extension to/through tissues beyond larynx: Extrinsic (strap) muscles: Omohyoid Sternohyoid Sternothyroid Thyrohyoid Oropharynx Skin Soft tissue of neck Thyroid gland Trachea	T4a	D	D
71	Cervical esophagus	T4a	D	D
73	Deep extrinsic muscle(s) of tongue	T4a	D	D
80	Further contiguous extension, including: Mediastinal structures Prevertebral space Tumor encases carotid artery	T4b	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Glottic Larynx
CS TS/Ext-Eval
SEE STANDARD TABLE

Glottic Larynx

CS Lymph Nodes

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Note 2: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Single positive ipsilateral regional node: Level II Jugulodigastric (subdigastric) Upper deep cervical Upper jugular Level III Middle deep cervical Mid-jugular Level IV Jugulo-omohyoid (supraomohyoid) Lower deep cervical Lower jugular Level VI Anterior deep cervical Delphian node Laterotracheal Paralaryngeal Paratracheal Prelaryngeal (Delphian) Pretracheal Recurrent laryngeal Cervical, NOS Deep cervical, NOS Internal jugular NOS: Regional lymph node, NOS Stated as N1, NOS	*	RN	RN
11	Single positive ipsilateral regional node: Level I Submandibular (submaxillary) Submental Other groups Retropharyngeal Mandibular, NOS	*	D	RN
12	Single positive ipsilateral regional node: Level V node Posterior cervical Posterior triangle (spinal accessory and transverse cervical) (upper, middle, and lower corresponding to the levels that define upper, middle, and lower jugular nodes) Level VII node Upper mediastinum (for other mediastinal nodes see CS Mets at DX) Other groups Intraparotid Parapharyngeal Periparotid Sub-occipital	*	D	RN

18	Stated as N1, no other information	N1	RN	RN
19	Stated as N2a, no other information	N2a	RN	RN
20	Multiple positive ipsilateral nodes listed in code 10	*	RN	RN
21	Multiple positive ipsilateral nodes listed in code 11	*	D	RN
22	Multiple positive ipsilateral nodes listed in code 12	*	D	D
29	Stated as N2b, no other information	N2b	RN	RN
30	Regional lymph nodes as listed in code 10: Positive ipsilateral node(s), not stated if single or multiple	*	RN	RN
31	Regional lymph nodes as listed in code 11: Positive ipsilateral node(s), not stated if single or multiple	*	D	RN
32	Regional lymph nodes as listed in code 12: Positive ipsilateral node(s), not stated if single or multiple	*	D	D
40	Regional lymph nodes as listed in code 10: Positive bilateral or contralateral nodes	*	RN	RN
41	Regional lymph nodes as listed in code 11: Positive bilateral or contralateral nodes	*	D	RN
42	Regional lymph nodes as listed in code 12: Positive bilateral or contralateral nodes	*	D	D
49	Stated as N2c, no other information	N2c	RN	RN
50	Regional lymph nodes as listed in code 10: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	RN	RN
51	Regional lymph nodes as listed in code 11: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	RN
52	Regional lymph nodes as listed in code 12: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	D
60	Stated as N2NOS	N2NOS	RN	RN
70	Stated as N3, no other information	N3	RN	RN
80	Lymph nodes, NOS, no other information	*	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

* For codes 10-12, 20-22, 30-32, 40-42, 50-52, and 80 ONLY, the N category is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

Glottic Larynx
CS Reg Nodes Eval
SEE STANDARD TABLE

Glottic Larynx
Reg LN Pos
SEE STANDARD TABLE

Glottic Larynx
Reg LN Exam
SEE STANDARD TABLE

Glottic Larynx
CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Supraclavicular (transverse cervical) Distant lymph node(s), NOS	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Glottic Larynx
CS Mets Eval
SEE STANDARD TABLE

Glottic Larynx
CS Site-Specific Factor 1 Size of Lymph Nodes

Note: Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-988	001-988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm

995	Described as less than 5 cm
996	Described as less than 6 cm
997	Described as more than 6 cm
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph node(s) involved Not documented in patient record

Glottic Larynx

CS Site-Specific Factor 2 Extracapsular Extension, Lymph Nodes for Head and Neck

Note 1: Code the status of extracapsular extension whether assessed clinically or pathologically of any involved regional lymph node(s) coded in the CS Lymph Nodes field. Do not code the status of any nodes coded in CS Mets at DX. Pathologic assessment takes priority over clinical assessment.

Note 2: According to AJCC (page 24), "Imaging studies showing amorphous spiculated margins of involved nodes or involvement of internodal fat resulting in loss of normal oval-to-round nodal shape strongly suggest extracapsular (extranodal) tumor spread; however, pathologic examination is necessary for documentation of the extent of such disease."

Code	Description
000	No extracapsular extension
001	Extracapsular extension clinically, not assessed pathologically Nodes described as "fixed", not assessed pathologically
005	Extracapsular extension present pathologically
888	Not applicable; no lymph node involvement
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Glottic Larynx

CS Site-Specific Factor 3 Levels I-III, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels I, II, or III
100	Level I lymph node(s) involved
010	Level II lymph node(s) involved
001	Level III lymph node(s) involved
110	Level I and II lymph nodes involved
101	Level I and III lymph nodes involved

011	Level II and III lymph nodes involved
111	Level I, II and III lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Glottic Larynx

CS Site-Specific Factor 4 Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels IV or V or retropharyngeal
100	Level IV lymph node(s) involved
010	Level V lymph node(s) involved
001	Retropharyngeal nodes involved
110	Level IV and V lymph nodes involved
101	Level IV and retropharyngeal nodes involved
011	Level V and retropharyngeal nodes involved
111	Level IV and V and retropharyngeal lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Glottic Larynx

CS Site-Specific Factor 5 Levels VI-VII and Facial Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels VI or VII or facial nodes
100	Level VI lymph node(s) involved
010	Level VII lymph node(s) involved

001	Facial (buccinator, nasolabial) lymph node(s) involved
110	Level VI and VII lymph nodes involved
101	Level VI and facial (buccinator, nasolabial) nodes involved
011	Level VII and facial (buccinator, nasolabial) nodes involved
111	Level VI and VII and facial (buccinator, nasolabial) lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Glottic Larynx

CS Site-Specific Factor 6 Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), or sub-occipital lymph node involvement
100	Parapharyngeal lymph node(s) involved
010	Parotid (preauricular, periparotid, and/or intraparotid) lymph node(s) involved
001	Sub-occipital lymph node(s) involved
110	Parapharyngeal and parotid (preauricular, periparotid, and/or intraparotid) lymph nodes involved
101	Parapharyngeal and sub-occipital lymph nodes involved
011	Parotid (preauricular, periparotid, and/or intraparotid) and sub-occipital lymph nodes involved
111	Parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), and sub-occipital lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Collaborative Staging Codes

Supraglottic Larynx

C32.1

C32.1 Supraglottis

Note: Excludes Anterior Surface of Epiglottis - see separate schema (C10.1).

CS Tumor Size	CS Site-Specific Factor 1 - Size of Lymph Nodes	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Lymph Nodes Size Table
CS Extension	CS Site-Specific Factor 2 - Extracapsular Extension, Lymph Nodes for Head and Neck	
CS TS/Ext-Eval	CS Site-Specific Factor 3 - Levels I-III, Lymph Nodes for Head and Neck	
CS Lymph Nodes	CS Site-Specific Factor 4 - Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck	
CS Reg Nodes Eval	CS Site-Specific Factor 5 - Levels VI-VII and Facial Lymph Nodes for Head and Neck	
Reg LN Pos	CS Site-Specific Factor 6 - Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Supraglottic Larynx

CS Tumor Size

SEE STANDARD TABLE

Supraglottic Larynx

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	Tis	IS	IS
10	Invasive tumor with normal vocal cord mobility confined to: Supraglottis (one subsite): Aryepiglottic fold Arytenoid cartilage Corniculate cartilage Cuneiform cartilage Epilarynx, NOS False cords Ventricular bands Ventricular cavity Ventricular fold Infrahyoid epiglottis Laryngeal cartilage, NOS Laryngeal (posterior) surface of epiglottis Suprahyoid epiglottis (including tip, lingual {anterior} and laryngeal surfaces)	T1	L	L
20	Tumor involves more than one subsite of supraglottis WITHOUT fixation or NOS	T2	L	L
30	Tumor involves adjacent regions(s) of larynx	T2	L	L

35	Impaired vocal cord mobility	T2	L	L
40	Tumor limited to larynx WITH vocal cord fixation	T3	L	L
45	Localized, NOS	T1	L	L
52	Paraglottic space	T3	RE	RE
60	Tumor involves region outside the supraglottis WITHOUT fixation, including: Medial wall of pyriform sinus Mucosa of base of tongue Vallecula	T2	RE	RE
62	Code 60 WITH fixation	T3	RE	RE
65	Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues	T3	RE	RE
66	Deep base of tongue	T3	RE	RE
67	Cricoid cartilage	T3	RE	RE
68	Minor thyroid cartilage erosion (e.g., inner cortex)	T3	RE	D
70	Extension to/through: Esophagus Oropharynx Soft tissues of neck Thyroid cartilage (except minor erosion, see code 68) Thyroid gland	T4a	D	D
72	Extension to/through: Extrinsic (strap) muscle(s) Omohyoid Sternohyoid Sternothyroid Thyrohyoid Skin	T4a	D	D
73	Extension to/through: Deep extrinsic muscle of tongue Trachea	T4a	D	D
80	Further contiguous extension, including: Mediastinal structures Prevertebral space Tumor encases carotid artery	T4b	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Supraglottic Larynx
CS TS/Ext-Eval
SEE STANDARD TABLE

Supraglottic Larynx CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, and levels involved) is coded in Site-Specific Factors 1-6.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Single positive ipsilateral regional node: Level II Jugulodigastric (subdigastric) Upper deep cervical Upper jugular Level III Middle deep cervical Mid-jugular Level VI Anterior deep cervical Delphian node Laterotracheal Paralaryngeal Paratracheal Prelaryngeal Pretracheal Recurrent laryngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS: Regional lymph node, NOS Stated as N1, NOS	*	RN	RN
11	Single positive ipsilateral regional node: Level I Submandibular (submaxillary) Submental Other groups Retropharyngeal Mandibular, NOS	*	D	RN
12	Single positive ipsilateral regional node: Level V node Posterior cervical Posterior triangle (spinal accessory and transverse cervical) (upper, middle, and lower corresponding to the levels that define upper, middle, and lower jugular nodes) Level VII node Upper mediastinum (for other mediastinal nodes see CS Mets at DX) Other groups Intraparotid Parapharyngeal Periparotid Sub-occipital	*	D	D

18	Stated as N1, no other information	N1	RN	RN
19	Stated as N2a, no other information	N2a	RN	RN
20	Multiple positive ipsilateral nodes listed in code 10	*	RN	RN
21	Multiple positive ipsilateral nodes listed in code 11	*	D	RN
22	Multiple positive ipsilateral nodes listed in code 12	*	D	D
29	Stated as N2b, no other information	N2b	RN	RN
30	Regional lymph nodes as listed in code 10: Positive ipsilateral node(s), not stated if single or multiple	*	RN	RN
31	Regional lymph nodes as listed in code 11: Positive ipsilateral node(s), not stated if single or multiple	*	D	RN
32	Regional lymph nodes as listed in code 12: Positive ipsilateral node(s), not stated if single or multiple	*	D	D
40	Regional lymph nodes as listed in code 10: Positive bilateral or contralateral nodes	*	RN	RN
41	Regional lymph nodes as listed in code 11: Positive bilateral or contralateral nodes	*	D	RN
42	Regional lymph nodes as listed in code 12: Positive bilateral or contralateral nodes	*	D	D
49	Stated as N2c, no other information	N2c	RN	RN
50	Regional lymph nodes as listed in code 10: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	RN	RN
51	Regional lymph nodes as listed in code 11: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	RN
52	Regional lymph nodes as listed in code 12: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	D
60	Stated as N2, NOS	N2NOS	RN	RN
70	Stated as N3, no other information	N3	RN	RN
80	Lymph nodes, NOS, no other information	*	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

* For codes 10-12, 20-22, 30-32, 40-42, 50-52, and 80 ONLY, the N category is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

**Supraglottic Larynx
CS Reg Nodes Eval
SEE STANDARD TABLE**

Supraglottic Larynx
Reg LN Pos
SEE STANDARD TABLE

Supraglottic Larynx
Reg LN Exam
SEE STANDARD TABLE

Supraglottic Larynx
CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Supraclavicular (transverse cervical) Distant lymph node(s), NOS	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Supraglottic Larynx
CS Mets Eval
SEE STANDARD TABLE

Supraglottic Larynx
CS Site-Specific Factor 1 Size of Lymph Nodes

Note: Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-988	001-988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm

995	Described as less than 5 cm
996	Described as less than 6 cm
997	Described as more than 6 cm
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph node(s) involved Not documented in patient record

Supraglottic Larynx

CS Site-Specific Factor 2 Extracapsular Extension, Lymph Nodes for Head and Neck

Note 1: Code the status of extracapsular extension whether assessed clinically or pathologically of any involved regional lymph node(s) coded in the CS Lymph Nodes field. Do not code the status of any nodes coded in CS Mets at DX. Pathologic assessment takes priority over clinical assessment.

Note 2: According to AJCC (page 24), "Imaging studies showing amorphous spiculated margins of involved nodes or involvement of internodal fat resulting in loss of normal oval-to-round nodal shape strongly suggest extracapsular (extranodal) tumor spread; however, pathologic examination is necessary for documentation of the extent of such disease."

Code	Description
000	No extracapsular extension
001	Extracapsular extension clinically, not assessed pathologically Nodes described as "fixed", not assessed pathologically
005	Extracapsular extension present pathologically
888	Not applicable; no lymph node involvement
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Supraglottic Larynx

CS Site-Specific Factor 3 Levels I-III, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels I, II, or III
100	Level I lymph node(s) involved
010	Level II lymph node(s) involved
001	Level III lymph node(s) involved
110	Level I and II lymph nodes involved
101	Level I and III lymph nodes involved

011	Level II and III lymph nodes involved
111	Level I, II and III lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Supraglottic Larynx

CS Site-Specific Factor 4 Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels IV or V or retropharyngeal
100	Level IV lymph node(s) involved
010	Level V lymph node(s) involved
001	Retropharyngeal nodes involved
110	Level IV and V lymph nodes involved
101	Level IV and retropharyngeal nodes involved
011	Level V and retropharyngeal nodes involved
111	Level IV and V and retropharyngeal lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Supraglottic Larynx

CS Site-Specific Factor 5 Levels VI-VII and Facial Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels VI or VII or facial nodes
100	Level VI lymph node(s) involved
010	Level VII lymph node(s) involved

001	Facial (buccinator, nasolabial) lymph node(s) involved
110	Level VI and VII lymph nodes involved
101	Level VI and facial (buccinator, nasolabial) nodes involved
011	Level VII and facial (buccinator, nasolabial) nodes involved
111	Level VI and VII and facial (buccinator, nasolabial) lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Supraglottic Larynx

CS Site-Specific Factor 6 Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), or sub-occipital lymph node involvement
100	Parapharyngeal lymph node(s) involved
010	Parotid (preauricular, periparotid, and/or intraparotid) lymph node(s) involved
001	Sub-occipital lymph node(s) involved
110	Parapharyngeal and parotid (preauricular, periparotid, and/or intraparotid) lymph nodes involved
101	Parapharyngeal and sub-occipital lymph nodes involved
011	Parotid (preauricular, periparotid, and/or intraparotid) and sub-occipital lymph nodes involved
111	Parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), and sub-occipital lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Collaborative Staging Codes

Subglottic Larynx

C32.2

C32.2 Subglottis

CS Tumor Size	CS Site-Specific Factor 1 - Size of Lymph Nodes	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Lymph Nodes Size Table
CS Extension	CS Site-Specific Factor 2 - Extracapsular Extension, Lymph Nodes for Head and Neck	
CS TS/Ext-Eval	CS Site-Specific Factor 3 - Levels I-III, Lymph Nodes for Head and Neck	
CS Lymph Nodes	CS Site-Specific Factor 4 - Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck	
CS Reg Nodes Eval	CS Site-Specific Factor 5 - Levels VI-VII and Facial Lymph Nodes for Head and Neck	
Reg LN Pos	CS Site-Specific Factor 6 - Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Subglottic Larynx

CS Tumor Size

SEE STANDARD TABLE

Subglottic Larynx

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	Tis	IS	IS
10	Invasive tumor with normal vocal cord mobility confined to subglottis	T1	L	L
30	Tumor involves adjacent region(s) of larynx Vocal cords with normal or impaired mobility	T2	L	L
40	Tumor limited to larynx WITH vocal cord fixation	T3	L	L
45	Localized, NOS	T1	L	L
60	Base of tongue Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues Pyriform sinus (pyriform fossa) Vallecula	T4a	RE	RE
68	Extension to/through cricoid cartilage or thyroid cartilage	T4a	RE	D
70	Extension to/through: Cervical esophagus Deep extrinsic muscles of tongue Extrinsic (strap) muscles	T4a	D	D

70, cont'd	Omohyoid Sternohyoid Sternothyroid Thyrohyoid Oropharynx Skin Soft tissues of neck Thyroid gland Trachea			
73	Contiguous extension to other tissues beyond larynx not specified in codes 70 or 80	T4a	D	D
80	Further contiguous extension: Mediastinal structures Prevertebral space Tumor encases carotid artery	T4b	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Subglottic Larynx

CS TS/Ext-Eval

SEE STANDARD TABLE

Subglottic Larynx

CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, and levels involved) is coded in Site-Specific Factors 1-6.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Single positive ipsilateral regional node: Level II Jugulodigastric (subdigastric) Upper deep cervical Upper jugular Level III Middle deep cervical Mid-jugular Level VI Anterior deep cervical Delphian node Laterotracheal Paralaryngeal Paratracheal Prealaryngeal Pretracheal	*	RN	RN

10, cont'd	Recurrent laryngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS: Regional lymph node, NOS Stated as N1, NOS			
11	Single positive ipsilateral regional node: Level I Submandibular (submaxillary) Submental Other groups Retropharyngeal Mandibular, NOS	*	D	RN
12	Single positive ipsilateral regional node: Level V node Posterior cervical Posterior triangle (spinal accessory and transverse cervical) (upper, middle, and lower corresponding to the levels that define upper, middle, and lower jugular nodes) Level VII node Upper mediastinum (for other mediastinal nodes see CS Mets at DX) Other groups Intraparotid Parapharyngeal Periparotid Sub-occipital	*	D	D
18	Stated as N1, no other information	N1	RN	RN
19	Stated as N2a, no other information	N2a	RN	RN
20	Multiple positive ipsilateral nodes listed in code 10	*	RN	RN
21	Multiple positive ipsilateral nodes listed in code 11	*	D	RN
22	Multiple positive ipsilateral nodes listed in code 12	*	D	D
29	Stated as N2b, no other information	N2b	RN	RN
30	Regional lymph nodes as listed in code 10: Positive ipsilateral node(s), not stated if single or multiple	*	RN	RN
31	Regional lymph nodes as listed in code 11: Positive ipsilateral node(s), not stated if single or multiple	*	D	RN
32	Regional lymph nodes as listed in code 12: Positive ipsilateral node(s), not stated if single or multiple	*	D	D
40	Regional lymph nodes as listed in code 10: Positive bilateral or contralateral nodes	*	RN	RN
41	Regional lymph nodes as listed in code 11: Positive bilateral or contralateral nodes	*	D	RN
42	Regional lymph nodes as listed in code 12: Positive bilateral or contralateral nodes	*	D	D

49	Stated as N2c, no other information	N2c	RN	RN
50	Regional lymph nodes as listed in code 10: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	RN	RN
51	Regional lymph nodes as listed in code 11: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	RN
52	Regional lymph nodes as listed in code 12: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	D
60	Stated as N2NOS	N2NOS	RN	RN
70	Stated as N3, no other information	N3	RN	RN
80	Lymph nodes, NOS, no other information	*	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

* For codes 10-12, 20-22, 30-32, 40-42, 50-52, and 80 ONLY, the N category is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

Subglottic Larynx
CS Reg Nodes Eval
SEE STANDARD TABLE

Subglottic Larynx
Reg LN Pos
SEE STANDARD TABLE

Subglottic Larynx
Reg LN Exam
SEE STANDARD TABLE

Subglottic Larynx
CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Supraclavicular (transverse cervical) Distant lymph node(s), NOS	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D

99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U
----	--	----	---	---

Subglottic Larynx

CS Mets Eval

SEE STANDARD TABLE

Subglottic Larynx

CS Site-Specific Factor 1 Size of Lymph Nodes

Note: Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-988	001-988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
996	Described as less than 6 cm
997	Described as more than 6 cm
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph node(s) involved Not documented in patient record

Subglottic Larynx

CS Site-Specific Factor 2 Extracapsular Extension, Lymph Nodes for Head and Neck

Note 1: Code the status of extracapsular extension whether assessed clinically or pathologically of any involved regional lymph node(s) coded in the CS Lymph Nodes field. Do not code the status of any nodes coded in CS Mets at DX. Pathologic assessment takes priority over clinical assessment.

Note 2: According to AJCC (page 24), "Imaging studies showing amorphous spiculated margins of involved nodes or involvement of internodal fat resulting in loss of normal oval-to-round nodal shape strongly suggest extracapsular (extranodal) tumor spread; however, pathologic examination is necessary for documentation of the extent of such disease."

Code	Description
000	No extracapsular extension
001	Extracapsular extension clinically, not assessed pathologically Nodes described as "fixed", not assessed pathologically
005	Extracapsular extension present pathologically
888	Not applicable; no lymph node involvement
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Subglottic Larynx

CS Site-Specific Factor 3 Levels I-III, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels I, II, or III
100	Level I lymph node(s) involved
010	Level II lymph node(s) involved
001	Level III lymph node(s) involved
110	Level I and II lymph nodes involved
101	Level I and III lymph nodes involved
011	Level II and III lymph nodes involved
111	Level I, II and III lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Subglottic Larynx

CS Site-Specific Factor 4 Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels IV or V or retropharyngeal
100	Level IV lymph node(s) involved
010	Level V lymph node(s) involved
001	Retropharyngeal nodes involved
110	Level IV and V lymph nodes involved
101	Level IV and retropharyngeal nodes involved
011	Level V and retropharyngeal nodes involved
111	Level IV and V and retropharyngeal lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Subglottic Larynx

CS Site-Specific Factor 5 Levels VI-VII and Facial Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels VI or VII or facial nodes
100	Level VI lymph node(s) involved
010	Level VII lymph node(s) involved
001	Facial (buccinator, nasolabial) lymph node(s) involved
110	Level VI and VII lymph nodes involved
101	Level VI and facial (buccinator, nasolabial) nodes involved
011	Level VII and facial (buccinator, nasolabial) nodes involved

111	Level VI and VII and facial (buccinator, nasolabial) lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Subglottic Larynx

CS Site-Specific Factor 6 Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), or sub-occipital lymph node involvement
100	Parapharyngeal lymph node(s) involved
010	Parotid (preauricular, periparotid, and/or intraparotid) lymph node(s) involved
001	Sub-occipital lymph node(s) involved
110	Parapharyngeal and parotid (preauricular, periparotid, and/or intraparotid) lymph nodes involved
101	Parapharyngeal and sub-occipital lymph nodes involved
011	Parotid (preauricular, periparotid, and/or intraparotid) and sub-occipital lymph nodes involved
111	Parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), and sub-occipital lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Collaborative Staging Codes

Larynx, Overlapping Lesion or Not Otherwise Specified

C32.3, C32.8-C32.9

C32.3 Laryngeal cartilage

C32.8 Overlapping lesion of larynx

C32.9 Larynx, NOS

CS Tumor Size	CS Site-Specific Factor 1 - Size of Lymph Nodes	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Lymph Nodes Size Table
CS Extension	CS Site-Specific Factor 2 - Extracapsular Extension, Lymph Nodes for Head and Neck	
CS TS/Ext-Eval	CS Site-Specific Factor 3 - Levels I-III, Lymph Nodes for Head and Neck	
CS Lymph Nodes	CS Site-Specific Factor 4 - Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck	
CS Reg Nodes Eval	CS Site-Specific Factor 5 - Levels VI-VII and Facial Lymph Nodes for Head and Neck	
Reg LN Pos	CS Site-Specific Factor 6 - Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Larynx, Overlapping Lesion or Not Otherwise Specified

CS Tumor Size

SEE STANDARD TABLE

Larynx, Overlapping Lesion or Not Otherwise Specified

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive	Tis	IS	IS
10	Invasive tumor confined to site of origin	T1	L	L
20	Tumor involves more than one subsite, WITHOUT fixation or NOS	T2	L	L
30	Tumor involves adjacent regions(s) of larynx	T2	L	L
35	Impaired vocal cord mobility	T2	L	L
40	Tumor limited to larynx WITH vocal cord fixation	T3	L	L
45	Localized, NOS	T1	L	L
60	Hypopharynx, NOS Postcricoid area Pre-epiglottic tissues Pyriform sinus (pyriform fossa) Vallecula	T3	RE	RE
68	Extension to/through cricoid cartilage and thyroid cartilage	T4a	RE	D

70	Extension to/through: Cervical esophagus Deep muscle of tongue Extrinsic (strap) muscles Omohyoid Sternohyoid Sternothyroid Thyrohyoid Oropharynx Skin Soft tissues of neck Thyroid gland Trachea	T4a	D	D
80	Further contiguous extension, including: Mediastinal structures Prevertebral space Tumor encases carotid artery	T4b	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Larynx, Overlapping Lesion or Not Otherwise Specified

CS TS/Ext-Eval

SEE STANDARD TABLE

Larynx, Overlapping Lesion or Not Otherwise Specified

CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, and levels involved) is coded in Site-Specific Factors 1-6.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Single positive ipsilateral regional node: Level II Jugulodigastric (subdigastric) Upper deep cervical Upper jugular Level III Middle deep cervical Mid-jugular Level IV Jugulo-omohyoid (supraomohyoid) Lower deep cervical Lower jugular Level VI Anterior deep cervical Delphian node	*	RN	RN

10, cont'd	Laterotracheal Paralaryngeal Paratracheal Prelaryngeal Pretracheal Recurrent laryngeal Cervical, NOS Deep cervical, NOS Internal jugular, NOS Regional lymph node, NOS Stated as N1, NOS			
11	Single positive ipsilateral regional node: Level I Submandibular (submaxillary) Submental Other groups Retropharyngeal Mandibular, NOS	*	D	RN
12	Single positive ipsilateral regional node: Level V node Posterior cervical Posterior triangle (spinal accessory and transverse cervical) (upper, middle, and lower corresponding to the levels that define upper, middle, and lower jugular nodes) Level VII node Upper mediastinum (for other mediastinal nodes see CS Mets at DX) Other groups Intraparotid Parapharyngeal Periparotid Sub-occipital	*	D	RN
18	Stated as N1, no other information	N1	RN	RN
19	Stated as N2a, no other information	N2a	RN	RN
20	Multiple positive ipsilateral nodes listed in code 10	*	RN	RN
21	Multiple positive ipsilateral nodes listed in code 11	*	D	RN
22	Multiple positive ipsilateral nodes listed in code 12	*	D	D
29	Stated as N2b, no other information	N2b	RN	RN
30	Regional lymph nodes as listed in code 10: Positive ipsilateral node(s), not stated if single or multiple	*	RN	RN
31	Regional lymph nodes as listed in code 11: Positive ipsilateral node(s), not stated if single or multiple	*	D	RN
32	Regional lymph nodes as listed in code 12: Positive ipsilateral node(s), not stated if single or multiple	*	D	D
40	Regional lymph nodes as listed in code 10: Positive bilateral or contralateral nodes	*	RN	RN

41	Regional lymph nodes as listed in code 11: Positive bilateral or contralateral nodes	*	D	RN
42	Regional lymph nodes as listed in code 12: Positive bilateral or contralateral nodes	*	D	D
49	Stated as N2c, no other information	N2c	RN	RN
50	Regional lymph nodes as listed in code 10: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	RN	RN
51	Regional lymph nodes as listed in code 11: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	RN
52	Regional lymph nodes as listed in code 12: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	D
60	Stated as N2, NOS	N2NOS	RN	RN
70	Stated as N3, no other information	N3	RN	RN
80	Lymph nodes, NOS, no other information	*	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

* For codes 10-12, 20-22, 30-32, 40-42, 50-52, and 80 ONLY, the N category is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

**Larynx, Overlapping Lesion or Not Otherwise Specified
CS Reg Nodes Eval
SEE STANDARD TABLE**

**Larynx, Overlapping Lesion or Not Otherwise Specified
Reg LN Pos
SEE STANDARD TABLE**

**Larynx, Overlapping Lesion or Not Otherwise Specified
Reg LN Exam
SEE STANDARD TABLE**

**Larynx, Overlapping Lesion or Not Otherwise Specified
CS Mets at DX**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Supraclavicular (transverse cervical) Distant lymph node(s), NOS	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10)	M1	D	D

40, cont'd	Distant metastasis, NOS Carcinomatosis			
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

**Larynx, Overlapping Lesion or Not Otherwise Specified
CS Mets Eval
SEE STANDARD TABLE**

**Larynx, Overlapping Lesion or Not Otherwise Specified
CS Site-Specific Factor 1 Size of Lymph Nodes**

Note: Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-988	001-988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
996	Described as less than 6 cm
997	Described as more than 6 cm
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph node(s) involved Not documented in patient record

Larynx, Overlapping Lesion or Not Otherwise Specified

CS Site-Specific Factor 2 Extracapsular Extension, Lymph Nodes for Head and Neck

Note 1: Code the status of extracapsular extension whether assessed clinically or pathologically of any involved regional lymph node(s) coded in the CS Lymph Nodes field. Do not code the status of any nodes coded in CS Mets at DX. Pathologic assessment takes priority over clinical assessment.

Note 2: According to AJCC (page 24), "Imaging studies showing amorphous spiculated margins of involved nodes or involvement of internodal fat resulting in loss of normal oval-to-round nodal shape strongly suggest extracapsular (extranodal) tumor spread; however, pathologic examination is necessary for documentation of the extent of such disease."

Code	Description
000	No extracapsular extension
001	Extracapsular extension clinically, not assessed pathologically Nodes described as "fixed", not assessed pathologically
005	Extracapsular extension present pathologically
888	Not applicable; no lymph node involvement
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Larynx, Overlapping Lesion or Not Otherwise Specified

CS Site-Specific Factor 3 Levels I-III, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels I, II, or III
100	Level I lymph node(s) involved
010	Level II lymph node(s) involved
001	Level III lymph node(s) involved
110	Level I and II lymph nodes involved
101	Level I and III lymph nodes involved
011	Level II and III lymph nodes involved
111	Level I, II and III lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

**Larynx, Overlapping Lesion or Not Otherwise Specified
CS Site-Specific Factor 4 Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck**

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels IV or V or retropharyngeal
100	Level IV lymph node(s) involved
010	Level V lymph node(s) involved
001	Retropharyngeal nodes involved
110	Level IV and V lymph nodes involved
101	Level IV and retropharyngeal nodes involved
011	Level V and retropharyngeal nodes involved
111	Level IV and V and retropharyngeal lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

**Larynx, Overlapping Lesion or Not Otherwise Specified
CS Site-Specific Factor 5 Levels VI-VII and Facial Lymph Nodes for Head and Neck**

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels VI or VII or facial nodes
100	Level VI lymph node(s) involved
010	Level VII lymph node(s) involved
001	Facial (buccinator, nasolabial) lymph node(s) involved
110	Level VI and VII lymph nodes involved
101	Level VI and facial (buccinator, nasolabial) nodes involved
011	Level VII and facial (buccinator, nasolabial) nodes involved
111	Level VI and VII and facial (buccinator, nasolabial) lymph nodes involved

999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record
-----	---

**Larynx, Overlapping Lesion or Not Otherwise Specified
CS Site-Specific Factor 6 Parapharyngeal, Parotid, Preauricular, and Sub-Occipital
Lymph Nodes, Lymph Nodes for Head and Neck**

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), or sub-occipital lymph node involvement
100	Parapharyngeal lymph node(s) involved
010	Parotid (preauricular, periparotid, and/or intraparotid) lymph node(s) involved
001	Sub-occipital lymph node(s) involved
110	Parapharyngeal and parotid (preauricular, periparotid, and/or intraparotid) lymph nodes involved
101	Parapharyngeal and sub-occipital lymph nodes involved
011	Parotid (preauricular, periparotid, and/or intraparotid) and sub-occipital lymph nodes involved
111	Parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), and sub-occipital lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Collaborative Staging Codes

Trachea

C33.9

C33.9 Trachea

Note: AJCC does not define TNM staging for this site.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histologies for Which AJCC Staging Is Not Generated AJCC Stage
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Trachea

CS Tumor Size

SEE STANDARD TABLE

Trachea

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	NA	IS	IS
10	Invasive tumor confined to trachea	NA	L	L
30	Localized, NOS	NA	L	L
40	Adjacent connective tissue Arch of aorta Azygos vein, right Brachiocephalic vein Carotid sheath Common carotid artery(ies) Jugular arch Phrenic nerves Pretracheal fascia Recurrent laryngeal nerve Subclavian artery(ies) Vagus nerve	NA	RE	RE
60	Adjacent organs/structures Cricoid cartilage Esophagus Pleura Right and left main bronchi Sternum Thymus Thyroid gland Vertebral column	NA	RE	RE
80	Further contiguous extension	NA	D	D
95	No evidence of primary tumor	NA	U	U

99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	U	U
----	---	----	---	---

Trachea

CS TS/Ext-Eval

Code	Description	Staging Basis
9	Not applicable for this site	NA

Trachea

CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	NA	NONE	NONE
10	Regional lymph node(s): Mediastinal, NOS: Posterior (tracheoesophageal) Paratracheal Pretracheal Tracheal, NOS Regional lymph node(s), NOS	NA	RN	RN
80	Lymph nodes, NOS	NA	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NA	U	U

Trachea

CS Reg Nodes Eval

Code	Description	Staging Basis
9	Not applicable for this site	NA

Trachea

Reg LN Pos

SEE STANDARD TABLE

Trachea

Reg LN Exam

SEE STANDARD TABLE

Trachea**CS Mets at DX**

Code	Description	TNM	SS77	SS2000
00	No; none	NA	NONE	NONE
10	Distant lymph node(s), NOS	NA	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	NA	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	NA	D	D
99	Unknown if distant metastasis Cannot be assessed Not documented in patient record	NA	U	U

Trachea**CS Mets Eval**

Code	Description	Staging Basis
9	Not applicable for this site	NA

Trachea**CS Site-Specific Factor 1**

Code	Description
888	Not applicable for this site

Trachea**CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

Trachea**CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

Trachea**CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

Trachea**CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

Trachea**CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site