

Collaborative Staging Codes

Lip, Upper

Lip (Vermilion or Labial Mucosa)

C00.0, C00.3

C00.0 External upper lip

C00.3 Mucosa of upper lip

Note: AJCC includes labial mucosa (C00.3) with buccal mucosa (C06.0)

CS Tumor Size	CS Site-Specific Factor 1-Size of Lymph Nodes	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Extension Size Table Lymph Nodes Size Table
CS Extension	CS Site-Specific Factor 2 - Extracapsular Extension, Lymph Nodes for Head and Neck	
CS TS/Ext-Eval	CS Site-Specific Factor 3 - Levels I - III, Lymph Nodes for Head and Neck	
CS Lymph Nodes	CS Site-Specific Factor 4 - Levels IV - V and Retropharyngeal Lymph Nodes for Head and Neck	
CS Reg Nodes Eval	CS Site-Specific Factor 5 - Levels VI - VII and Facial Lymph Nodes for Head and Neck	
Reg LN Pos	CS Site-Specific Factor 6 - Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Lip, Upper

CS Tumor Size

SEE STANDARD TABLE

Lip, Upper

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	Tis	IS	IS
10	Invasive tumor confined to: Labial mucosa (inner lip) Lamina propria Multiple foci Submucosa (superficial invasion) Vermilion surface Superficial extension to: Skin of lip Subcutaneous soft tissue of lip	*	L	L
20	Musculature	*	L	L
30	Localized, NOS	*	L	L
50	Buccal mucosa (inner cheek) Commissure Opposite (both) lip(s)	*	RE	RE
51	Gingiva	*	RE	RE
70	Maxilla	T4	RE	RE

74	Upper lip/commissure: Nose	T4	RE	D
75	Tongue	T4	D	D
76	Skin of face/neck	T4	D	D
77	Cortical bone (other than code 70) Floor of mouth Inferior alveolar nerve	T4	D	D
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

*For Extension codes 10, 20, 30, 50, and 51 ONLY, the T category is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

Lip, Upper

CS TS/Ext-Eval

SEE STANDARD TABLE

Lip, Upper

CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, and levels involved) is coded in Site-Specific Factors 1-6.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Single positive ipsilateral regional node: Other groups Facial Buccinator (buccal) Nasolabial Parotid Infra-auricular Intraparotid Periparotid Preauricular Regional lymph node, NOS	*	RN	RN
11	Single positive ipsilateral regional node: Level I node Submandibular (submaxillary) Submental Level II node Jugulodigastric (subdigastric) Upper deep cervical Upper jugular Level III node	*	D	RN

11, cont'd	Middle deep cervical Mid jugular Level IV node Jugulo-omohyoid (supraomohyoid) Lower deep cervical Lower jugular Cervical, NOS Deep cervical, NOS Internal jugular, NOS			
12	Single positive ipsilateral regional node: Level V node Posterior cervical Posterior triangle (spinal accessory and transverse cervical) (upper, middle, and lower corresponding to the levels that define upper, middle, and lower jugular nodes) Level VI node Anterior deep cervical Laterotracheal Paralaryngeal Paratracheal Prelaryngeal Pretracheal Recurrent laryngeal Level VII node Upper mediastinum (for other mediastinal nodes see CS Mets at DX) Other groups Parapharyngeal Retropharyngeal Sub-occipital	*	D	D
18	Stated as N1, no other information	N1	RN	RN
19	Stated as N2a, no other information	N2a	RN	RN
20	Multiple positive ipsilateral nodes listed in code 10	*	RN	RN
21	Multiple positive ipsilateral nodes listed in code 11	*	D	RN
22	Multiple positive ipsilateral nodes listed in code 12	*	D	D
29	Stated as N2b, no other information	N2b	RN	RN
30	Regional lymph nodes as listed in code 10: Positive ipsilateral node(s), not stated if single or multiple	*	RN	RN
31	Regional lymph nodes as listed in code 11: Positive ipsilateral node(s), not stated if single or multiple	*	D	RN
32	Regional lymph nodes as listed in code 12: Positive ipsilateral node(s), not stated if single or multiple	*	D	D
40	Regional lymph nodes as listed in code 10: Positive bilateral or contralateral nodes	*	RN	RN
41	Regional lymph nodes as listed in code 11: Positive bilateral or contralateral nodes	*	D	RN

42	Regional lymph nodes as listed in code 12: Positive bilateral or contralateral nodes	*	D	D
49	Stated as N2c, no other information	N2c	RN	RN
50	Regional lymph nodes as listed in code 10: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	RN	RN
51	Regional lymph nodes as listed in code 11: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	RN
52	Regional lymph nodes as listed in code 12: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	D
60	Stated as N2, NOS	N2NOS	RN	RN
70	Stated as N3, no other information	N3	RN	RN
80	Lymph nodes, NOS, no other information	*	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

* For codes 10-12, 20-22, 30-32, 40-42, 50-52, and 80 ONLY, the N category is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

Lip, Upper
CS Reg Nodes Eval
SEE STANDARD TABLE

Lip, Upper
Reg LN Pos
SEE STANDARD TABLE

Lip, Upper
Reg LN Exam
SEE STANDARD TABLE

Lip, Upper
CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Supraclavicular (transverse cervical) Distant lymph node(s), NOS	M1	D	D

40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Lip, Upper

CS Mets Eval

SEE STANDARD TABLE

Lip, Upper

CS Site-Specific Factor 1 Size of Lymph Nodes

Note: Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-988	001-988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
996	Described as less than 6 cm
997	Described as more than 6 cm
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph node(s) involved Not documented in patient record

Lip, Upper

CS Site-Specific Factor 2 Extracapsular Extension, Lymph Nodes for Head and Neck

Note 1: Code the status of extracapsular extension whether assessed clinically or pathologically of any involved regional lymph node(s) coded in the CS Lymph Nodes field. Do not code the status of any nodes coded in CS Mets at DX. Pathologic assessment takes priority over clinical assessment.

Note 2: According to AJCC (page 24), "Imaging studies showing amorphous spiculated margins of involved nodes or involvement of internodal fat resulting in loss of normal oval-to-round nodal shape strongly suggest extracapsular (extranodal) tumor spread; however, pathologic examination is necessary for documentation of the extent of such disease."

Code	Description
000	No extracapsular extension
001	Extracapsular extension clinically, not assessed pathologically Nodes described as "fixed", not assessed pathologically
005	Extracapsular extension present pathologically
888	Not applicable; no lymph node involvement
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Lip, Upper

CS Site-Specific Factor 3 Levels I-III, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels I, II, or III
100	Level I lymph node(s) involved
010	Level II lymph node(s) involved
001	Level III lymph node(s) involved
110	Level I and II lymph nodes involved
101	Level I and III lymph nodes involved
011	Level II and III lymph nodes involved
111	Level I, II and III lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Lip, Upper

CS Site-Specific Factor 4 Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels IV or V or retropharyngeal
100	Level IV lymph node(s) involved
010	Level V lymph node(s) involved
001	Retropharyngeal nodes involved
110	Level IV and V lymph nodes involved
101	Level IV and retropharyngeal nodes involved
011	Level V and retropharyngeal nodes involved
111	Level IV and V and retropharyngeal lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Lip, Upper

CS Site-Specific Factor 5 Levels VI-VII and Facial Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels VI or VII or facial nodes
100	Level VI lymph node(s) involved
010	Level VII lymph node(s) involved
001	Facial (buccinator, nasolabial) lymph node(s) involved
110	Level VI and VII lymph nodes involved
101	Level VI and facial (buccinator, nasolabial) nodes involved
011	Level VII and facial (buccinator, nasolabial) nodes involved

111	Level VI and VII and facial (buccinator, nasolabial) lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Lip, Upper

CS Site-Specific Factor 6 Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), or sub-occipital lymph node involvement
100	Parapharyngeal lymph node(s) involved
010	Parotid (preauricular, periparotid, and/or intraparotid) lymph node(s) involved
001	Sub-occipital lymph node(s) involved
110	Parapharyngeal and parotid (preauricular, periparotid, and/or intraparotid) lymph nodes involved
101	Parapharyngeal and sub-occipital lymph nodes involved
011	Parotid (preauricular, periparotid, and/or intraparotid) and sub-occipital lymph nodes involved
111	Parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), and sub-occipital lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Collaborative Staging Codes

Lip, Lower

Lip (Vermilion or Labial Mucosa)

C00.1, C00.4, C00.6

C00.1 External lower lip

C00.4 Mucosa of lower lip

C00.6 Commissure of lip

Note: AJCC includes labial mucosa (C00.4) with buccal mucosa (C06.0)

CS Tumor Size	CS Site-Specific Factor 1-Size of Lymph Nodes	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Extension Size Table Lymph Nodes Size Table
CS Extension	CS Site-Specific Factor 2 - Extracapsular Extension, Lymph Nodes for Head and Neck	
CS TS/Ext-Eval	CS Site-Specific Factor 3 - Levels I - III, Lymph Nodes for Head and Neck	
CS Lymph Nodes	CS Site-Specific Factor 4 - Levels IV - V and Retropharyngeal Lymph Nodes for Head and Neck	
CS Reg Nodes Eval	CS Site-Specific Factor 5 - Levels VI - VII and Facial Lymph Nodes for Head and Neck	
Reg LN Pos	CS Site-Specific Factor 6 - Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Lip, Lower

CS Tumor Size

SEE STANDARD TABLE

Lip, Lower

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	Tis	IS	IS
10	Invasive tumor confined to: Labial mucosa (inner lip) Lamina propria Multiple foci Submucosa (superficial invasion) Vermilion surface Superficial extension to: Skin of lip Subcutaneous soft tissue of lip	*	L	L
20	Musculature	*	L	L
30	Localized, NOS	*	L	L
50	Buccal mucosa (inner cheek) Commissure Opposite (both) lip(s)	*	RE	RE
51	Gingiva	*	RE	RE

70	Mandible	T4	RE	RE
74	Nose	T4	RE	D
75	Tongue	T4	D	D
76	Skin of face/neck	T4	D	D
77	Cortical bone (other than code 70) Floor of mouth Inferior alveolar nerve	T4	D	D
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

*For Extension codes 10, 20, 30, 50, and 51 ONLY, the T category is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

Lip, Lower

CS TS/Ext-Eval

SEE STANDARD TABLE

Lip, Lower

CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, and levels involved) is coded in Site-Specific Factors 1-6.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Single positive ipsilateral regional node: Level I node Submandibular (submaxillary) Submental Other groups Facial: Mandibular Regional lymph node, NOS	*	RN	RN
11	Single positive ipsilateral regional node: Level II node Upper deep cervical Upper jugular Level III node Middle deep cervical Mid-jugular Level IV node Jugulo-omohyoid (supraomohyoid) Lower deep cervical	*	D	RN

11, cont'd	Lower jugular Cervical, NOS Deep cervical, NOS Internal jugular, NOS			
12	Single positive ipsilateral regional node: Level V node Posterior cervical Posterior triangle (spinal accessory and transverse cervical) (upper, middle, and lower corresponding to the levels that define upper, middle, and lower jugular nodes) Level VI node Anterior deep cervical Laterotracheal Paralaryngeal Paratracheal Prelaryngeal Pretracheal Recurrent laryngeal Level VII node Upper mediastinum (for other mediastinal nodes see CS Mets at DX) Other groups Intraparotid Parapharyngeal Periparotid Retropharyngeal Sub-occipital	*	D	D
18	Stated as N1, no other information	N1	RN	RN
19	Stated as N2a, no other information	N2a	RN	RN
20	Multiple positive ipsilateral nodes listed in code 10	*	RN	RN
21	Multiple positive ipsilateral nodes listed in code 11	*	D	RN
22	Multiple positive ipsilateral nodes listed in code 12	*	D	D
29	Stated as N2b, no other information	N2b	RN	RN
30	Regional lymph nodes as listed in code 10: Positive ipsilateral node(s), not stated if single or multiple	*	RN	RN
31	Regional lymph nodes as listed in code 11: Positive ipsilateral node(s), not stated if single or multiple	*	D	RN
32	Regional lymph nodes as listed in code 12: Positive ipsilateral node(s), not stated if single or multiple	*	D	D
40	Regional lymph nodes as listed in code 10: Positive bilateral or contralateral nodes	*	RN	RN
41	Regional lymph nodes as listed in code 11: Positive bilateral or contralateral nodes	*	D	RN
42	Regional lymph nodes as listed in code 12: Positive bilateral or contralateral nodes	*	D	D

49	Stated as N2c, no other information	N2c	RN	RN
50	Regional lymph nodes as listed in code 10: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	RN	RN
51	Regional lymph nodes as listed in code 11: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	RN
52	Regional lymph nodes as listed in code 12: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	D
60	Stated as N2, NOS	N2NOS	RN	RN
70	Stated as N3, no other information	N3	RN	RN
80	Lymph nodes, NOS, no other information	*	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

* For codes 10-12, 20-22, 30-32, 40-42, 50-52, and 80 ONLY, the N category is assigned based on the value of Site Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

Lip, Lower

CS Reg Nodes Eval

SEE STANDARD TABLE

Lip, Lower

Reg LN Pos

SEE STANDARD TABLE

Lip, Lower

Reg LN Exam

SEE STANDARD TABLE

Lip, Lower

CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Supraclavicular (transverse cervical) Distant lymph node(s), NOS	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(10) + (40)	M1	D	D

50, cont'd	Distant lymph node(s) plus other distant metastases			
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Lip, Lower
CS Mets Eval
SEE STANDARD TABLE

Lip, Lower
CS Site-Specific Factor 1 Size of Lymph Nodes

Note: Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-988	001-988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
996	Described as less than 6 cm
997	Described as more than 6 cm
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph node(s) involved Not documented in patient record

Lip, Lower

CS Site-Specific Factor 2 Extracapsular Extension, Lymph Nodes for Head and Neck

Note 1: Code the status of extracapsular extension whether assessed clinically or pathologically of any involved regional lymph node(s) coded in the CS Lymph Nodes field. Do not code the status of any nodes coded in CS Mets at DX. Pathologic assessment takes priority over clinical assessment.

Note 2: According to AJCC (page 24), "Imaging studies showing amorphous spiculated margins of involved nodes or involvement of internodal fat resulting in loss of normal oval-to-round nodal shape strongly suggest extracapsular (extranodal) tumor spread; however, pathologic examination is necessary for documentation of the extent of such disease."

Code	Description
000	No extracapsular extension
001	Extracapsular extension clinically, not assessed pathologically Nodes described as "fixed", not assessed pathologically
005	Extracapsular extension present pathologically
888	Not applicable; no lymph node involvement
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Lip, Lower

CS Site-Specific Factor 3 Levels I-III, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels I, II, or III
100	Level I lymph node(s) involved
010	Level II lymph node(s) involved
001	Level III lymph node(s) involved
110	Level I and II lymph nodes involved
101	Level I and III lymph nodes involved
011	Level II and III lymph nodes involved
111	Level I, II and III lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Lip, Lower

CS Site-Specific Factor 4 Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels IV or V or retropharyngeal
100	Level IV lymph node(s) involved
010	Level V lymph node(s) involved
001	Retropharyngeal nodes involved
110	Level IV and V lymph nodes involved
101	Level IV and retropharyngeal nodes involved
011	Level V and retropharyngeal nodes involved
111	Level IV and V and retropharyngeal lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Lip, Lower

CS Site-Specific Factor 5 Levels VI-VII and Facial Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels VI or VII or facial nodes
100	Level VI lymph node(s) involved
010	Level VII lymph node(s) involved
001	Facial (buccinator, nasolabial) lymph node(s) involved
110	Level VI and VII lymph nodes involved
101	Level VI and facial (buccinator, nasolabial) nodes involved
011	Level VII and facial (buccinator, nasolabial) nodes involved

111	Level VI and VII and facial (buccinator, nasolabial) lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Lip, Lower

CS Site-Specific Factor 6 Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), or sub-occipital lymph node involvement
100	Parapharyngeal lymph node(s) involved
010	Parotid (preauricular, periparotid, and/or intraparotid) lymph node(s) involved
001	Sub-occipital lymph node(s) involved
110	Parapharyngeal and parotid (preauricular, periparotid, and/or intraparotid) lymph nodes involved
101	Parapharyngeal and sub-occipital lymph nodes involved
011	Parotid (preauricular, periparotid, and/or intraparotid) and sub-occipital lymph nodes involved
111	Parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), and sub-occipital lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Collaborative Staging Codes

Other Lip

Lip (Vermilion or Labial Mucosa)

C00.2, C00.5, C00.8-C00.9

C00.2 External lip, NOS

C00.5 Mucosa of lip, NOS

C00.8 Overlapping lesion of lip

C00.9 Lip, Nos (excludes skin of lip C44.0)

Note: AJCC includes labial mucosa (C00.3) with buccal mucosa (C06.0)

CS Tumor Size	CS Site-Specific Factor 1-Size of Lymph Nodes	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Extension Size Table Lymph Nodes Size Table
CS Extension	CS Site-Specific Factor 2 - Extracapsular Extension, Lymph Nodes for Head and Neck	
CS TS/Ext-Eval	CS Site-Specific Factor 3 - Levels I - III, Lymph Nodes for Head and Neck	
CS Lymph Nodes	CS Site-Specific Factor 4 - Levels IV - V and Retropharyngeal Lymph Nodes for Head and Neck	
CS Reg Nodes Eval	CS Site-Specific Factor 5 - Levels VI - VII and Facial Lymph Nodes for Head and Neck	
Reg LN Pos	CS Site-Specific Factor 6 - Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Other Lip

CS Tumor Size

SEE STANDARD TABLE

Other Lip

CS Extension

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	Tis	IS	IS
10	Invasive tumor confined to: Labial mucosa (inner lip) Lamina propria Multiple foci Submucosa (superficial invasion) Vermilion surface Superficial extension to: Skin of lip Subcutaneous soft tissue of lip	*	L	L
20	Musculature	*	L	L
30	Localized, NOS	*	L	L
50	Buccal mucosa (inner cheek) Commissure Opposite (both) lip(s)	*	RE	RE
51	Gingiva	*	RE	RE

75	Tongue	T4	D	D
76	Skin of face/neck	T4	D	D
77	Cortical bone Floor of mouth Inferior alveolar nerve	T4	D	D
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

*For Extension codes 10, 20, 30, 50, and 51 ONLY, the T category is assigned based on the value of CS Tumor Size, as shown in the Extension Size Table for this site.

Other Lip

CS TS/Ext-Eval

SEE STANDARD TABLE

Other Lip

CS Lymph Nodes

Note 1: For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

Note 2: For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, and levels involved) is coded in Site-Specific Factors 1-6.

Note 3: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Single positive ipsilateral regional node: Regional lymph node, NOS	*	RN	RN
11	Single positive ipsilateral regional node: Level II node Jugulodigastric (subdigastric) Upper deep cervical Upper jugular Level III node Middle deep cervical Mid jugular Level IV node Jugulo-omohyoid (supraomohyoid) Lower deep cervical Lower jugular Cervical, NOS Deep cervical, NOS Internal jugular, NOS	*	D	RN
12	Single positive ipsilateral regional node: Level V node	*	D	D

12, cont'd	Posterior cervical Posterior triangle (spinal accessory and transverse cervical) (upper, middle, and lower corresponding to the levels that define upper, middle, and lower jugular nodes) Level VI node Anterior deep cervical Laterotracheal Paralaryngeal Paratracheal Prelaryngeal Pretracheal Recurrent laryngeal Level VII node Upper mediastinum (for other mediastinal nodes see CS Mets at DX) Other groups Intraparotid Parapharyngeal Periparotid Retropharyngeal Sub-occipital			
18	Stated as N1, no other information	N1	RN	RN
19	Stated as N2a, no other information	N2a	RN	RN
20	Multiple positive ipsilateral nodes listed in code 10	*	RN	RN
21	Multiple positive ipsilateral nodes listed in code 11	*	D	RN
22	Multiple positive ipsilateral nodes listed in code 12	*	D	D
29	Stated as N2b, no other information	N2b	RN	RN
30	Regional lymph nodes as listed in code 10: Positive ipsilateral node(s), not stated if single or multiple	*	RN	RN
31	Regional lymph nodes as listed in code 11: Positive ipsilateral node(s), not stated if single or multiple	*	D	RN
32	Regional lymph nodes as listed in code 12: Positive ipsilateral node(s), not stated if single or multiple	*	D	D
40	Regional lymph nodes as listed in code 10: Positive bilateral or contralateral nodes	*	RN	RN
41	Regional lymph nodes as listed in code 11: Positive bilateral or contralateral nodes	*	D	RN
42	Regional lymph nodes as listed in code 12: Positive bilateral or contralateral nodes	*	D	D
49	Stated as N2c, no other information	N2c	RN	RN
50	Regional lymph nodes as listed in code 10: Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	RN	RN
51	Regional lymph nodes as listed in code 11:	*	D	RN

51, cont'd	Positive node(s) not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple			
52	Regional lymph nodes as listed in code 12: Positive node(s), not stated if ipsilateral, or bilateral, or contralateral AND not stated if single or multiple	*	D	D
60	Stated as N2, NOS	N2NOS	RN	RN
70	Stated as N3, no other information	N3	RN	RN
80	Lymph nodes, NOS, no other information	*	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

* For codes 10-12, 20-22, 30-32, 40-42, 50-52, and 80 ONLY, the N category is assigned based on the value of Site-Specific Factor 1, Size of Lymph Nodes, using the extra table, Lymph Nodes Size Table for this site.

Other Lip
CS Reg Nodes Eval
SEE STANDARD TABLE

Other Lip
Reg LN Pos
SEE STANDARD TABLE

Other Lip
Reg LN Exam
SEE STANDARD TABLE

Other Lip
CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s) Mediastinal Supraclavicular (transverse cervical) Distant lymph node(s), NOS	M1	D	D
40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Other Lip
CS Mets Eval
SEE STANDARD TABLE

Other Lip
CS Site-Specific Factor 1 Size of Lymph Nodes

Note: Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-988	001-988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
996	Described as less than 6 cm
997	Described as more than 6 cm
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph node(s) involved Not documented in patient record

Other Lip

CS Site-Specific Factor 2 Extracapsular Extension, Lymph Nodes for Head and Neck

Note 1: Code the status of extracapsular extension whether assessed clinically or pathologically of any involved regional lymph node(s) coded in the CS Lymph Nodes field. Do not code the status of any nodes coded in CS Mets at DX. Pathologic assessment takes priority over clinical assessment.

Note 2: According to AJCC (page 24), "Imaging studies showing amorphous spiculated margins of involved nodes or involvement of internodal fat resulting in loss of normal oval-to-round nodal shape strongly suggest extracapsular (extranodal) tumor spread; however, pathologic examination is necessary for documentation of the extent of such disease."

Code	Description
000	No extracapsular extension
001	Extracapsular extension clinically, not assessed pathologically Nodes described as "fixed", not assessed pathologically
005	Extracapsular extension present pathologically
888	Not applicable; no lymph node involvement
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Other Lip

CS Site-Specific Factor 3 Levels I-III, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels I, II, or III
100	Level I lymph node(s) involved
010	Level II lymph node(s) involved
001	Level III lymph node(s) involved
110	Level I and II lymph nodes involved
101	Level I and III lymph nodes involved
011	Level II and III lymph nodes involved
111	Level I, II and III lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Other Lip

CS Site-Specific Factor 4 Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels IV or V or retropharyngeal
100	Level IV lymph node(s) involved
010	Level V lymph node(s) involved
001	Retropharyngeal nodes involved
110	Level IV and V lymph nodes involved
101	Level IV and retropharyngeal nodes involved
011	Level V and retropharyngeal nodes involved
111	Level IV and V and retropharyngeal lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Other Lip

CS Site-Specific Factor 5 Levels VI-VII and Facial Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels VI or VII or facial nodes
100	Level VI lymph node(s) involved
010	Level VII lymph node(s) involved
001	Facial (buccinator, nasolabial) lymph node(s) involved
110	Level VI and VII lymph nodes involved
101	Level VI and facial (buccinator, nasolabial) nodes involved
011	Level VII and facial (buccinator, nasolabial) nodes involved

111	Level VI and VII and facial (buccinator, nasolabial) lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

Other Lip

CS Site-Specific Factor 6 Parapharyngeal, Parotid, Preauricular, and Sub-Occipital Lymph Nodes, Lymph Nodes for Head and Neck

Note: Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), or sub-occipital lymph node involvement
100	Parapharyngeal lymph node(s) involved
010	Parotid (preauricular, periparotid, and/or intraparotid) lymph node(s) involved
001	Sub-occipital lymph node(s) involved
110	Parapharyngeal and parotid (preauricular, periparotid, and/or intraparotid) lymph nodes involved
101	Parapharyngeal and sub-occipital lymph nodes involved
011	Parotid (preauricular, periparotid, and/or intraparotid) and sub-occipital lymph nodes involved
111	Parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), and sub-occipital lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record