

## Collaborative Staging Codes

### Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites

#### C14.0, C14.2, C14.8

C14.0 Pharynx, NOS

C14.2 Waldeyer ring

C14.8 Overlapping lesion of lip, oral cavity

**Note:** AJCC does not define TNM staging for this site.

CS Tumor Size	CS Site-Specific Factor 1-Size of	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage
CS Extension	Lymph Nodes	
CS TS/Ext-Eval	CS Site-Specific Factor 2 -	
CS Lymph Nodes	Extracapsular Extension, Lymph Nodes	
CS Reg Nodes Eval	for Head and Neck	
Reg LN Pos	CS Site-Specific Factor 3 - Levels I -	
Reg LN Exam	III, Lymph Nodes for Head and Neck	
CS Mets at DX	CS Site- SpecificFactor 4 - Levels IV -	
CS Mets Eval	Vand Retropharyngeal Lymph Nodes	
	for Head and Neck	
	CS Site-Specific Factor 5 - Levels VI-	
	VII and Facial Lymph Nodes for Head	
	and Neck	
	CS Site-Specific Factor 6 -	
	Parapharyngeal, Parotid, Preauricular,	
	and Sub-Occipital Lymph Nodes,	
	Lymph Nodes for Head and Neck	

### Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites

#### CS Tumor Size

SEE STANDARD TABLE

### Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites

#### CS Extension

**Note:** Definition of Adjacent Structures: Connective tissues large enough to be given a specific name would be considered adjacent structures. For example, the brachial artery has a name, as does the broad ligament. Continuous tumor growth from one organ into an adjacent named structure would be coded to less than 60 in the schemes for ill-defined or non-specific sites.

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	NA	IS	IS
10	Invasive tumor confined to site of origin	NA	L	L
30	Localized, NOS	NA	L	L
40	More than one region of pharynx involved (oropharynx, nasopharynx, hypopharynx)	NA	RE	RE
50	Pharynx and oral cavity involved	NA	RE	RE
55	Any of codes 10-50 WITH fixation	NA	RE	RE
60	Extension to adjacent structures (See note)	NA	RE	RE
80	Further contiguous extension	NA	D	D
95	No evidence of primary tumor	NA	U	U

99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	NA	U	U
----	---	----	---	---

### Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites

#### CS TS/Ext-Eval

Code	Description	Staging Basis
9	Not applicable for this site	NA

### Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites

#### CS Lymph Nodes

**Note 1:** For head and neck schemas, this field includes all lymph nodes defined as Levels I-VII and Other by AJCC. The complete definitions are provided in the General Instructions.

**Note 2:** For head and neck schemas, additional information about lymph nodes (size of involved nodes, extracapsular extension, and levels involved) is coded in Site-Specific Factors 1-6.

**Note 3:** If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	NA	NONE	NONE
10	Regional lymph node(s) bilateral and/or contralateral: Cervical, NOS Internal jugular, NOS Deep cervical, NOS: Lower, NOS Jugulo-omohyoid (supraomohyoid) Middle Upper, NOS: Jugulodigastric (subdigastric) Mandibular, NOS Submandibular (submaxillary) Submental Paratracheal Recurrent laryngeal nerve chain Pre-laryngeal Delphian node Retropharyngeal Regional lymph node(s), NOS	NA	RN	RN
80	Lymph nodes, NOS	NA	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NA	U	U

**Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites  
CS Reg Nodes Eval**

Code	Description	Staging Basis
9	Not applicable for this site	NA

**Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites  
Reg LN Pos  
SEE STANDARD TABLE**

**Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites  
Reg LN Exam  
SEE STANDARD TABLE**

**Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites  
CS Mets at DX**

Code	Description	TNM	SS77	SS2000
00	No; none	NA	NONE	NONE
10	Distant lymph node(s), including: Mediastinal Supraclavicular (transverse cervical)	NA	D	D
40	Distant metastasis, NOS Distant metastases except distant lymph node(s) (code 10) Carcinomatosis	NA	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	NA	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	NA	U	U

**Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites  
CS Mets Eval**

Code	Description	Staging Basis
9	Not applicable for this site	NA

## Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites

### CS Site-Specific Factor 1 Size of Lymph Nodes

**Note:** Code the largest diameter, whether measured clinically or pathologically, of any involved regional lymph node(s). Do not code the size of any nodes coded in CS Mets at DX.

Code	Description
000	No involved regional nodes
001-988	001-988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
996	Described as less than 6 cm
997	Described as more than 6 cm
999	Regional lymph node(s) involved, size not stated Unknown if regional lymph node(s) involved Not documented in patient record

## Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites

### CS Site-Specific Factor 2 Extracapsular Extension, Lymph Nodes for Head and Neck

**Note 1:** Code the status of extracapsular extension whether assessed clinically or pathologically of any involved regional lymph node(s) coded in the CS Lymph Nodes field. Do not code the status of any nodes coded in CS Mets at DX. Pathologic assessment takes priority over clinical assessment.

**Note 2:** According to AJCC (page 24), "Imaging studies showing amorphous spiculated margins of involved nodes or involvement of internodal fat resulting in loss of normal oval-to-round nodal shape strongly suggest extracapsular (extranodal) tumor spread; however, pathologic examination is necessary for documentation of the extent of such disease."

Code	Description
000	No extracapsular extension
001	Extracapsular extension clinically, not assessed pathologically Nodes described as "fixed", not assessed pathologically
005	Extracapsular extension present pathologically
888	Not applicable; no lymph node involvement
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

## Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites

### CS Site-Specific Factor 3 Levels I-III, Lymph Nodes for Head and Neck

**Note:** Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels I, II, or III
100	Level I lymph node(s) involved
010	Level II lymph node(s) involved
001	Level III lymph node(s) involved
110	Level I and II lymph nodes involved
101	Level I and III lymph nodes involved
011	Level II and III lymph nodes involved
111	Level I, II and III lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

## Pharynx, NOS, and Other Ill-Defined Oral Cavity Sites

### CS Site-Specific Factor 4 Levels IV-V and Retropharyngeal Lymph Nodes for Head and Neck

**Note:** Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels IV or V or retropharyngeal
100	Level IV lymph node(s) involved
010	Level V lymph node(s) involved
001	Retropharyngeal nodes involved
110	Level IV and V lymph nodes involved
101	Level IV and retropharyngeal nodes involved
011	Level V and retropharyngeal nodes involved

111	Level IV and V and retropharyngeal lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

### Pharynx, NOS, and Other III-Defined Oral Cavity Sites

#### CS Site-Specific Factor 5 Levels VI-VII and Facial Lymph Nodes for Head and Neck

**Note:** Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No lymph node involvement in Levels VI or VII or facial nodes
100	Level VI lymph node(s) involved
010	Level VII lymph node(s) involved
001	Facial (buccinator, nasolabial) lymph node(s) involved
110	Level VI and VII lymph nodes involved
101	Level VI and facial (buccinator, nasolabial) nodes involved
011	Level VII and facial (buccinator, nasolabial) nodes involved
111	Level VI and VII and facial (buccinator, nasolabial) lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

### Pharynx, NOS, and Other III-Defined Oral Cavity Sites

#### CS Site-Specific Factor 6 Parapharyngeal, Parotid, Preauricular, and Sub-Occipital

#### Lymph Nodes, Lymph Nodes for Head and Neck

**Note:** Site-Specific Factors 3-6 are used to code the presence or absence of lymph node involvement in each of 7 different levels and other groups defined by AJCC. The definitions of the levels are the same for all applicable head and neck sites. One digit is used to represent lymph nodes of a single level, with the three digits of Site-Specific Factor 3 representing lymph nodes of, respectively, Levels I-III; the digits of Site-Specific Factor 4 representing lymph nodes of Levels IV and V and the retropharyngeal nodes; the digits of Site-Specific Factor 5 representing lymph nodes of Levels VI and VII and the facial nodes; and the digits of Site-Specific Factor 6 representing the remaining Other groups as defined by AJCC. In each digit, a code 1 means Yes, the nodes are involved.

Code	Description
000	No parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), or sub-occipital lymph node involvement
100	Parapharyngeal lymph node(s) involved

010	Parotid (preauricular, periparotid, and/or intraparotid) lymph node(s) involved
001	Sub-occipital lymph node(s) involved
110	Parapharyngeal and parotid (preauricular, periparotid, and/or intraparotid) lymph nodes involved
101	Parapharyngeal and sub-occipital lymph nodes involved
011	Parotid (preauricular, periparotid, and/or intraparotid) and sub-occipital lymph nodes involved
111	Parapharyngeal, parotid (preauricular, periparotid, and/or intraparotid), and sub-occipital lymph nodes involved
999	Unknown if regional lymph node(s) involved, not stated Regional lymph node(s) cannot be assessed Not documented in patient record

**ESOPHAGUS**  
**C150-C155, C158-C159**

Primary Site

There are two systems that divide the esophagus into three subsites. The first system divides the esophagus into the upper third, middle third, and lower third. The second system describes the subsites as the cervical esophagus, the thoracic esophagus and the abdominal esophagus. The subsites for these two different systems are not identical. Assign the ICD-O-3 topography code that describes the primary site documented in the medical record. See the *SEER Self Instructional Manual for Tumor Registrars, Book 4* for illustrated descriptions of each system.

## Collaborative Staging Codes

### Esophagus

#### C15.0-C15.5, C15.8-C15.9

C15.0 Cervical esophagus

C15.1 Thoracic esophagus

C15.2 Abdominal esophagus

C15.3 Upper third of esophagus

C15.4 Middle third of esophagus

C15.5 Lower third of esophagus

C15.8 Overlapping lesion of esophagus

C15.9 Esophagus, NOS

Anatomic Limits of Esophagus:

**Cervical Esophagus (C15.0):** From the lower border of the cricoid cartilage to the thoracic inlet (suprasternal notch), about 18 cm from the incisors.

**Intrathoracic (including abdominal esophagus) (C15.1 - C15.5):** Upper thoracic portion (C15.3): From the thoracic inlet to the level of the tracheal bifurcation (18-24 cm). Mid-thoracic portion (C15.4): From the tracheal bifurcation midway to the gastroesophageal (GE) junction (24-32 cm).

**Lower thoracic portion (C15.5):** From midway between the tracheal bifurcation and the gastroesophageal junction to the GE junction, including the abdominal esophagus (C15.2) between 32-40 cm.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

### Esophagus

#### CS Tumor Size

**Note:** For esophagus, this field is used for size of tumor/length of involved esophagus.

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm

998	Circumferential
999	Unknown; size not stated Not documented in patient record

## Esophagus

### CS Extension

**Note:** Ignore intraluminal extension to adjacent segment(s) of esophagus or to cardia of stomach and code depth of invasion or extra-esophageal spread as indicated.

Code	Description	TNM	SS77	SS2000
00	In situ; non-invasive; intraepithelial	Tis	IS	IS
10	Invasive tumor confined to mucosa, NOS (including intramucosal, NOS)	T1	L	L
11	Invades lamina propria	T1	L	L
12	Invades muscularis mucosae	T1	L	L
16	Invades submucosa	T1	L	L
20	Muscularis propria invaded	T2	L	L
30	Localized, NOS	T1	L	L
40	Adventitia and/or soft tissue invaded Esophagus is described as "FIXED"	T3	RE	RE
60	Tumor invades adjacent structures Cervical esophagus: Blood vessel(s): Carotid artery Jugular vein Subclavian artery Thyroid gland Intrathoracic, upper or mid-portion, esophagus: Blood vessel(s), major: Aorta Azygos vein Pulmonary artery/vein Vena cava Carina Diaphragm Main stem bronchus Trachea Intrathoracic, lower portion (abdominal), esophagus: Blood vessel(s): Aorta Gastric artery/vein Vena cava Diaphragm, not fixed, or NOS Stomach, cardia (via serosa)	T4	RE	RE
65	Cervical esophagus: Carina	T4	RE	RE

65, cont'd	Cervical vertebra(e) Hypopharynx Larynx Trachea Intrathoracic esophagus: Lung via bronchus Mediastinal structure(s), NOS Pleura Rib(s) Thoracic vertebra(e)			
78	Thoracic/middle esophagus: Pericardium	T4	RE	D
80	Further contiguous extension: Cervical/upper esophagus: Lung Main stem bronchus Pleura Abdominal/lower esophagus: Diaphragm fixed	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

**Esophagus**  
**CS TS/Ext-Eval**  
**SEE STANDARD TABLE**

**Esophagus**  
**CS Lymph Nodes**

**Note:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s) (including contralateral or bilateral) For all subsites: Peri-/paraesophageal Cervical esophagus only: Cervical, NOS Anterior deep cervical (laterolateral) (recurrent laryngeal) Internal jugular, NOS: Deep cervical, NOS: Upper, NOS: Jugulodigastric (subdigastric) Intrathoracic esophagus, upper or middle, only: Internal jugular, NOS: Deep cervical, NOS: Lower, NOS:	N1	RN	RN

10, cont'd	<p>Jugulo-omohyoid (supraomohyoid)</p> <p>Middle</p> <p>Upper cervical, NOS:</p> <p>Jugulodigastric (subdigastric)</p> <p>Intrabronchial:</p> <p>Carinal (tracheobronchial) (tracheal bifurcation)</p> <p>Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)</p> <p>Peritracheal</p> <p>Left gastric (superior gastric):</p> <p>Cardiac (cardial)</p> <p>Lesser curvature</p> <p>Perigastric, NOS</p> <p>Posterior mediastinal (tracheoesophageal)</p> <p>Intrathoracic esophagus, lower (abdominal) only:</p> <p>Left gastric (superior gastric):</p> <p>Cardiac (cardial)</p> <p>Lesser curvature</p> <p>Perigastric, NOS</p> <p>Posterior mediastinal (tracheoesophageal)</p>			
20	<p>Cervical Esophagus only:</p> <p>Scalene (inferior deep cervical)</p> <p>Supraclavicular (transverse cervical)</p>	N1	D	RN
22	<p>Intrathoracic, upper thoracic or middle, only:</p> <p>Superior mediastinal</p>	N1	D	RN
30	<p>All esophagus subsites:</p> <p>Anterior mediastinal</p> <p>Mediastinal, NOS</p> <p>Cervical esophagus only:</p> <p>Aortopulmonary</p> <p>Paratracheal</p> <p>Posterior mediastinal</p> <p>Superior mediastinal</p> <p>Intrathoracic esophagus, upper or middle, only:</p> <p>Aortopulmonary</p> <p>Pulmonary ligament</p> <p>Intrathoracic esophagus, lower (abdominal) only:</p> <p>Common hepatic</p> <p>Diaphragmatic</p> <p>Paratracheal</p> <p>Splenic</p> <p>Superior mediastinal</p>	N1	RN	RN
50	Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	<p>Unknown; not stated</p> <p>Regional lymph node(s) cannot be assessed</p> <p>Not documented in patient record</p>	NX	U	U

**Esophagus**  
**CS Reg Nodes Eval**  
**SEE STANDARD TABLE**

**Esophagus**  
**Reg LN Pos**  
**SEE STANDARD TABLE**

**Esophagus**  
**Reg LN Exam**  
**SEE STANDARD TABLE**

**Esophagus**  
**CS Mets at DX**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1NOS	D	D
11	Upper thoracic esophagus only: Cervical lymph node(s) Lower thoracic (abdominal) esophagus only: Celiac lymph node(s)	M1a	D	D
12	Specified distant lymph node(s), other than code 11, including: Cervical esophagus only: Common hepatic Diaphragmatic Pulmonary ligament Splenic Intrathoracic esophagus, upper or middle, only: Common hepatic Diaphragmatic Splenic Lower thoracic (abdominal) esophagus only: Aortopulmonary Pulmonary ligament	M1NOS	D	D
40	Distant metastases except distant lymph node(s) (codes 10 - 12) Distant metastasis, NOS Carcinomatosis	M1b	D	D
50	(40) + any of [(10) to (12)] Distant lymph node(s) plus other distant metastases	M1b	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

**Esophagus**  
**CS Mets Eval**  
**SEE STANDARD TABLE**

**Esophagus**  
**CS Site-Specific Factor 1**

Code	Description
888	Not applicable for this site

**Esophagus**  
**CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

**Esophagus**  
**CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

**Esophagus**  
**CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

**Esophagus**  
**CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

**Esophagus**  
**CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

## Collaborative Staging Codes

### Stomach

#### C16.0-C16.6, C16.8-C16.9

C16.0 Cardia, NOS

C16.1 Fundus of stomach

C16.2 Body of stomach

C16.3 Gastric antrum

C16.4 Pylorus

C16.5 Lesser curvature of stomach, NOS

C16.6 Greater curvature of stomach, NOS

C16.8 Overlapping lesion of stomach

C16.9 Stomach, NOS

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Lymph Nodes Number Positive Table
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

### Stomach

#### CS Tumor Size

Code	Description
000	No mass/tumor found
001-988	001 - 988 millimeters (code exact size in millimeters)
989	989 millimeters or larger
990	Microscopic focus or foci only, no size of focus given
991	Described as less than 1 cm
992	Described as less than 2 cm
993	Described as less than 3 cm
994	Described as less than 4 cm
995	Described as less than 5 cm
998	Diffuse; widespread; 3/4's or more: linitis plastica
999	Unknown; size not stated Not documented in patient record

## Stomach

### CS Extension

**Note 1:** INTRALUMINAL or INTRAMURAL extension to esophagus and duodenum is classified by the depth of greatest invasion in any of these sites, including stomach. (For extension to esophagus or duodenum via serosa, see code 60.)

**Note 2:** If the diagnosis states "linitis plastica" and no other information regarding extension is available, use code 35.

Code	Description	TNM	SS77	SS2000
00	In situ; noninvasive; intraepithelial	Tis	IS	IS
05	(Adeno)carcinoma in a polyp, noninvasive	Tis	IS	IS
10	Invasive tumor confined to mucosa, NOS (including intramucosal, NOS)	T1	L	L
11	Invades lamina propria	T1	L	L
12	Invades muscularis mucosae	T1	L	L
13	Confined to head of polyp Extension to stalk	T1	L	L
14	Confined to stalk of polyp	T1	L	L
15	Tumor in polyp, NOS	T1	L	L
16	Invades submucosa (superficial invasion)	T1	L	L
20	Invades into but not through muscularis propria	T2a	L	L
30	Localized, NOS Implants inside stomach	T1	L	L
35	Linitis plastica (see Note 2) and no other information regarding extension is available.	T2a	RE	L
40	Invasion through muscularis propria or muscularis, NOS Extension through wall, NOS Perimuscular tissue invaded Subserosal tissue/(sub)serosal fat invaded	T2b	L	L
45	Extension to adjacent (connective) tissue WITHOUT perforation of visceral peritoneum: Gastric artery Ligaments: Gastrocolic Gastrohepatic Gastrosplenic Omentum, NOS Greater Lesser Perigastric fat	T2b	RE	RE
50	Invasion of/through serosa (mesothelium) (tunica serosa) (visceral peritoneum), including perforation of visceral peritoneum covering the gastric ligaments or the omentum WITHOUT invasion of adjacent structures	T3	RE	RE
55	(45) + (50)	T3	RE	RE

60	Diaphragm Duodenum via serosa or NOS Esophagus via serosa Ileum Jejunum Liver Pancreas Small intestine, NOS Spleen Transverse colon (including flexures)	T4	RE	RE
70	Abdominal wall Adrenal gland Kidney Retroperitoneum	T4	D	D
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

## Stomach

### CS TS/Ext-Eval

SEE STANDARD TABLE

## Stomach

### CS Lymph Nodes

**Note:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	None; no regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s): Left gastric (superior gastric), NOS: Cardial Cardioesophageal Gastric, left Gastropancreatic, left Lesser curvature Lesser omental Paracardial Pancreaticosplenic (pancreaticolienal) Pancreatoduodenal Perigastric, NOS Peripancreatic Right gastric (inferior gastric), NOS: Gastrocolic Gastroduodenal Gastroepiploic (gastro-omental), right or NOS Gastrohepatic Greater curvature Greater omental	*	RN	RN

10, cont'd	Pyloric, NOS Infrapyloric (subpyloric) Suprapyloric Splenic (lienal), NOS: Gastroepiploic (gastro-omental), left Splenic hilar Nodule(s) in perigastric fat			
40	Celiac Hepatic (excluding gastrohepatic, [see code 10] and hepatoduodenal [see code 42])	*	D	RN
42	For lesser curvature only: Hepatoduodenal	*	D	D
50	Regional lymph node(s), NOS	*	RN	RN
80	Lymph node(s), NOS	*	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

\* For codes 10-80 ONLY, the N category is assigned based on the value of the Reg LN Pos using the Lymph Nodes Number Positive table for this site.

### Stomach

#### CS Reg Nodes Eval

SEE STANDARD TABLE

### Stomach

#### Reg LN Pos

SEE STANDARD TABLE

### Stomach

#### Reg LN Exam

SEE STANDARD TABLE

### Stomach

#### CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s): For all subsites: Inferior mesenteric Para-aortic Porta hepatis (portal) (hilar) (in hilus of liver) Retropancreatic Retroperitoneal Superior mesenteric or mesenteric, NOS For all subsites EXCEPT lesser curvature Hepatoduodenal	M1	D	D

40	Distant metastases except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

**Stomach**

**CS Mets Eval**

SEE STANDARD TABLE

**Stomach**

**CS Site-Specific Factor 1**

Code	Description
888	Not applicable for this site

**Stomach**

**CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

**Stomach**

**CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

**Stomach**

**CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

**Stomach**

**CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

**Stomach**  
**CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site