

Collaborative Staging Codes

Vulva (incl. Skin of Vulva)

[excl. Melanoma of Vulva, Kaposi Sarcoma of vulva, Mycosis Fungoides of vulva, Sezary Disease of vulva, and Other Lymphomas of vulva]

C51.0-C51.2, C51.8-C51.9

C51.0 Labium majus

C51.1 Labium minus

C51.2 Clitoris

C51.8 Overlapping lesion of vulva

C51.9 Vulva, NOS

Note: This schema is NOT used for Malignant Melanoma, Kaposi's Sarcoma, Mycosis Fungoides, Sezary Disease, or Other Lymphomas. Each of these diseases has a separate schema.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Special Extension Size Table 1 Special Extension Size Table 2 Special Extension Size Table 3
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Vulva (incl. Skin of Vulva)

CS Tumor Size

SEE STANDARD TABLE

Vulva (incl. Skin of Vulva)

CS Extension

Note 1: FIGO Stage 1, 1A and 1B are defined by size of tumor (less than or equal to 2 cm), involvement of vulva or vulva and perineum, and depth of stromal invasion as defined in codes 10, 11, 12, 30, 40, 41, and 42. FIGO Stage II is greater than 2 cm, but would be coded in the same range of codes.

Note 2: The depth of invasion is defined as the measurement of the tumor from the epithelial-stromal junction of the adjacent most superficial dermal papilla to the deepest point of invasion.

Code	Description	TNM	SS77	SS2000
00	In situ: Noninvasive; intraepithelial Bowen's disease, intraepidermal; preinvasive carcinoma FIGO Stage 0	Tis	IS	IS
10	Invasive cancer confined to: Musculature Submucosa Vulva including skin	*	L	L
11	Vulva only: Stromal invasion less than or equal to 1 mm	**	L	L
12	Vulva only: Stromal invasion greater than 1 mm	***	L	L
30	Localized, NOS	*	L	L
40	Vulva and perineum, level of invasion in mm not stated	*	RE	RE
41	Vulva and perineum, stromal invasion less than or equal to 1 mm	**	RE	RE

42	Vulva and perineum, stromal invasion greater than 1 mm	***	RE	RE
60	Anus Perianal skin Urethra (See code 75 for upper urethral mucosa) Vagina FIGO Stage III	T3	RE	RE
62	Bladder wall or bladder, NOS excluding mucosa Rectal wall or rectum, NOS excluding mucosa	T3	D	RE
70	Perineal body Rectal mucosa	T4	D	D
75	Bladder mucosa Fixed to pubic bone Upper urethral mucosa FIGO Stage IVA	T4	D	RE
80	Further contiguous extension	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

* For Extension codes 10, 30, and 40 ONLY, the T category is assigned based on the value of CS Tumor Size as shown in the Special Extension Size Table 1 for this site.

** For Extension codes 11 and 41 ONLY, the T category is assigned based on the value of CS Tumor Size as shown in the Special Extension Size Table 2 for this site.

*** For Extension codes 12 and 42 ONLY, the T category is assigned based on the value of CS Tumor Size as shown in the Special Extension Size Table 3 for this site.

Vulva (incl. Skin of Vulva)

CS TS/Ext-Eval

SEE STANDARD TABLE

Vulva (incl. Skin of Vulva)

CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Unilateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral) Regional lymph node(s), NOS (unilateral) FIGO Stage III	N1	RN	RN
50	Bilateral or contralateral regional lymph nodes: Inguinal, NOS: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Superficial inguinal (femoral)	N2	RN	RN

50, cont'd	Regional lymph node(s), NOS (bilateral or contralateral) FIGO Stage IVA			
60	Regional lymph node(s), NOS (not stated if unilateral, bilateral or contralateral)	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Vulva (incl. Skin of Vulva)

CS Reg Nodes Eval

SEE STANDARD TABLE

Vulva (incl. Skin of Vulva)

Reg LN Pos

SEE STANDARD TABLE

Vulva (incl. Skin of Vulva)

Reg LN Exam

SEE STANDARD TABLE

Vulva (incl. Skin of Vulva)

CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	D	D
11	Distant lymph node(s): External iliac	M1	RN	D
12	Distant lymph node(s): Internal iliac (hypogastric) Obturator Pelvic, NOS	M1	D	D
13	Distant lymph node(s) other than code 11 and 12, including common iliac	M1	D	D
40	Distant metastases other than distant lymph node(s) (codes 10 to 13) Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(40) + any of [(10) to (13)] Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Vulva (incl. Skin of Vulva)

CS Mets Eval

SEE STANDARD TABLE

Vulva (incl. Skin of Vulva)

CS Site-Specific Factor 1

Code	Description
888	Not applicable for this site

Vulva (incl. Skin of Vulva)

CS Site-Specific Factor 2

Code	Description
888	Not applicable for this site

Vulva (incl. Skin of Vulva)

CS Site-Specific Factor 3

Code	Description
888	Not applicable for this site

Vulva (incl. Skin of Vulva)

CS Site-Specific Factor 4

Code	Description
888	Not applicable for this site

Vulva (incl. Skin of Vulva)

CS Site-Specific Factor 5

Code	Description
888	Not applicable for this site

Vulva (incl. Skin of Vulva)

CS Site-Specific Factor 6

Code	Description
888	Not applicable for this site

Collaborative Staging Codes

Vagina

C52.9

C52.9 Vagina, NOS

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Vagina

CS Tumor Size

SEE STANDARD TABLE

Vagina

CS Extension

Note: According to AJCC, pelvic wall is defined as muscle, fascia, neurovascular structures, or skeletal portions of the bony pelvis.

Code	Description	TNM	SS77	SS2000
00	In situ: Noninvasive; intraepithelial FIGO Stage 0	Tis	IS	IS
10	Invasive cancer confined to Submucosa (stroma) (vagina) FIGO Stage I	T1	L	L
20	Musculature involved	T1	L	L
30	Localized, NOS	T1	L	L
40	Cervix Paravaginal soft tissue Rectovaginal septum Vesicovaginal septum Vulva FIGO Stage II	T2	RE	RE
50	Cul de sac (rectouterine pouch) FIGO Stage II	T2	RE	RE
52	Extension to bladder wall or bladder, NOS excluding mucosa Rectal wall or rectum, NOS excluding mucosa	T3	D	RE
60	Extension to pelvic wall Described clinically as "frozen pelvis", NOS FIGO Stage III	T3	D	RE
70	Extension to bladder mucosa (excluding bullous edema) or rectal mucosa FIGO Stage IVA	T4	D	D

80	Extension beyond true pelvis Extension to urethra FIGO Stage IVA, not further specified	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Vagina

CS TS/Ext-Eval

SEE STANDARD TABLE

Vagina

CS Lymph Nodes

Note: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	All parts of vagina, regional nodes: Pelvic lymph nodes: Iliac, NOS: Common External Internal (hypogastric) Obturator Middle sacral (promontorial) (Gerota's node)	N1	RN	RN
20	Lower third of vagina, regional nodes: Ipsilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	D	RN
30	Lower third of vagina, regional nodes: Bilateral: Inguinal, NOS: Superficial inguinal (femoral)	N1	D	RN
40	Upper two-thirds of vagina, regional nodes: Pelvic lymph node(s), NOS	N1	D	RN
50	Regional lymph node(s), unknown whether primary is in upper or lower vagina Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Vagina
CS Reg Nodes Eval
SEE STANDARD TABLE

Vagina
Reg LN Pos
SEE STANDARD TABLE

Vagina
Reg LN Exam
SEE STANDARD TABLE

Vagina
CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	D	D
11	Distant lymph node(s): Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Inguinal (for primary in upper two-thirds of vagina only) Retroperitoneal, NOS	M1	D	D
12	Distant lymph node(s) other than code 11	M1	D	D
40	Distant metastases except distant lymph node(s) (codes 10 to 12) FIGO Stage IVB Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(40) + any of [(10) to (12)] Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Vagina
CS Mets Eval
SEE STANDARD TABLE

Vagina
CS Site-Specific Factor 1

Code	Description
888	Not applicable for this site

Vagina**CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

Vagina**CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

Vagina**CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

Vagina**CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

Vagina**CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

Collaborative Staging Codes

Cervix Uteri

C53.0-C53.1, C53.8-C53.9

C53.0 Endocervix

C53.1 Exocervix

C53.8 Overlapping lesion of cervix

C53.9 Cervix uteri

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage Extension Size Table
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Cervix Uteri

CS Tumor Size

SEE STANDARD TABLE

Cervix Uteri

CS Extension

Note: Involvement of anterior and/or posterior septum is coded as involvement of the vaginal wall.

Code	Description	TNM	SS77	SS2000
00	In situ: Preinvasive; noninvasive; intraepithelial Cancer in situ WITH endocervical gland involvement FIGO Stage 0	Tis	IS	IS
01	CIN (Cervical intraepithelial neoplasia) Grade III	Tis	IS	IS
11	Minimal microscopic stromal invasion less than or equal to 3 mm in depth and less than or equal to 7 mm in horizontal spread FIGO Stage IA1	T1a1	L	L
12	"Microinvasion" Tumor WITH invasive component greater than 3 mm and less than or equal to 5 mm in depth, taken from the base of the epithelium, and less than or equal to 7 mm in horizontal spread FIGO Stage IA2	T1a2	L	L
20	Invasive cancer confined to cervix and tumor larger than that in code 12 FIGO Stage IB	*	L	L
25	Invasive cancer confined to cervix and clinically visible lesion	*	L	L
30	Localized, NOS Confined to cervix uteri or uterus, NOS, except corpus uteri, NOS (Not clinically visible or unknown if clinically visible.)	*	L	L
31	FIGO Stage I, not further specified	*	L	L
35	Corpus uteri, NOS	T1NOS	RE	RE

36	(35) + (11)	T1a1	RE	RE
37	(35) + (12)	T1a2	RE	RE
38	(35) + [(20) or (25)]	*	RE	RE
39	(35) + [(30) or (31)]	*	RE	RE
40	Extension to: Cul de sac (rectouterine pouch) Upper 2/3's of vagina including fornices Vagina, NOS Vaginal wall, NOS FIGO Stage IIA FIGO Stage II, NOS	T2a	RE	RE
50	Extension to: Ligament(s): Broad Cardinal Uterosacral Parametrium (paracervical soft tissue) FIGO Stage IIB	T2b	RE	RE
60	Extension to: Bladder wall Bladder, NOS excluding mucosa Bullous edema of bladder mucosa Lower 1/3 of vagina Rectal wall Rectum, NOS excluding mucosa FIGO Stage IIIA	T3a	RE	RE
62	Extension to: Ureter, intra- and extramural Vulva FIGO Stage IIIA	T3a	D	RE
63	Tumor causes hydronephrosis or nonfunctioning kidney FIGO Stage IIIB	T3b	RE	RE
65	Extension to pelvic wall(s) (Described clinically as "frozen pelvis", NOS) FIGO Stage IIIB	T3b	D	RE
68	Extension to: Fallopian tube Ovary(ies) Urethra	T3NOS	D	RE
70	Extension to rectal or bladder mucosa (Note: for bullous edema of bladder mucosa, see code 60.) FIGO Stage IVA	T4	D	D
80	Further contiguous extension beyond true pelvis Sigmoid colon Small intestine FIGO Stage IVA, not further specified	T4	D	D

95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

* For Extension codes 20, 25, 30, 31, 38 and 39, the T category is assigned based on the CS Tumor Size, as shown in the Extension Size Table for this site.

Cervix Uteri

CS TS/Ext-Eval

SEE STANDARD TABLE

Cervix Uteri

CS Lymph Nodes

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Note 2: If the clinician says "adnexa palpated" but doesn't mention lymph nodes, assume lymph nodes are not involved.

Note 3: If either exploratory or definitive surgery is done with no mention of lymph nodes, assume nodes are negative, code 00.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s): Iliac, NOS: Common External Internal (hypogastric) Obturator Paracervical Parametrial Pelvic, NOS Sacral, NOS: Lateral (laterosacral) Middle (promontorial) (Gerota's node) Presacral Uterosacral Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Cervix Uteri

CS Reg Nodes Eval

SEE STANDARD TABLE

Cervix Uteri

Reg LN Pos

SEE STANDARD TABLE

Cervix Uteri
Reg LN Exam
SEE STANDARD TABLE

Cervix Uteri
CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s) including: Aortic (para-, peri-, lateral) Inguinal (femoral) Mediastinal Distant lymph node(s), NOS FIGO Stage IV	M1	D	D
40	Distant metastases, except distant lymph node(s) (code 10) Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Cervix Uteri
CS Mets Eval
SEE STANDARD TABLE

Cervix Uteri
CS Site-Specific Factor 1

Code	Description
888	Not applicable for this site

Cervix Uteri
CS Site-Specific Factor 2

Code	Description
888	Not applicable for this site

Cervix Uteri
CS Site-Specific Factor 3

Code	Description
888	Not applicable for this site

Cervix Uteri**CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

Cervix Uteri**CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

Cervix Uteri**CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

Page intentionally blank

Collaborative Staging Codes
Corpus Uteri; Uterus, NOS (excluding Placenta)
C54.0-C54.3, C54.8-C54.9, C55.9

C54.0 Isthmus uteri
 C54.1 Endometrium
 C54.2 Myometrium
 C54.3 Fundus uteri
 C54.8 Overlapping lesion of corpus uteri
 C54.9 Corpus uteri
 C55.9 Uterus, NOS

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Corpus Uteri; Uterus, NOS (excluding Placenta)
CS Tumor Size
SEE STANDARD TABLE

Corpus Uteri; Uterus, NOS (excluding Placenta)
CS Extension

Note 1: According to the AJCC, extension to the bowel or bladder mucosa must be proven by biopsy in order to rule out bullous edema.

Note 2: Since "cancer cells in ascites or in peritoneal washings" was not specifically categorized in the 1977 Summary Stage Guide, is unclear to which stage previous cases may have been coded.

Code	Description	TNM	SS77	SS2000
00	In situ; preinvasive; noninvasive; intraepithelial Cancer in situ FIGO Stage 0	Tis	IS	IS
10	FIGO Stage I not further specified Invasive cancer confined to corpus uteri	T1NOS	L	L
11	Confined to endometrium (stroma) FIGO Stage IA	T1a	L	L
12	Tumor invades less than one-half of myometrium Invasion of inner half of myometrium FIGO Stage IB	T1b	L	L
13	Tumor invades one-half or more of myometrium Invasion of outer half of myometrium FIGO Stage IC	T1c	L	L
14	Invasion of myometrium, NOS	T1NOS	L	L
16	Serosa of corpus (tunica serosa)	T1NOS	L	L
40	Localized, NOS	T1NOS	L	L

50	Cervix uteri, NOS, but not beyond uterus FIGO Stage II, NOS	T2NOS	RE	RE
51	Endocervical glandular involvement only FIGO Stage IIA	T2a	RE	RE
52	Cervical stromal invasion FIGO Stage IIB	T2b	RE	RE
60	Extension or metastasis within true pelvis: Adnexa Fallopian tube(s) Ligaments: Broad, round, uterosacral Ovary(ies) Parametrium Pelvic serosa Tunica serosa FIGO Stage IIIA FIGO Stage III, NOS	T3a	RE	RE
61	Cancer cells in ascites Cancer cells in peritoneal washings FIGO Stage IIIA	T3a	RE	RE
62	Ureter and vulva	T3a	D	RE
64	Extension or metastasis to vagina FIGO Stage IIIB	T3b	D	RE
65	Extension or metastasis to pelvic wall(s) Described clinically as "frozen pelvis", NOS FIGO Stage IIIB	T3b	RE	RE
66	Extension or metastasis to: Bladder wall Bladder, NOS excluding mucosa Rectal wall Rectum, NOS excluding mucosa FIGO Stage IIIB	T3b	RE	RE
67	[(65) or (66)] and [(62) or (64)]	T3b	D	RE
70	Extension to bowel mucosa or bladder mucosa (excluding bullous edema) FIGO Stage IVA FIGO Stage IVNOS	T4	D	D
80	Further contiguous extension Abdominal serosa (peritoneum) Cul de sac Sigmoid colon Small intestine	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Corpus Uteri; Uterus, NOS (excluding Placenta)**CS TS/Ext-Eval****SEE STANDARD TABLE****Corpus Uteri; Uterus, NOS (excluding Placenta)****CS Lymph Nodes****Note 1:** Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.**Note 2:** If the clinician says "adnexa palpated" but doesn't mention lymph nodes, assume lymph nodes are not involved.**Note 3:** If either exploratory/definitive surgery is done with no mention of lymph nodes, assume nodes are negative.**Note 4:** Regional nodes includes bilateral and contralateral involvement of named nodes.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s): Iliac, NOS: Common External Internal (hypogastric) Obturator Paracervical Parametrial Pelvic, NOS Sacral, NOS: Lateral (laterosacral) Middle (promontorial) (Gerota's node) Presacral Uterosacral	N1	RN	RN
20	Regional lymph node(s): Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic	N1	RN	RN
50	Regional lymph node(s): FIGO Stage IIIC, NOS	N1	RN	RN
80	Regional lymph node(s), NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Corpus Uteri; Uterus, NOS (excluding Placenta)**CS Reg Nodes Eval****SEE STANDARD TABLE****Corpus Uteri; Uterus, NOS (excluding Placenta)****Reg LN Pos****SEE STANDARD TABLE**

Corpus Uteri; Uterus, NOS (excluding Placenta)**Reg LN Exam**

SEE STANDARD TABLE

Corpus Uteri; Uterus, NOS (excluding Placenta)**CS Mets at DX**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
11	Distant lymph node(s): Superficial inguinal	M1	RN	D
12	Distant lymph node(s) other than code 11: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Distant lymph node(s), NOS	M1	D	D
40	Distant metastases, except distant lymph node(s) (codes 11-12) Distant metastasis, NOS Carcinomatosis Stage IVB Stage IV, NOS	M1	D	D
50	(40) + any of [(11) or (12)] Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Corpus Uteri; Uterus, NOS (excluding Placenta)**CS Mets Eval**

SEE STANDARD TABLE

Corpus Uteri; Uterus, NOS (excluding Placenta)**CS Site-Specific Factor 1**

Code	Description
888	Not applicable for this site

Corpus Uteri; Uterus, NOS (excluding Placenta)**CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

Corpus Uteri; Uterus, NOS (excluding Placenta)

CS Site-Specific Factor 3

Code	Description
888	Not applicable for this site

Corpus Uteri; Uterus, NOS (excluding Placenta)

CS Site-Specific Factor 4

Code	Description
888	Not applicable for this site

Corpus Uteri; Uterus, NOS (excluding Placenta)

CS Site-Specific Factor 5

Code	Description
888	Not applicable for this site

Corpus Uteri; Uterus, NOS (excluding Placenta)

CS Site-Specific Factor 6

Code	Description
888	Not applicable for this site

Page intentionally blank

Collaborative Staging Codes

Ovary

C56.9

C56.9 Ovary

Note: Laterality must be coded for this site.

CS Tumor Size	CS Site-Specific Factor 1 - Carbohydrate Antigen 125 (CA-125)	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Ovary

CS Tumor Size

SEE STANDARD TABLE

Ovary

CS Extension

Note 1: Ascites WITH malignant cells changes FIGO stages I and II to IC and IIC, respectively. Ascites, NOS is considered negative.

Note 2: "Both extension to and discontinuous metastasis to any of the following pelvic organs is considered FIGO Stage II and coded in the range 50-65: adnexae, NOS; bladder, bladder serosa; broad ligament (mesovarium); cul-de-sac; fallopian tubes; parametrium; pelvic peritoneum; pelvic wall; rectum; sigmoid colon; sigmoid mesentery; ureter; uterus; uterine serosa.

Note 3: Peritoneal implants outside the pelvis (codes 70-73) must be microscopically confirmed. Peritoneal implants may also be called seeding, salting, talcum powder appearance, or studding.

Note 4: If implants are mentioned, determine whether they are in the pelvis or in the abdomen and code appropriately (60-64) or (70-73). If the location is not specified, code as 75.

Note 5: Both extension to and discontinuous metastasis to any of the following abdominal organs is considered FIGO Stage III and coded in the range 70-75: abdominal mesentery; diaphragm; gallbladder; infracolic omentum; kidneys; large intestine except rectum and sigmoid colon; liver (peritoneal surface); omentum; pancreas; pericolic gutter; peritoneum, NOS; small intestine; spleen; stomach; ureters.

Note 6: Excludes parenchymal liver nodules, which are coded in CS Mets at DX

Note 7: Since "cancer cells in ascites or in peritoneal washings" was not specifically categorized in the 1977 Summary Stage Guide, it is unclear to which stage previous cases may have been coded.

Code	Description	TNM	SS77	SS2000
00	In situ; non-invasive; intraepithelial; preinvasive	Tis	IS	IS
10	Tumor limited to one ovary, capsule intact, no tumor on ovarian surface, no malignant cells in ascites or peritoneal washings FIGO Stage IA	T1a	L	L
20	Tumor limited to both ovaries, capsule(s) intact, no tumor on ovarian surface, no malignant cells in ascites or peritoneal washings FIGO Stage IB	T1b	L	L
30	Tumor limited to ovaries, unknown if capsule(s) ruptured or if one or both ovaries involved Localized, NOS FIGO Stage I, NOS	T1NOS	L	L

35	Tumor limited to ovary(ies), capsule(s) ruptured FIGO Stage 1C	T1c	L	RE
36	Tumor on ovarian surface FIGO Stage 1C	T1c	D	RE
41	Tumor limited to ovary(ies) WITH malignant cells in ascites or peritoneal washings FIGO Stage 1C	T1c	RE	RE
43	(35) + (41) FIGO Stage 1C	T1c	RE	RE
44	(36) + any of [(35) or (41)] FIGO Stage 1C	T1c	D	RE
50	Extension to or implants on (but no malignant cells in ascites or peritoneal washings): Adnexa, NOS, ipsilateral or NOS Fallopian tube(s), ipsilateral or NOS FIGO Stage IIA	T2a	RE	RE
52	Extension to or implants on (but no malignant cells in ascites or peritoneal washings): Adnexa, NOS, contralateral Fallopian tube(s), contralateral Uterus FIGO Stage IIA	T2a	D	RE
60	Extension to or implants on other pelvic structures (but no malignant cells in ascites or peritoneal washings): Pelvic tissue: Adjacent peritoneum Ligament(s): Broad, ipsilateral, NOS Ovarian Round Suspensory Mesovarium, ipsilateral, NOS Pelvic wall FIGO Stage IIB	T2b	RE	RE
61	Extension to or implants on other pelvic structures (but no malignant cells in ascites or peritoneal washings): Broad ligament(s), contralateral Mesovarium, contralateral FIGO Stage IIB	T2b	D	RE
62	WITH malignant cells in ascites or peritoneal washings [(50) and/or (60)] FIGO Stage IIC	T2c	RE	RE
63	WITH malignant cells in ascites or peritoneal washings [(52) and/or (61)] FIGO Stage IIC	T2c	D	RE
64	(61) WITH malignant cells in ascites or peritoneal washings FIGO IIC	T2c	D	RE

65	Tumor involves one or both ovaries with pelvic extension, NOS FIGO Stage II, NOS	T2NOS	RE	RE
70	Microscopic peritoneal implants beyond pelvis, including peritoneal surface/capsule of liver FIGO Stage IIIA (See Note 5)	T3a	D	D
71	Macroscopic peritoneal implants beyond pelvis, less than or equal to 2 cm in diameter, including peritoneal surface of liver FIGO Stage IIIB (See Note 5)	T3b	D	D
72	Peritoneal implants beyond pelvis, greater than 2 cm in diameter, including peritoneal surface of liver (liver capsule) FIGO Stage IIIC (See Note 5)	T3c	D	D
73	Tumor involves one or both ovaries with microscopically confirmed peritoneal metastasis outside the pelvis, NOS FIGO Stage III, NOS (See Note 5)	T3NOS	D	D
75	Peritoneal implants, NOS (See Note 5)	T3NOS	D	D
80	Further contiguous extension	T3NOS	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Ovary

CS TS/Ext-Eval

SEE STANDARD TABLE

Ovary

CS Lymph Nodes

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Note 2: If the clinician says "adnexa palpated" but doesn't mention lymph nodes, assume lymph nodes are not involved, code "00".

Note 3: If either exploratory/definitive surgery is done with no mention of lymph nodes, assume nodes are negative.

Note 4: Regional nodes includes bilateral and contralateral involvement of named nodes.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s): Iliac, NOS: Common External Internal (hypogastric), NOS Obturator Pelvic, NOS	N1	RN	RN
12	Regional lymph node(s): Lateral sacral (laterosacral)	N1	D	RN

20	Regional lymph node(s): Aortic (para-, peri-, lateral) Retroperitoneal, NOS	N1	RN	RN
30	Regional lymph node(s): Inguinal	N1	D	RN
40	(10) + (20)	N1	RN	RN
42	[(12) or (30)] + [(10) or (20)]	N1	D	RN
50	Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Ovary

CS Reg Nodes Eval

SEE STANDARD TABLE

Ovary

Reg LN Pos

SEE STANDARD TABLE

Ovary

Reg LN Exam

SEE STANDARD TABLE

Ovary

CS Mets at DX

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	D	D
40	Distant metastases, except distant lymph node(s) (code 10), including: Liver parenchymal metastasis Pleural effusion WITH positive cytology Distant metastasis, NOS Carcinomatosis Stage IV, NOS	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Ovary
CS Mets Eval
SEE STANDARD TABLE

Ovary
CS Site-Specific Factor 1 Carbohydrate Antigen 125 (CA-125)

Code	Description
000	Test None Done
010	Positive/elevated
020	Negative/normal; within normal limits
030	Borderline; undetermined whether positive or negative
080	Ordered, but results not in chart
999	Not documented in patient record Unknown or no information

Ovary
CS Site-Specific Factor 2

Code	Description
888	Not applicable for this site

Ovary
CS Site-Specific Factor 3

Code	Description
888	Not applicable for this site

Ovary
CS Site-Specific Factor 4

Code	Description
888	Not applicable for this site

Ovary
CS Site-Specific Factor 5

Code	Description
888	Not applicable for this site

Ovary

CS Site-Specific Factor 6

Code	Description
888	Not applicable for this site

Collaborative Staging Codes

Fallopian Tube

C57.0

C57.0 Fallopian tube

Note: Laterality must be coded for this site.

CS Tumor Size	CS Site-Specific Factor 1	The following tables are available at the collaborative staging website: Histology Exclusion Table AJCC Stage
CS Extension	CS Site-Specific Factor 2	
CS TS/Ext-Eval	CS Site-Specific Factor 3	
CS Lymph Nodes	CS Site-Specific Factor 4	
CS Reg Nodes Eval	CS Site-Specific Factor 5	
Reg LN Pos	CS Site-Specific Factor 6	
Reg LN Exam		
CS Mets at DX		
CS Mets Eval		

Fallopian Tube

CS Tumor Size

SEE STANDARD TABLE

Fallopian Tube

CS Extension

Note 1: Positive regional lymph nodes (FIGO Stage IIIC) are coded in the CS Lymph Nodes field.

Note 2: Codes 13 and 71: Since "malignant ascites or malignant peritoneal washings" was not specifically categorized in the 1977 Summary Staging Guide, it is unclear to which stage previous cases may have been coded.

Note 3: Liver capsule metastases are coded to 75-78 in the Extension field; liver parenchymal metastases are coded in the Mets at DX field.

Code	Description	TNM	SS77	SS2000
00	In situ: noninvasive, intraepithelial Limited to tubal mucosa FIGO Stage 0	Tis	IS	IS
10	Confined to fallopian tube, NOS FIGO Stage I	T1NOS	L	L
11	Confined to one fallopian tube WITHOUT penetrating serosal surface; no ascites FIGO Stage IA	T1a	L	L
12	Confined to both fallopian tubes WITHOUT penetrating serosal surface; no ascites FIGO Stage IB	T1b	L	L
13	Extension onto or through tubal serosa Malignant ascites Malignant peritoneal washings FIGO Stage IC	T1c	L	L
30	Localized, NOS FIGO Stage I	T1NOS	L	L
35	Pelvic extension, NOS with no malignant cells in peritoneal washings FIGO Stage II	T2NOS	RE	RE

40	Extension or metastasis to: Corpus uteri Ovary, ipsilateral Uterus, NOS FIGO Stage IIA	T2a	RE	RE
50	Extension or metastasis to: Broad ligament, ipsilateral Mesosalpinx, ipsilateral Peritoneum FIGO Stage IIB	T2b	RE	RE
60	Ovary, contralateral FIGO Stage IIA	T2a	D	RE
65	Extension or metastasis to: Cul de sac (rectouterine pouch) Rectosigmoid Sigmoid Small intestine FIGO IIB	T2b	D	RE
70	Extension or metastasis to: Omentum FIGO Stage IIB	T2b	D	RE
71	Pelvic extension (codes 35 to 70) WITH malignant cells in ascites or peritoneal washings FIGO Stage IIC	T2c	D	RE
75	Peritoneal implants outside the pelvis, NOS FIGO Stage III	T3NOS	D	D
76	Microscopic peritoneal metastasis outside the pelvis FIGO Stage IIIA	T3a	D	D
77	Macroscopic peritoneal metastasis less than or equal to 2 cm outside the pelvis FIGO Stage IIIB	T3b	D	D
78	Peritoneal metastases greater than 2 cm FIGO Stage IIIC	T3c	D	D
80	Further contiguous extension FIGO Stage III	T3NOS	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Fallopian Tube
CS TS/Ext-Eval
SEE STANDARD TABLE

Fallopian Tube**CS Lymph Nodes**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Note 2: If the clinician says "adnexa palpated" but doesn't mention lymph nodes, assume lymph nodes are not involved.

Note 3: If either exploratory/definitive surgery is done with no mention of lymph nodes, assume nodes are negative.

Note 4: Regional nodes includes bilateral and contralateral involvement of named nodes.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s): Iliac, NOS: Common External Internal (hypogastric) Obturator Pelvic, NOS	N1	RN	RN
12	Regional lymph node(s): Lateral sacral (laterosacral) Presacral	N1	D	RN
20	Regional lymph node(s): Aortic, NOS: Lateral (lumbar) Para-aortic Periaortic Retroperitoneal, NOS	N1	RN	RN
22	(12) + (20)	N1	D	RN
30	Regional lymph node(s): Inguinal	N1	D	RN
50	Regional lymph node(s), NOS	N1	RN	RN
80	Lymph nodes, NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Fallopian Tube**CS Reg Nodes Eval**

SEE STANDARD TABLE

Fallopian Tube**Reg LN Pos**

SEE STANDARD TABLE

Fallopian Tube**Reg LN Exam**

SEE STANDARD TABLE

**Fallopian Tube
CS Mets at DX**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
10	Distant lymph node(s), NOS	M1	D	D
40	Distant metastases, except distant lymph node(s) (code 10), including: Liver parenchymal metastasis Pleural effusion WITH positive cytology Distant metastasis, NOS Carcinomatosis	M1	D	D
50	(10) + (40) Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

**Fallopian Tube
CS Mets Eval
SEE STANDARD TABLE**

**Fallopian Tube
CS Site-Specific Factor 1**

Code	Description
888	Not applicable for this site

**Fallopian Tube
CS Site-Specific Factor 2**

Code	Description
888	Not applicable for this site

**Fallopian Tube
CS Site-Specific Factor 3**

Code	Description
888	Not applicable for this site

**Fallopian Tube
CS Site-Specific Factor 4**

Code	Description
888	Not applicable for this site

Fallopian Tube**CS Site-Specific Factor 5**

Code	Description
888	Not applicable for this site

Fallopian Tube**CS Site-Specific Factor 6**

Code	Description
888	Not applicable for this site

Page intentionally blank