

Tennessee Behavioral Risk Factor Surveillance Survey 2006 State and Regional Weighted Data

**Binge drinkers (males having five or more drinks on one occasion,
females having four or more drinks on one occasion)**

State and Regions	Total Respondents	Had Drinking Binge ¹	Weighted Risk ²	Population at Risk ³
TENNESSEE	4,315	256	8.6	388,202
Northeast	347	12	4.3	10,918
East	278	14	7.1	37,305
Southeast	295	10	3.7	8,605
Upper Cumberland	301	10	4.2	9,818
Mid-Cumberland	340	27	11.7	75,763
South Central	321	14	7.4	19,466
Northwest	311	22	6.7	12,968
Southwest	307	16	8.2	16,589
Shelby	293	25	14.6	97,916
Davidson	278	21	8.2	37,060
Knox	325	30	11.0	32,618
Hamilton	283	17	6.1	14,312
Madison	304	24	7.2	4,959
Sullivan	332	14	8.8	9,934

¹ Respondents at risk are those who had at least one alcohol drinking binge during the past 30 days.

² Weighted risk is the estimated percentage of adult population who had at least one alcohol drinking binge during the past 30 days based on the survey.

³ Population at risk is the estimated adult population who had at least one alcohol drinking binge during the past 30 days based on the survey. Note: The sum of regional estimates in this column may not add up to statewide total due to incomplete coverage of all demographic groups in every region.

ADULTS HAVING DRINKING BINGE IN PAST 30 DAYS, TENNESSEE, 2006, BRFS

