

# Tennessee Behavioral Risk Factor Surveillance Survey 2007 State and Regional Weighted Data

**Binge drinkers (males having five or more drinks on one occasion,  
females having four or more drinks on one occasion)**

State and Regions	Total Respondents	Had Drinking Binge <sup>1</sup>	Weighted Risk <sup>2</sup>	Population at Risk <sup>3</sup>
<b>TENNESSEE</b>	4,808	291	9.0	396,208
<b>Northeast</b>	448	23	7.9	20,639
<b>East</b>	293	16	7.5	40,645
<b>Southeast</b>	332	18	7.4	17,230
<b>Upper Cumberland</b>	306	14	5.7	14,073
<b>Mid-Cumberland</b>	289	21	11.4	80,803
<b>South Central</b>	318	16	6.9	19,033
<b>Northwest</b>	293	23	10.4	19,547
<b>Southwest</b>	310	15	4.7	9,253
<b>Shelby</b>	284	24	12.4	77,343
<b>Davidson</b>	263	23	11.6	46,915
<b>Knox</b>	304	18	7.2	22,200
<b>Hamilton</b>	665	45	8.5	19,697
<b>Madison</b>	289	13	7.1	4,811
<b>Sullivan</b>	414	22	8.5	9,741

<sup>1</sup> Respondents at risk are those who had at least one alcohol drinking binge during the past 30 days.

<sup>2</sup> Weighted risk is the estimated percentage of adult population who had at least one alcohol drinking binge during the past 30 days based on the survey.

<sup>3</sup> Population at risk is the estimated adult population who had at least one alcohol drinking binge during the past 30 days based on the survey. Note: The sum of regional estimates in this column may not add up to statewide total due to incomplete coverage of all demographic groups in every region.

ADULTS HAVING DRINKING BINGE IN PAST 30 DAYS, TENNESSEE, 2007, BRFSS

