

Tennessee Behavioral Risk Factor Surveillance Survey 2005 State and Regional Weighted Data

For adult diabetics: Have you ever had any sores or irritations on your feet that took more than four weeks to heal?

| State and Regions | Total Respondents | More Than 4 Weeks to Heal ¹ | Weighted Risk ² | Population at Risk ³ |
|-------------------------|-------------------|--|----------------------------|---------------------------------|
| TENNESSEE | 524 | 46 | 11.3 | 45,703 |
| Northeast | 43 | 3 | 11.6 | 3,291 |
| East | 37 | 4 | 13.3 | 7,380 |
| Southeast | 33 | 3 | 12.3 | 2,652 |
| Upper Cumberland | 27 | 3 | 16.4 | 2,375 |
| Mid-Cumberland | 28 | 4 | 17.3 | 10,663 |
| South Central | 31 | 3 | 9.7 | 2,107 |
| Northwest | 39 | 1 | 2.6 | 545 |
| Southwest | 28 | 3 | 5.9 | 1,020 |
| Shelby | 26 | 3 | 7.5 | 3,617 |
| Davidson | 90 | 5 | 2.1 | 872 |
| Knox | 32 | 4 | 12.3 | 2,961 |
| Hamilton | 28 | 6 | 15.8 | 3,474 |
| Madison | 33 | 0 | 0.0 | 0 |
| Sullivan | 49 | 4 | 8.7 | 1,211 |

¹ Number of respondents with diabetes who answered YES.

² Weighted risk is the estimated percentage of adult diabetics who have had foot sores for more than four weeks.

³ Population at risk is the estimated number of adult diabetics who have had foot sores for more than four weeks. Note: The sum of regional estimates in this column will not add up to statewide total due to incomplete coverage of all demographic groups in every region.

DIABETICS WHO HAD FOOT SORES FOR MORE THAN 4 WEEKS, TENNESSEE, 2005, BRFSS

