

Tennessee Vital Statistics Summary Resident Data 2005



TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF HEALTH STATISTICS
JUNE 2007

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2005: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	5,958,085	81,720	3,442	57,110	14,896	12,970	3,117	718	459	13,560
ANDERSON	71,975	882	48	804	192	174	48	5	1	112
BEDFORD	40,945	722	29	393	93	94	21	13	9	75
BENTON	16,838	172	12	207	85	38	10	3	-	15
BLED SOE	12,868	125	4	100	32	27	5	-	-	7
BLOUNT	112,074	1,306	39	1,110	251	237	69	3	-	176
BRADLEY	92,686	1,214	56	843	218	197	29	8	5	111
CAMPBELL	40,860	491	27	455	115	125	22	5	2	40
CANNON	13,440	150	6	150	54	31	10	2	1	17
CARROLL	30,066	355	17	415	136	81	24	4	2	36
CARTER	57,464	609	32	660	147	161	33	8	4	43
CHEATHAM	38,768	496	10	299	80	72	21	5	3	53
CHESTER	16,426	163	7	150	45	40	8	2	2	15
CLAIBORNE	30,989	389	11	379	95	94	30	2	2	40
CLAY	8,106	92	7	95	25	22	7	1	1	8
COCKE	35,064	416	17	400	146	84	20	4	3	47
COFFEE	50,414	660	25	548	135	130	37	10	3	77
CROCKETT	15,068	210	9	176	66	32	10	2	2	13
CUMBERLAND	50,127	526	28	601	170	152	27	6	2	42
DAVIDSON	592,446	9,409	319	4,893	1,300	1,073	267	74	54	2,424
DECATUR	11,850	143	4	195	54	41	13	2	1	9
DEKALB	18,350	246	3	228	58	52	14	-	-	19
DICKSON	45,826	689	26	422	123	99	37	6	3	64
DYER	38,129	487	37	408	99	86	21	4	3	52
FAYETTE	31,295	459	22	317	82	87	14	2	-	62
FENTRESS	17,300	206	12	234	69	49	20	3	2	2
FRANKLIN	40,714	437	19	425	117	95	19	3	2	38
GIBSON	48,640	608	33	645	170	150	21	2	-	55
GILES	30,170	330	20	331	99	73	15	2	-	44
GRAINGER	21,840	262	17	219	46	64	19	1	-	12
GREENE	64,841	741	28	759	234	176	30	5	2	73
GRUNDY	14,759	179	7	184	49	36	14	3	2	7
HAMBLEN	60,310	877	41	618	141	159	28	4	1	94
HAMILTON	312,491	3,961	208	3,220	808	737	131	37	27	431
HANCOCK	6,853	87	9	90	26	21	6	1	-	5
HARDEMAN	29,618	316	9	289	86	49	26	6	4	49
HARDIN	26,501	296	12	329	97	74	23	3	2	16
HAWKINS	55,817	636	31	578	147	114	41	3	2	46
HAYWOOD	19,920	246	17	226	51	57	13	6	6	44
HENDERSON	26,591	384	16	317	90	66	29	1	-	29
HENRY	31,761	391	20	473	151	92	26	4	3	40
HICKMAN	24,186	265	18	231	37	40	22	3	2	32
HOUSTON	8,223	95	4	112	28	23	6	1	1	8
HUMPHREYS	18,469	212	6	214	58	60	18	1	1	20
JACKSON	11,441	102	7	149	42	37	11	-	-	7
JEFFERSON	47,809	575	24	504	99	134	43	3	2	47
JOHNSON	18,203	187	7	217	43	41	13	3	2	5
KNOX	396,741	5,025	172	3,622	812	807	195	39	29	963

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2005: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	7,967	69	4	84	21	21	-	1	1	4
LAUDERDALE	28,449	357	23	264	81	64	17	7	3	35
LAWRENCE	41,329	534	17	464	110	106	29	4	1	28
LEWIS	11,890	136	7	147	49	30	8	2	1	5
LINCOLN	32,510	428	12	361	96	91	18	1	1	26
LOUDON	41,610	470	23	476	142	109	19	3	3	70
MCMINN	51,196	618	24	560	110	116	40	6	3	60
MCNAIRY	25,165	325	17	297	110	75	22	1	1	20
MACON	21,568	299	16	231	58	56	21	3	-	13
MADISON	95,487	1,388	67	935	239	216	38	24	21	207
MARION	28,380	325	17	321	80	89	13	5	1	19
MARSHALL	28,395	376	19	271	72	64	18	2	1	46
MAURY	74,003	1,020	36	693	140	161	35	4	3	129
MEIGS	11,718	112	3	107	31	22	6	2	-	10
MONROE	41,669	533	22	466	95	113	35	6	2	39
MONTGOMERY	144,724	2,890	72	904	246	215	65	20	10	482
MOORE	5,968	58	2	60	18	13	2	-	-	3
MORGAN	20,523	226	5	190	47	41	13	2	-	15
OBION	32,921	374	15	423	130	81	22	4	2	28
OVERTON	20,669	257	7	262	72	61	19	1	1	18
PERRY	7,734	75	2	103	29	24	10	-	-	4
PICKETT	5,125	47	-	63	20	14	4	1	1	3
POLK	16,469	189	9	213	61	54	10	2	1	8
PUTNAM	66,235	943	37	658	186	139	25	9	6	105
RHEA	29,580	440	31	348	76	74	18	6	3	34
ROANE	53,326	512	20	637	173	144	41	-	-	64
ROBERTSON	59,487	996	32	519	118	127	33	6	3	94
RUTHERFORD	203,987	3,491	87	1,229	319	300	66	22	10	557
SCOTT	22,345	345	13	215	56	54	15	2	1	15
SEQUATCHIE	12,201	163	6	119	38	19	8	3	3	12
SEVIER	77,553	990	28	726	184	189	55	10	3	157
SHELBY	928,648	14,480	869	7,878	2,118	1,766	357	167	121	4,456
SMITH	18,846	236	5	222	59	44	16	2	1	14
STEWART	13,292	155	8	156	51	36	7	3	2	13
SULLIVAN	154,295	1,706	64	1,824	433	395	83	21	15	150
SUMNER	140,685	1,902	60	1,165	308	255	66	11	7	239
TIPTON	55,867	741	33	521	141	131	21	7	4	79
TROUSDALE	7,651	88	3	88	29	26	4	1	1	12
UNICOI	17,894	195	4	265	77	53	12	1	-	11
UNION	19,431	265	15	175	44	45	18	1	-	16
VAN BUREN	5,651	68	4	65	24	11	1	-	-	4
WARREN	39,977	527	23	476	144	100	37	3	1	52
WASHINGTON	112,102	1,304	36	1,172	345	241	57	12	9	153
WAYNE	17,436	169	10	202	73	39	16	1	1	13
WEAKLEY	35,642	373	13	390	103	88	22	2	2	29
WHITE	23,981	339	13	280	61	59	19	4	1	26
WILLIAMSON	144,222	2,012	37	858	182	222	43	6	5	204
WILSON	97,010	1,345	40	793	196	194	47	12	10	147

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2005: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	13.7	65.6	10.8	9.7	9.6	8.8	5.6	165.9	13.3
ANDERSON	12.3	64.2	12.2	9.4	11.2	5.7	1.1	127.0	13.2
BEDFORD	17.6	86.3	12.8	9.1	9.6	18.0	12.5	103.9	15.4
BENTON	10.2	58.3	13.6	11.0	12.3	17.4	-	87.2	15.8
BLED SOE	9.7	57.0	6.3	6.4	7.8	-	-	56.0	7.9
BLOUNT	11.7	58.2	6.7	7.7	9.9	2.3	-	134.8	9.0
BRADLEY	13.1	61.2	12.2	10.0	9.1	6.6	4.1	91.4	13.5
CAMPBELL	12.0	62.0	12.6	9.8	11.1	10.2	4.1	81.5	14.5
CANNON	11.2	55.1	8.0	10.0	11.2	13.3	6.7	113.3	9.3
CARROLL	11.8	61.6	10.4	13.0	13.8	11.3	5.6	101.4	14.1
CARTER	10.6	53.0	11.9	8.2	11.5	13.1	6.6	70.6	13.0
CHEATHAM	12.8	59.2	4.2	11.1	7.7	10.1	6.0	106.9	7.1
CHESTER	9.9	45.9	7.8	6.1	9.1	12.3	12.3	92.0	8.9
CLAIBORNE	12.6	62.3	6.3	11.6	12.2	5.1	5.1	102.8	6.9
CLAY	11.3	59.4	16.4	4.3	11.7	10.9	10.9	87.0	16.4
COCKE	11.9	61.1	9.2	10.6	11.4	9.6	7.2	113.0	9.7
COFFEE	13.1	66.7	8.8	7.6	10.9	15.2	4.5	116.7	13.4
CROCKETT	13.9	70.1	10.2	8.1	11.7	9.5	9.5	61.9	10.2
CUMBERLAND	10.5	61.9	12.0	8.6	12.0	11.4	3.8	79.8	12.8
DAVIDSON	15.9	69.0	12.6	9.5	8.3	7.9	5.7	257.6	16.2
DECATUR	12.1	69.1	7.1	8.4	16.5	14.0	7.0	62.9	7.1
DEKALB	13.4	68.5	3.2	6.5	12.4	-	-	77.2	3.2
DICKSON	15.0	73.1	9.6	8.7	9.2	8.7	4.4	92.9	11.8
DYER	12.8	63.3	16.4	9.2	10.7	8.2	6.2	106.8	18.2
FAYETTE	14.7	78.6	13.3	9.8	10.1	4.4	-	135.1	15.7
FENTRESS	11.9	61.9	12.5	9.7	13.5	14.6	9.7	9.7	12.5
FRANKLIN	10.7	54.0	9.1	6.9	10.4	6.9	4.6	87.0	11.0
GIBSON	12.5	66.0	12.3	8.6	13.3	3.3	-	90.5	13.4
GILES	10.9	55.5	11.9	7.3	11.0	6.1	-	133.3	14.3
GRAINGER	12.0	60.5	15.2	6.9	10.0	3.8	-	45.8	18.7
GREENE	11.4	59.1	8.7	8.2	11.7	6.7	2.7	98.5	10.9
GRUNDY	12.1	62.9	8.6	10.1	12.5	16.8	11.2	39.1	8.6
HAMBLEN	14.5	75.7	14.0	7.5	10.2	4.6	1.1	107.2	15.0
HAMILTON	12.7	61.9	13.1	11.1	10.3	9.3	6.8	108.8	14.7
HANCOCK	12.7	67.3	23.6	8.0	13.1	11.5	-	57.5	26.2
HARDEMAN	10.7	61.0	5.6	17.1	9.8	19.0	12.7	155.1	6.9
HARDIN	11.2	62.3	8.9	10.1	12.4	10.1	6.8	54.1	11.9
HAWKINS	11.4	56.7	10.4	9.3	10.4	4.7	3.1	72.3	11.4
HAYWOOD	12.3	60.3	14.0	14.2	11.3	24.4	24.4	178.9	15.7
HENDERSON	14.4	71.4	10.9	8.3	11.9	2.6	-	75.5	12.3
HENRY	12.3	66.7	12.1	8.2	14.9	10.2	7.7	102.3	15.1
HICKMAN	11.0	59.3	13.8	9.4	9.6	11.3	7.5	120.8	16.9
HOUSTON	11.6	65.1	9.3	6.3	13.6	10.5	10.5	84.2	9.3
HUMPHREYS	11.5	61.1	5.9	9.4	11.6	4.7	4.7	94.3	7.9
JACKSON	8.9	48.3	12.6	12.7	13.0	-	-	68.6	16.2
JEFFERSON	12.0	57.9	10.1	9.9	10.5	5.2	3.5	81.7	11.3
JOHNSON	10.3	59.9	9.1	10.2	11.9	16.0	10.7	26.7	9.1
KNOX	12.7	58.3	9.0	9.7	9.1	7.8	5.8	191.6	11.3

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2005: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	8.7	63.6	13.4	15.9	10.5	14.5	14.5	58.0	13.4
LAUDERDALE	12.5	67.0	15.4	13.2	9.3	19.6	8.4	98.0	16.7
LAWRENCE	12.9	64.9	7.0	8.1	11.2	7.5	1.9	52.4	7.8
LEWIS	11.4	59.2	10.6	16.2	12.4	14.7	7.4	36.8	10.6
LINCOLN	13.2	69.2	6.9	12.9	11.1	2.3	2.3	60.7	8.1
LOUDON	11.3	64.8	11.7	7.7	11.4	6.4	6.4	148.9	12.7
MCMINN	12.1	61.7	8.8	10.5	10.9	9.7	4.9	97.1	10.7
MCNAIRY	12.9	70.3	12.6	7.4	11.8	3.1	3.1	61.5	16.3
MACON	13.9	68.5	12.7	9.4	10.7	10.0	-	43.5	13.5
MADISON	14.5	67.1	12.8	11.8	9.8	17.3	15.1	149.1	15.5
MARION	11.5	59.1	11.7	12.3	11.3	15.4	3.1	58.5	12.4
MARSHALL	13.2	64.5	11.5	8.5	9.5	5.3	2.7	122.3	13.3
MAURY	13.8	66.2	8.6	8.6	9.4	3.9	2.9	126.5	12.4
MEIGS	9.6	48.5	4.4	3.6	9.1	17.9	-	89.3	4.4
MONROE	12.8	65.1	9.3	9.0	11.2	11.3	3.8	73.2	11.9
MONTGOMERY	20.0	84.2	8.5	7.8	6.2	6.9	3.5	166.8	11.8
MOORE	9.7	55.6	5.8	10.3	10.1	-	-	51.7	5.8
MORGAN	11.0	61.2	4.7	11.1	9.3	8.8	-	66.4	7.5
OBION	11.4	60.9	9.0	10.2	12.8	10.7	5.3	74.9	10.8
OVERTON	12.4	65.8	6.9	5.8	12.7	3.9	3.9	70.0	6.9
PERRY	9.7	54.6	4.6	4.0	13.3	-	-	53.3	4.6
PICKETT	9.2	51.1	-	2.1	12.3	21.3	21.3	63.8	4.5
POLK	11.5	61.8	11.1	11.6	12.9	10.6	5.3	42.3	14.8
PUTNAM	14.2	67.9	11.2	8.2	9.9	9.5	6.4	111.3	13.1
RHEA	14.9	73.7	20.1	10.9	11.8	13.6	6.8	77.3	20.8
ROANE	9.6	52.9	7.4	7.8	11.9	-	-	125.0	9.3
ROBERTSON	16.7	79.4	9.1	9.1	8.7	6.0	3.0	94.4	11.3
RUTHERFORD	17.1	72.6	7.7	8.5	6.0	6.3	2.9	159.6	10.3
SCOTT	15.4	75.8	10.4	9.0	9.6	5.8	2.9	43.5	11.2
SEQUATCHIE	13.4	67.4	9.1	14.7	9.8	18.4	18.4	73.6	10.6
SEVIER	12.8	63.8	7.1	8.7	9.4	10.1	3.0	158.6	9.7
SHELBY	15.6	70.0	15.3	11.8	8.5	11.5	8.4	307.7	20.2
SMITH	12.5	61.1	4.9	7.6	11.8	8.5	4.2	59.3	6.8
STEWART	11.7	60.6	10.5	12.9	11.7	19.4	12.9	83.9	11.8
SULLIVAN	11.1	58.8	8.3	9.4	11.8	12.3	8.8	87.9	10.4
SUMNER	13.5	64.9	7.3	7.0	8.3	5.8	3.7	125.7	8.4
TIPTON	13.3	62.0	8.8	11.2	9.3	9.4	5.4	106.6	10.7
TROUSDALE	11.5	58.9	7.6	9.1	11.5	11.4	11.4	136.4	15.2
UNICOI	10.9	61.2	5.1	8.2	14.8	5.1	-	56.4	5.1
UNION	13.6	65.5	13.8	11.3	9.0	3.8	-	60.4	15.7
VAN BUREN	12.0	65.1	14.8	10.3	11.5	-	-	58.8	14.8
WARREN	13.2	66.6	10.8	7.6	11.9	5.7	1.9	98.7	12.7
WASHINGTON	11.6	54.7	6.9	9.2	10.5	9.2	6.9	117.3	7.7
WAYNE	9.7	57.9	12.0	4.7	11.6	5.9	5.9	76.9	14.4
WEAKLEY	10.5	47.2	7.3	7.8	10.9	5.4	5.4	77.7	7.3
WHITE	14.1	74.6	10.3	6.8	11.7	11.8	2.9	76.7	12.6
WILLIAMSON	14.0	65.4	3.6	7.2	5.9	3.0	2.5	101.4	4.7
WILSON	13.9	66.4	7.0	7.9	8.2	8.9	7.4	109.3	9.0

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reported fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2005: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	4,847,027	63,215	2,106	48,307	12,666	10,990	2,687	450	264	6,992
ANDERSON	67,842	828	46	776	185	169	47	5	1	93
BEDFORD	37,140	657	25	348	75	86	18	11	7	65
BENTON	16,354	165	9	206	85	37	10	3	-	15
BLED SOE	12,279	125	4	98	31	26	5	-	-	6
BLOUNT	107,348	1,254	37	1,084	243	232	67	2	-	164
BRADLEY	87,678	1,146	52	807	209	194	28	7	4	92
CAMPBELL	40,419	488	27	449	111	125	22	5	2	39
CANNON	13,155	145	6	148	53	30	10	2	1	16
CARROLL	26,739	304	15	367	119	71	22	3	1	31
CARTER	56,424	599	32	652	144	159	33	8	4	43
CHEATHAM	37,864	479	10	291	77	69	21	5	3	49
CHESTER	14,672	139	3	138	42	34	8	2	2	11
CLAIBORNE	30,497	381	11	376	94	94	30	2	2	39
CLAY	7,899	92	7	95	25	22	7	1	1	7
COCKE	34,035	399	16	384	139	81	19	3	2	44
COFFEE	47,899	638	25	534	131	126	36	10	3	67
CROCKETT	12,891	191	9	148	58	27	10	1	1	10
CUMBERLAND	49,726	523	28	598	170	151	26	6	2	39
DAVIDSON	407,631	6,175	161	3,616	972	803	201	39	30	1,113
DECATUR	11,334	137	4	188	53	40	12	2	1	6
DEKALB	17,951	242	3	221	57	51	13	-	-	19
DICKSON	43,170	662	24	402	115	93	35	6	3	52
DYER	32,637	396	29	368	91	75	20	3	3	38
FAYETTE	20,805	307	8	196	51	58	9	2	-	14
FENTRESS	17,221	206	12	234	69	49	20	3	2	2
FRANKLIN	38,070	409	19	402	109	90	19	3	2	34
GIBSON	38,670	457	19	534	147	123	15	2	-	27
GILES	26,289	301	15	291	85	60	14	1	-	30
GRAINGER	21,687	259	15	219	46	64	19	1	-	12
GREENE	63,018	721	26	747	228	175	30	5	2	71
GRUNDY	14,651	178	7	183	49	35	14	3	2	7
HAMBLEN	57,055	827	38	592	135	152	28	4	1	91
HAMILTON	241,887	2,874	91	2,603	654	591	104	23	18	273
HANCOCK	6,776	86	9	89	26	20	6	1	-	5
HARDEMAN	16,768	167	5	191	60	32	15	1	1	15
HARDIN	25,367	289	11	320	94	73	20	3	2	13
HAWKINS	54,632	630	30	566	143	112	41	3	2	43
HAYWOOD	9,545	105	2	118	31	35	6	2	2	9
HENDERSON	24,291	348	12	292	85	60	25	1	-	22
HENRY	28,672	349	18	420	139	77	24	4	3	36
HICKMAN	22,947	257	18	225	36	39	22	3	2	30
HOUSTON	7,875	93	4	110	28	23	6	1	1	8
HUMPHREYS	17,771	206	6	209	58	58	18	1	1	20
JACKSON	11,353	101	7	147	41	36	11	-	-	7
JEFFERSON	46,349	561	24	494	98	131	42	3	2	45
JOHNSON	17,676	187	7	214	43	41	13	3	2	5
KNOX	353,293	4,360	121	3,272	741	735	170	26	20	726

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2005: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	5,335	47	1	71	17	19	-	-	-	1
LAUDERDALE	18,335	210	9	188	60	39	13	5	1	13
LAWRENCE	40,363	520	15	458	109	106	28	4	1	28
LEWIS	11,632	133	7	146	49	30	8	2	1	4
LINCOLN	29,764	394	9	330	91	79	14	1	1	21
LOUDON	40,769	455	23	467	139	109	17	1	1	65
MCMINN	48,223	584	23	533	105	110	39	6	3	56
MCNAIRY	23,408	300	12	281	104	70	21	1	1	18
MACON	21,349	297	16	229	58	55	21	2	-	13
MADISON	62,844	796	22	637	163	146	26	9	7	65
MARION	27,008	311	17	309	76	88	13	5	1	16
MARSHALL	25,976	349	19	252	64	61	18	2	1	34
MAURY	62,884	864	25	580	117	137	29	3	2	98
MEIGS	11,516	112	3	106	31	22	6	2	-	9
MONROE	40,342	515	21	455	93	108	34	6	2	39
MONTGOMERY	110,513	2,190	42	720	195	163	59	14	7	296
MOORE	5,786	58	2	58	17	13	1	-	-	2
MORGAN	19,924	226	5	190	47	41	13	2	-	15
OBION	29,370	330	13	388	123	74	21	2	1	25
OVERTON	20,497	253	7	260	71	61	19	1	1	18
PERRY	7,531	74	2	103	29	24	10	-	-	2
PICKETT	5,100	47	-	63	20	14	4	1	1	3
POLK	16,330	188	9	213	61	54	10	2	1	8
PUTNAM	63,944	898	34	647	183	138	24	8	6	99
RHEA	28,681	421	31	335	73	72	17	5	3	32
ROANE	51,320	493	20	616	167	139	40	-	-	61
ROBERTSON	54,088	906	25	466	105	113	31	6	3	73
RUTHERFORD	178,542	2,938	65	1,095	283	274	56	15	6	381
SCOTT	22,192	342	12	215	56	54	15	2	1	14
SEQUATCHIE	12,114	159	6	118	37	19	8	3	3	11
SEVIER	76,255	966	28	724	184	189	54	10	3	149
SHELBY	433,103	5,795	153	3,914	1,119	888	179	32	20	737
SMITH	18,209	231	4	216	59	43	13	2	1	13
STEWART	12,821	147	8	155	51	36	7	3	2	11
SULLIVAN	149,885	1,645	60	1,778	426	384	81	20	14	144
SUMNER	130,149	1,724	54	1,094	286	240	65	10	6	205
TIPTON	44,604	571	17	409	108	98	17	5	3	39
TROUSDALE	6,780	82	3	77	22	25	4	-	-	12
UNICOI	17,770	192	4	264	77	52	12	1	-	10
UNION	19,275	265	15	175	44	45	18	1	-	15
VAN BUREN	5,619	68	4	65	24	11	1	-	-	4
WARREN	38,334	513	22	452	139	96	36	2	1	44
WASHINGTON	106,057	1,223	32	1,130	338	231	55	11	8	132
WAYNE	16,068	169	10	199	72	38	16	1	1	13
WEAKLEY	32,254	338	13	373	99	82	22	1	1	23
WHITE	23,414	328	12	275	61	57	19	3	1	26
WILLIAMSON	134,714	1,858	31	794	166	202	40	6	5	160
WILSON	89,784	1,247	34	722	173	177	42	7	5	125

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2005: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	13.0	64.4	8.6	8.2	10.0	7.1	4.2	110.6	10.3
ANDERSON	12.2	64.0	12.6	8.9	11.4	6.0	1.2	112.3	13.1
BEDFORD	17.7	86.8	12.4	8.4	9.4	16.7	10.7	98.9	15.4
BENTON	10.1	58.2	10.7	10.9	12.6	18.2	-	90.9	13.1
BLED SOE	10.2	58.0	6.5	6.4	8.0	-	-	48.0	8.1
BLOUNT	11.7	58.6	6.6	7.5	10.1	1.6	-	130.8	9.2
BRADLEY	13.1	61.2	12.1	9.8	9.2	6.1	3.5	80.3	13.2
CAMPBELL	12.1	62.4	12.8	9.8	11.1	10.2	4.1	79.9	14.2
CANNON	11.0	54.1	8.1	9.7	11.3	13.8	6.9	110.3	9.5
CARROLL	11.4	59.7	10.6	11.2	13.7	9.9	3.3	102.0	14.1
CARTER	10.6	53.1	12.1	8.0	11.6	13.4	6.7	71.8	13.2
CHEATHAM	12.7	58.5	4.2	10.9	7.7	10.4	6.3	102.3	6.8
CHESTER	9.5	44.1	3.9	5.8	9.4	14.4	14.4	79.1	5.1
CLAIBORNE	12.5	62.3	6.5	11.5	12.3	5.2	5.2	102.4	7.1
CLAY	11.6	60.5	16.9	4.3	12.0	10.9	10.9	76.1	16.9
COCKE	11.7	60.3	9.1	10.0	11.3	7.5	5.0	110.3	9.6
COFFEE	13.3	68.4	9.4	7.5	11.1	15.7	4.7	105.0	14.3
CROCKETT	14.8	75.2	12.0	6.8	11.5	5.2	5.2	52.4	12.0
CUMBERLAND	10.5	62.2	12.1	8.4	12.0	11.5	3.8	74.6	13.0
DAVIDSON	15.1	69.2	11.3	7.8	8.9	6.3	4.9	180.2	14.0
DECATUR	12.1	69.1	7.5	8.0	16.6	14.6	7.3	43.8	7.5
DEKALB	13.5	68.6	3.3	5.8	12.3	-	-	78.5	3.3
DICKSON	15.3	74.6	9.6	8.5	9.3	9.1	4.5	78.5	11.1
DYER	12.1	61.8	15.9	8.6	11.3	7.6	7.6	96.0	17.0
FAYETTE	14.8	84.3	8.3	7.5	9.4	6.5	-	45.6	8.3
FENTRESS	12.0	62.1	12.6	9.7	13.6	14.6	9.7	9.7	12.6
FRANKLIN	10.7	54.1	9.8	6.1	10.6	7.3	4.9	83.1	11.8
GIBSON	11.8	65.3	9.6	6.8	13.8	4.4	-	59.1	10.6
GILES	11.4	58.3	10.4	6.6	11.1	3.3	-	99.7	12.5
GRAINGER	11.9	60.1	13.5	6.6	10.1	3.9	-	46.3	17.1
GREENE	11.4	59.2	8.5	8.0	11.9	6.9	2.8	98.5	10.7
GRUNDY	12.1	62.9	8.6	10.1	12.5	16.9	11.2	39.3	8.6
HAMBLEN	14.5	75.7	14.0	7.6	10.4	4.8	1.2	110.0	15.1
HAMILTON	11.9	60.2	8.2	8.6	10.8	8.0	6.3	95.0	9.3
HANCOCK	12.7	67.2	24.0	8.1	13.1	11.6	-	58.1	26.7
HARDEMAN	10.0	62.5	6.3	13.8	11.4	6.0	6.0	89.8	6.3
HARDIN	11.4	64.2	8.8	10.0	12.6	10.4	6.9	45.0	11.2
HAWKINS	11.5	57.4	10.4	9.4	10.4	4.8	3.2	68.3	11.1
HAYWOOD	11.0	60.0	4.2	14.3	12.4	19.0	19.0	85.7	4.2
HENDERSON	14.3	71.0	9.2	8.0	12.0	2.9	-	63.2	10.7
HENRY	12.2	66.5	12.5	7.7	14.6	11.5	8.6	103.2	15.3
HICKMAN	11.2	59.2	14.4	9.3	9.8	11.7	7.8	116.7	17.6
HOUSTON	11.8	66.5	9.9	6.5	14.0	10.8	10.8	86.0	9.9
HUMPHREYS	11.6	62.1	6.3	9.7	11.8	4.9	4.9	97.1	8.4
JACKSON	8.9	48.2	12.7	12.9	12.9	-	-	69.3	16.3
JEFFERSON	12.1	58.2	10.4	10.2	10.7	5.3	3.6	80.2	11.7
JOHNSON	10.6	60.6	9.2	10.2	12.1	16.0	10.7	26.7	9.2
KNOX	12.3	57.5	7.3	8.9	9.3	6.0	4.6	166.5	8.9

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2005: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	8.8	58.0	4.7	8.5	13.3	-	-	21.3	4.7
LAUDERDALE	11.5	62.4	9.9	9.5	10.3	23.8	4.8	61.9	9.9
LAWRENCE	12.9	64.7	6.3	8.1	11.3	7.7	1.9	53.8	7.2
LEWIS	11.4	59.3	10.9	15.8	12.6	15.0	7.5	30.1	10.9
LINCOLN	13.2	70.7	5.8	12.7	11.1	2.5	2.5	53.3	6.5
LOUDON	11.2	64.2	12.1	7.3	11.5	2.2	2.2	142.9	13.2
MCMINN	12.1	62.1	9.2	10.8	11.1	10.3	5.1	95.9	11.2
MCNAIRY	12.8	70.4	9.8	6.3	12.0	3.3	3.3	60.0	13.1
MACON	13.9	68.8	12.8	9.1	10.7	6.7	-	43.8	13.6
MADISON	12.7	61.9	7.5	9.0	10.1	11.3	8.8	81.7	8.8
MARION	11.5	59.8	12.4	12.9	11.4	16.1	3.2	51.4	13.1
MARSHALL	13.4	65.6	12.8	8.9	9.7	5.7	2.9	97.4	12.8
MAURY	13.7	67.0	7.3	7.9	9.2	3.5	2.3	113.4	10.6
MEIGS	9.7	49.4	4.5	3.6	9.2	17.9	-	80.4	4.5
MONROE	12.8	65.0	9.3	8.7	11.3	11.7	3.9	75.7	11.9
MONTGOMERY	19.8	86.0	6.9	6.9	6.5	6.4	3.2	135.2	9.8
MOORE	10.0	57.0	6.0	10.3	10.0	-	-	34.5	6.0
MORGAN	11.3	61.6	4.7	11.1	9.5	8.8	-	66.4	7.6
OBION	11.2	61.7	9.1	9.4	13.2	6.1	3.0	75.8	11.2
OVERTON	12.3	65.3	6.9	5.9	12.7	4.0	4.0	71.1	6.9
PERRY	9.8	55.5	4.7	4.1	13.7	-	-	27.0	4.7
PICKETT	9.2	51.4	-	2.1	12.4	21.3	21.3	63.8	4.6
POLK	11.5	62.0	11.2	11.7	13.0	10.6	5.3	42.6	14.9
PUTNAM	14.0	67.0	10.7	7.9	10.1	8.9	6.7	110.2	12.5
RHEA	14.7	72.8	21.3	10.7	11.7	11.9	7.1	76.0	21.9
ROANE	9.6	53.1	7.8	8.1	12.0	-	-	123.7	9.8
ROBERTSON	16.8	79.7	7.9	8.4	8.6	6.6	3.3	80.6	9.2
RUTHERFORD	16.5	71.1	6.7	7.2	6.1	5.1	2.0	129.7	8.5
SCOTT	15.4	75.7	9.6	9.1	9.7	5.8	2.9	40.9	10.5
SEQUATCHIE	13.1	66.1	9.2	15.1	9.7	18.9	18.9	69.2	10.7
SEVIER	12.7	63.4	7.3	8.7	9.5	10.4	3.1	154.2	9.9
SHELBY	13.4	67.2	7.4	7.1	9.0	5.5	3.5	127.2	9.3
SMITH	12.7	61.9	4.1	7.8	11.9	8.7	4.3	56.3	6.1
STEWART	11.5	59.8	10.8	12.9	12.1	20.4	13.6	74.8	12.2
SULLIVAN	11.0	58.5	8.0	9.2	11.9	12.2	8.5	87.5	10.2
SUMNER	13.2	64.5	7.2	6.3	8.4	5.8	3.5	118.9	8.1
TIPTON	12.8	61.1	6.0	9.6	9.2	8.8	5.3	68.3	7.8
TROUSDALE	12.1	60.9	8.3	8.5	11.4	-	-	146.3	16.6
UNICOI	10.8	60.7	5.2	7.8	14.9	5.2	-	52.1	5.2
UNION	13.7	66.0	14.0	11.3	9.1	3.8	-	56.6	15.8
VAN BUREN	12.1	65.5	14.8	10.3	11.6	-	-	58.8	14.8
WARREN	13.4	67.8	11.0	7.0	11.8	3.9	1.9	85.8	12.5
WASHINGTON	11.5	54.6	6.6	8.5	10.7	9.0	6.5	107.9	7.4
WAYNE	10.5	58.8	12.2	4.7	12.4	5.9	5.9	76.9	14.6
WEAKLEY	10.5	49.1	8.1	6.2	11.6	3.0	3.0	68.0	8.1
WHITE	14.0	73.8	9.7	6.4	11.7	9.1	3.0	79.3	12.1
WILLIAMSON	13.8	65.1	3.3	6.4	5.9	3.2	2.7	86.1	4.1
WILSON	13.9	66.5	6.6	7.5	8.0	5.6	4.0	100.2	8.1

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reported fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2005: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	1,006,566	16,546	1,296	8,510	2,166	1,908	411	253	187	6,009
ANDERSON	3,099	34	2	25	7	3	1	-	-	18
BEDFORD	3,427	49	3	45	18	8	3	2	2	7
BENTON	358	6	3	1	-	1	-	-	-	-
BLED SOE	495	-	-	1	1	-	-	-	-	1
BLOUNT	3,310	38	-	24	7	5	2	1	-	10
BRADLEY	4,020	46	4	34	8	3	1	1	1	15
CAMPBELL	148	2	-	6	4	-	-	-	-	1
CANNON	198	1	-	2	1	1	-	-	-	-
CARROLL	3,134	50	2	47	17	9	2	1	1	4
CARTER	647	5	-	6	3	1	-	-	-	-
CHEATHAM	566	10	-	6	2	2	-	-	-	2
CHESTER	1,629	23	4	12	3	6	-	-	-	4
CLAIBORNE	245	4	-	3	1	-	-	-	-	-
CLAY	135	-	-	-	-	-	-	-	-	-
COCKE	762	10	-	15	7	3	1	1	1	2
COFFEE	1,931	11	-	14	4	4	1	-	-	7
CROCKETT	2,110	19	-	28	8	5	-	1	1	3
CUMBERLAND	80	-	-	-	-	-	-	-	-	-
DAVIDSON	161,191	2,857	150	1,224	318	261	60	34	24	1,153
DECATUR	435	5	-	6	1	-	1	-	-	2
DEKALB	283	2	-	7	1	1	1	-	-	-
DICKSON	2,188	22	2	19	7	6	2	-	-	11
DYER	5,220	85	8	40	8	11	1	1	-	12
FAYETTE	10,297	146	14	119	31	28	5	-	-	47
FENTRESS	16	-	-	-	-	-	-	-	-	-
FRANKLIN	2,322	24	-	22	7	5	-	-	-	1
GIBSON	9,703	147	13	110	22	27	6	-	-	26
GILES	3,628	28	5	39	14	12	1	1	-	13
GRAINGER	73	1	1	-	-	-	-	-	-	-
GREENE	1,471	14	2	10	5	1	-	-	-	1
GRUNDY	20	-	-	1	-	1	-	-	-	-
HAMBLEN	2,676	15	1	26	6	7	-	-	-	3
HAMILTON	64,327	999	115	602	154	138	27	14	9	135
HANCOCK	40	-	-	-	-	-	-	-	-	-
HARDEMAN	12,623	145	4	98	26	17	11	5	3	34
HARDIN	991	4	-	9	3	1	3	-	-	3
HAWKINS	884	3	-	12	4	2	-	-	-	2
HAYWOOD	10,306	139	15	108	20	22	7	4	4	35
HENDERSON	2,171	31	3	25	5	6	4	-	-	7
HENRY	2,874	40	2	50	12	14	2	-	-	4
HICKMAN	1,047	2	-	5	1	1	-	-	-	1
HOUSTON	298	2	-	2	-	-	-	-	-	-
HUMPHREYS	578	3	-	5	-	2	-	-	-	-
JACKSON	20	-	-	1	1	-	-	-	-	-
JEFFERSON	1,127	7	-	10	1	3	1	-	-	1
JOHNSON	433	-	-	2	-	-	-	-	-	-
KNOX	35,277	527	51	325	65	66	22	11	7	200

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2005: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS			INFANT DEATHS		OTHER TERMINATIONS	
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL		NEONATAL
LAKE	2,557	22	3	13	4	2	-	1	1	3
LAUDERDALE	9,845	141	13	74	20	25	3	2	2	22
LAWRENCE	660	8	2	5	1	-	-	-	-	-
LEWIS	194	3	-	1	-	-	-	-	-	1
LINCOLN	2,389	29	3	30	5	12	3	-	-	5
LOUDON	507	9	-	6	2	-	-	2	2	1
MCMINN	2,407	27	1	24	4	5	1	-	-	2
MCNAIRY	1,605	23	5	16	6	5	1	-	-	2
MACON	51	-	-	-	-	-	-	-	-	-
MADISON	31,707	565	44	296	76	69	11	15	14	134
MARION	1,191	7	-	11	4	1	-	-	-	3
MARSHALL	2,231	22	-	19	8	3	-	-	-	12
MAURY	10,491	142	11	112	22	24	6	1	1	27
MEIGS	145	-	-	1	-	-	-	-	-	-
MONROE	939	14	1	11	2	5	1	-	-	-
MONTGOMERY	29,112	581	29	169	46	50	5	5	3	140
MOORE	156	-	-	2	1	-	1	-	-	1
MORGAN	508	-	-	-	-	-	-	-	-	-
OBION	3,382	41	2	33	7	6	1	2	1	3
OVERTON	64	1	-	1	1	-	-	-	-	-
PERRY	138	-	-	-	-	-	-	-	-	-
PICKETT	7	-	-	-	-	-	-	-	-	-
POLK	29	-	-	-	-	-	-	-	-	-
PUTNAM	1,282	17	1	6	2	1	1	-	-	1
RHEA	644	11	-	12	3	2	1	1	-	2
ROANE	1,531	12	-	18	6	3	1	-	-	3
ROBERTSON	4,842	74	7	52	13	14	2	-	-	17
RUTHERFORD	19,700	396	19	121	34	24	10	7	4	132
SCOTT	28	-	-	-	-	-	-	-	-	1
SEQUATCHIE	24	-	-	-	-	-	-	-	-	-
SEVIER	469	5	-	2	-	-	1	-	-	-
SHELBY	471,233	8,206	707	3,880	980	858	176	127	95	3,592
SMITH	500	4	1	6	-	1	3	-	-	1
STEWART	189	6	-	1	-	-	-	-	-	1
SULLIVAN	3,159	43	3	44	7	11	2	1	1	4
SUMNER	8,711	147	6	66	18	14	1	1	1	24
TIPTON	10,666	162	16	111	33	33	4	2	1	39
TROUSDALE	833	6	-	10	6	1	-	1	1	-
UNICOI	25	-	-	-	-	-	-	-	-	-
UNION	20	-	-	-	-	-	-	-	-	1
VAN BUREN	6	-	-	-	-	-	-	-	-	-
WARREN	1,311	10	1	24	5	4	1	1	-	7
WASHINGTON	4,628	58	4	38	7	10	2	1	1	19
WAYNE	1,268	-	-	3	1	1	-	-	-	-
WEAKLEY	2,671	27	-	17	4	6	-	1	1	5
WHITE	419	7	1	4	-	2	-	-	-	-
WILLIAMSON	7,141	85	6	59	15	18	3	-	-	26
WILSON	6,138	79	6	66	20	15	5	5	5	13

Other Terminations - Total number of fetal deaths and induced abortions.
A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2005: *BLACK*

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	16.4	69.4	18.4	15.3	8.5	15.3	11.3	363.2	23.8
ANDERSON	11.0	58.2	9.2	23.5	8.1	-	-	529.4	18.3
BEDFORD	14.3	68.8	13.3	18.4	13.1	40.8	40.8	142.9	13.3
BENTON	16.8	*	*	*	2.8	-	-	-	*
BLED SOE	-	-	-	-	2.0	-	-	*	-
BLOUNT	11.5	57.1	-	15.8	7.3	26.3	-	263.2	-
BRADLEY	11.4	53.6	17.0	13.0	8.5	21.7	21.7	326.1	21.3
CAMPBELL	13.5	*	*	*	40.5	-	-	*	*
CANNON	5.1	*	*	*	10.1	-	-	-	-
CARROLL	16.0	80.6	9.8	24.0	15.0	20.0	20.0	80.0	14.7
CARTER	7.7	43.1	*	*	9.3	-	-	-	-
CHEATHAM	17.7	*	*	10.0	10.6	-	-	200.0	*
CHESTER	14.1	63.2	36.7	8.7	7.4	-	-	173.9	36.7
CLAIBORNE	16.3	*	*	*	12.2	-	-	-	-
CLAY	-	-	-	-	-	-	-	-	-
COCKE	13.1	76.3	*	40.0	19.7	100.0	100.0	200.0	-
COFFEE	5.7	26.7	-	18.2	7.3	-	-	636.4	-
CROCKETT	9.0	42.9	-	21.1	13.3	52.6	52.6	157.9	-
CUMBERLAND	-	-	-	-	-	-	-	-	-
DAVIDSON	17.7	70.0	14.8	13.5	7.6	11.9	8.4	403.6	19.7
DECATUR	11.5	*	*	*	13.8	-	-	*	-
DEKALB	7.1	*	*	*	24.7	-	-	-	-
DICKSON	10.1	49.9	12.3	18.2	8.7	-	-	500.0	18.5
DYER	16.3	69.7	19.2	12.9	7.7	11.8	-	141.2	24.0
FAYETTE	14.2	67.7	20.6	15.1	11.6	-	-	321.9	26.5
FENTRESS	-	-	-	-	-	-	-	-	-
FRANKLIN	10.3	52.3	-	20.8	9.5	-	-	41.7	-
GIBSON	15.1	68.6	18.9	14.3	11.3	-	-	176.9	20.3
GILES	7.7	39.3	22.4	14.3	10.7	35.7	-	464.3	26.9
GRAINGER	*	*	*	*	-	-	-	-	*
GREENE	9.5	50.0	18.5	7.1	6.8	-	-	71.4	18.5
GRUNDY	-	-	-	-	*	-	-	-	*
HAMBLEN	5.6	28.6	5.1	6.7	9.7	-	-	200.0	5.1
HAMILTON	15.5	67.7	25.8	18.2	9.4	14.0	9.0	135.1	28.3
HANCOCK	-	-	-	-	-	-	-	-	-
HARDEMAN	11.5	58.5	5.0	20.7	7.8	34.5	20.7	234.5	7.5
HARDIN	4.0	18.6	*	*	9.1	-	-	*	*
HAWKINS	3.4	19.1	*	*	13.6	-	-	*	-
HAYWOOD	13.5	60.0	20.3	14.4	10.5	28.8	28.8	251.8	23.0
HENDERSON	14.3	69.5	20.0	12.9	11.5	-	-	225.8	20.0
HENRY	13.9	70.2	9.6	12.5	17.4	-	-	100.0	14.4
HICKMAN	1.9	*	*	*	4.8	-	-	*	-
HOUSTON	6.7	*	*	*	6.7	-	-	-	-
HUMPHREYS	5.2	24.6	*	*	8.7	-	-	-	-
JACKSON	*	*	*	*	*	-	-	-	*
JEFFERSON	6.2	34.7	*	*	8.9	-	-	*	-
JOHNSON	-	-	-	-	4.6	-	-	-	-
KNOX	14.9	64.9	22.4	16.3	9.2	20.9	13.3	379.5	29.0

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2005: BLACK

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	8.6	81.5	*	31.8	5.1	45.5	45.5	136.4	*
LAUDERDALE	14.3	74.2	22.6	19.1	7.5	14.2	14.2	156.0	26.1
LAWRENCE	12.1	65.6	*	*	7.6	-	-	*	*
LEWIS	15.5	*	*	*	5.2	-	-	-	-
LINCOLN	12.1	56.5	17.4	10.3	12.6	-	-	172.4	23.3
LOUDON	17.8	*	*	*	11.8	*	*	*	-
MCMINN	11.2	58.2	5.7	7.4	10.0	-	-	74.1	5.7
MCNAIRY	14.3	68.0	41.3	21.7	10.0	-	-	87.0	49.6
MACON	-	-	-	-	-	-	-	-	-
MADISON	17.8	74.5	19.6	16.3	9.3	26.5	24.8	237.2	23.7
MARION	5.9	28.1	*	*	9.2	-	-	*	-
MARSHALL	9.9	48.2	-	4.5	8.5	-	-	545.5	20.3
MAURY	13.5	60.2	14.9	14.1	10.7	7.0	7.0	190.1	21.7
MEIGS	-	-	-	-	6.9	-	-	-	-
MONROE	14.9	77.8	*	21.4	11.7	-	-	-	*
MONTGOMERY	20.0	78.5	13.8	12.2	5.8	8.6	5.2	241.0	17.6
MOORE	-	-	-	-	12.8	-	-	*	-
MORGAN	-	-	-	-	-	-	-	-	-
OBION	12.1	54.9	8.3	17.1	9.8	48.8	24.4	73.2	8.3
OVERTON	*	*	*	*	*	-	-	-	-
PERRY	-	-	-	-	-	-	-	-	-
PICKETT	-	-	-	-	-	-	-	-	-
POLK	-	-	-	-	-	-	-	-	-
PUTNAM	13.3	71.7	*	11.8	4.7	-	-	58.8	*
RHEA	17.1	88.7	*	27.3	18.6	90.9	-	*	-
ROANE	7.8	40.4	-	-	11.8	-	-	*	-
ROBERTSON	15.3	71.2	20.8	16.2	10.7	-	-	229.7	29.7
RUTHERFORD	20.1	74.2	15.2	17.9	6.1	17.7	10.1	333.3	21.6
SCOTT	-	-	-	-	-	-	-	*	-
SEQUATCHIE	-	-	-	-	-	-	-	-	-
SEVIER	10.7	*	*	*	4.3	-	-	-	-
SHELBY	17.4	71.7	20.2	15.2	8.2	15.5	11.6	437.7	26.9
SMITH	8.0	*	*	*	12.0	-	-	*	-
STEWART	31.7	*	*	*	5.3	-	-	*	-
SULLIVAN	13.6	74.8	16.1	16.3	13.9	23.3	23.3	93.0	16.1
SUMNER	16.9	70.1	9.6	14.3	7.6	6.8	6.8	163.3	11.2
TIPTON	15.2	65.6	18.5	16.7	10.4	12.3	6.2	240.7	20.8
TROUSDALE	7.2	43.5	*	*	12.0	*	*	-	-
UNICOI	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	*	-
VAN BUREN	-	-	-	-	-	-	-	-	-
WARREN	7.6	36.9	*	30.0	18.3	100.0	-	700.0	-
WASHINGTON	12.5	55.6	16.5	24.1	8.2	17.2	17.2	327.6	16.5
WAYNE	-	-	-	-	2.4	-	-	-	-
WEAKLEY	10.1	34.8	-	22.2	6.4	37.0	37.0	185.2	-
WHITE	16.7	*	*	*	9.5	-	-	-	*
WILLIAMSON	11.9	53.9	12.6	21.2	8.3	-	-	305.9	18.9
WILSON	12.9	65.0	13.9	13.9	10.8	63.3	63.3	164.6	20.8

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reported fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2005: ALL RACES

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	5,958,085	81,720	3,442	57,110	14,896	12,970	3,117	718	459	13,560
NORTHEAST	333,174	3,759	147	3,741	1,019	807	192	33	19	336
EAST TENNESSEE	697,378	8,539	350	7,374	1,826	1,766	475	51	20	944
SOUTHEAST	310,571	3,802	176	3,220	812	729	162	38	20	306
UPPER CUMBERLAND	320,816	4,038	168	3,714	1,042	827	231	35	17	330
MID CUMBERLAND	922,344	14,371	385	6,759	1,738	1,629	413	94	56	1,893
SOUTH CENTRAL	364,980	4,773	197	3,804	951	865	231	42	22	482
NORTHWEST	257,032	3,039	160	3,221	961	669	156	26	15	272
SOUTHWEST	271,682	3,430	160	2,905	837	684	186	37	23	358
MEMPHIS/SHELBY	928,648	14,480	869	7,878	2,118	1,766	357	167	121	4,456
NASHVILLE/DAVIDSON	592,446	9,409	319	4,893	1,300	1,073	267	74	54	2,424
KNOXVILLE/KNOX	396,741	5,025	172	3,622	812	807	195	39	29	963
CHATTANOOGA/HAMILTON	312,491	3,961	208	3,220	808	737	131	37	27	431
JACKSON/MADISON	95,487	1,388	67	935	239	216	38	24	21	207
SULLIVAN	154,295	1,706	64	1,824	433	395	83	21	15	150

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2005: WHITE

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	4,847,027	63,215	2,106	48,307	12,666	10,990	2,687	450	264	6,992
NORTHEAST	322,353	3,638	140	3,662	999	790	190	32	18	309
EAST TENNESSEE	675,309	8,259	338	7,216	1,781	1,733	465	47	17	885
SOUTHEAST	296,550	3,633	171	3,104	781	710	159	36	19	271
UPPER CUMBERLAND	313,771	3,944	162	3,650	1,030	814	224	31	17	310
MID CUMBERLAND	824,071	12,532	306	6,135	1,559	1,473	384	74	42	1,392
SOUTH CENTRAL	334,279	4,414	172	3,524	875	799	214	38	19	394
NORTHWEST	222,922	2,577	126	2,875	878	585	144	19	10	206
SOUTHWEST	209,129	2,573	83	2,321	688	539	146	24	13	160
MEMPHIS/SHELBY	433,103	5,795	153	3,914	1,119	888	179	32	20	737
NASHVILLE/DAVIDSON	407,631	6,175	161	3,616	972	803	201	39	30	1,113
KNOXVILLE/KNOX	353,293	4,360	121	3,272	741	735	170	26	20	726
CHATTANOOGA/HAMILTON	241,887	2,874	91	2,603	654	591	104	23	18	273
JACKSON/MADISON	62,844	796	22	637	163	146	26	9	7	65
SULLIVAN	149,885	1,645	60	1,778	426	384	81	20	14	144

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2005: BLACK

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	1,006,566	16,546	1,296	8,510	2,166	1,908	411	253	187	6,009
NORTHEAST	8,128	80	6	68	19	14	2	1	1	22
EAST TENNESSEE	15,442	151	5	146	43	29	8	4	3	41
SOUTHEAST	11,297	115	5	106	27	17	3	2	1	24
UPPER CUMBERLAND	4,372	42	4	51	11	10	6	1	-	9
MID CUMBERLAND	80,296	1,411	75	576	161	146	28	19	14	366
SOUTH CENTRAL	27,560	294	24	275	75	65	15	4	3	74
NORTHWEST	32,009	437	33	339	82	81	12	7	5	60
SOUTHWEST	60,568	819	74	578	148	143	39	13	10	195
MEMPHIS/SHELBY	471,233	8,206	707	3,880	980	858	176	127	95	3,592
NASHVILLE/DAVIDSON	161,191	2,857	150	1,224	318	261	60	34	24	1,153
KNOXVILLE/KNOX	35,277	527	51	325	65	66	22	11	7	200
CHATTANOOGA/HAMILTON	64,327	999	115	602	154	138	27	14	9	135
JACKSON/MADISON	31,707	565	44	296	76	69	11	15	14	134
SULLIVAN	3,159	43	3	44	7	11	2	1	1	4

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2005: ALL RACES

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	13.7	65.6	10.8	9.7	9.6	8.8	5.6	165.9	13.3
NORTHEAST	11.3	56.4	9.2	8.8	11.2	8.8	5.1	89.4	10.3
EAST TENNESSEE	12.2	62.8	9.6	8.9	10.6	6.0	2.3	110.6	11.4
SOUTHEAST	12.2	61.1	11.0	10.0	10.4	10.0	5.3	80.5	12.4
UPPER CUMBERLAND	12.6	64.9	10.2	8.0	11.6	8.7	4.2	81.7	11.6
MID CUMBERLAND	15.6	71.1	7.0	8.1	7.3	6.5	3.9	131.7	9.1
SOUTH CENTRAL	13.1	66.3	9.7	8.8	10.4	8.8	4.6	101.0	12.2
NORTHWEST	11.8	61.3	11.6	9.5	12.5	8.6	4.9	89.5	13.3
SOUTHWEST	12.6	65.0	10.4	10.8	10.7	10.8	6.7	104.4	12.3
MEMPHIS/SHELBY	15.6	70.0	15.3	11.8	8.5	11.5	8.4	307.7	20.2
NASHVILLE/DAVIDSON	15.9	69.0	12.6	9.5	8.3	7.9	5.7	257.6	16.2
KNOXVILLE/KNOX	12.7	58.3	9.0	9.7	9.1	7.8	5.8	191.6	11.3
CHATTANOOGA/HAMILTON	12.7	61.9	13.1	11.1	10.3	9.3	6.8	108.8	14.7
JACKSON/MADISON	14.5	67.1	12.8	11.8	9.8	17.3	15.1	149.1	15.5
SULLIVAN	11.1	58.8	8.3	9.4	11.8	12.3	8.8	87.9	10.4

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2005: WHITE

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	13.0	64.4	8.6	8.2	10.0	7.1	4.2	110.6	10.3
NORTHEAST	11.3	56.5	9.1	8.5	11.4	8.8	4.9	84.9	10.2
EAST TENNESSEE	12.2	62.8	9.7	8.8	10.7	5.7	2.1	107.2	11.4
SOUTHEAST	12.3	61.2	11.3	9.9	10.5	9.9	5.2	74.6	12.7
UPPER CUMBERLAND	12.6	64.8	10.1	7.7	11.6	7.9	4.3	78.6	11.4
MID CUMBERLAND	15.2	70.5	6.3	7.3	7.4	5.9	3.4	111.1	7.9
SOUTH CENTRAL	13.2	67.2	9.3	8.5	10.5	8.6	4.3	89.3	11.6
NORTHWEST	11.6	61.1	11.0	8.3	12.9	7.4	3.9	79.9	12.5
SOUTHWEST	12.3	65.0	7.5	9.0	11.1	9.3	5.1	62.2	8.9
MEMPHIS/SHELBY	13.4	67.2	7.4	7.1	9.0	5.5	3.5	127.2	9.3
NASHVILLE/DAVIDSON	15.1	69.2	11.3	7.8	8.9	6.3	4.9	180.2	14.0
KNOXVILLE/KNOX	12.3	57.5	7.3	8.9	9.3	6.0	4.6	166.5	8.9
CHATTANOOGA/HAMILTON	11.9	60.2	8.2	8.6	10.8	8.0	6.3	95.0	9.3
JACKSON/MADISON	12.7	61.9	7.5	9.0	10.1	11.3	8.8	81.7	8.8
SULLIVAN	11.0	58.5	8.0	9.2	11.9	12.2	8.5	87.5	10.2

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2005: BLACK

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	16.4	69.4	18.4	15.3	8.5	15.3	11.3	363.2	23.8
NORTHEAST	9.8	49.2	13.2	21.3	8.4	12.5	12.5	275.0	13.2
EAST TENNESSEE	9.8	52.8	4.8	18.5	9.5	26.5	19.9	271.5	7.7
SOUTHEAST	10.2	52.1	7.0	13.9	9.4	17.4	8.7	208.7	8.4
UPPER CUMBERLAND	9.6	53.0	14.8	19.0	11.7	23.8	-	214.3	18.5
MID CUMBERLAND	17.6	72.2	13.6	15.0	7.2	13.5	9.9	259.4	18.7
SOUTH CENTRAL	10.7	53.7	13.5	13.9	10.0	13.6	10.2	251.7	19.1
NORTHWEST	13.7	63.6	15.3	16.9	10.6	16.0	11.4	137.3	17.6
SOUTHWEST	13.5	64.2	17.9	16.8	9.5	15.9	12.2	238.1	21.2
MEMPHIS/SHELBY	17.4	71.7	20.2	15.2	8.2	15.5	11.6	437.7	26.9
NASHVILLE/DAVIDSON	17.7	70.0	14.8	13.5	7.6	11.9	8.4	403.6	19.7
KNOXVILLE/KNOX	14.9	64.9	22.4	16.3	9.2	20.9	13.3	379.5	29.0
CHATTANOOGA/HAMILTON	15.5	67.7	25.8	18.2	9.4	14.0	9.0	135.1	28.3
JACKSON/MADISON	17.8	74.5	19.6	16.3	9.3	26.5	24.8	237.2	23.7
SULLIVAN	13.6	74.8	16.1	16.3	13.9	23.3	23.3	93.0	16.1

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reported fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.



Tennessee Department of Health, Authorization No. 343582

Number of copies: 425

This public document was promulgated at a cost of \$ 1.41 a copy. (06-07)

COUNTIES BY HEALTH DEPARTMENT REGIONS

EAST TENNESSEE

ANDERSON
BLOUNT
CAMPBELL
CLAIBORNE
COCKE
GRAINGER
HAMBLEN
JEFFERSON
LOUDON
MONROE
MORGAN
ROANE
SCOTT
SEVIER
UNION

SOUTHEAST

BLEDSON
BRADLEY
FRANKLIN
GRUNDY
MCMINN
MARION
MEIGS
POLK
RHEA
SEQUATCHIE

SULLIVAN

SULLIVAN

NORTHEAST

CARTER
GREENE
HANCOCK
HAWKINS
JOHNSON
UNICOI
WASHINGTON

SOUTHWEST

CHESTER
DECATUR
FAYETTE
HARDEMAN
HARDIN
HAYWOOD
HENDERSON
LAUDERDALE
MCNAIRY
TIPTON

NORTHWEST

BENTON
CARROLL
CROCKETT
DYER
GIBSON
HENRY
LAKE
OBION
WEAKLEY

MID-CUMBERLAND

CHEATHAM
DICKSON
HOUSTON
HUMPHREYS
MONTGOMERY
ROBERTSON
RUTHERFORD
STEWART
SUMNER
TROUSDALE
WILLIAMSON
WILSON

SOUTH CENTRAL

BEDFORD
COFFEE
GILES
HICKMAN
LAWRENCE
LEWIS
LINCOLN
MARSHALL
MAURY
MOORE
PERRY
WAYNE

NASHVILLE/DAVIDSON

DAVIDSON

UPPER CUMBERLAND

CANNON
CLAY
CUMBERLAND
DEKALB
FENTRESS
JACKSON
MACON
OVERTON
PICKETT
PUTNAM
SMITH
VAN BUREN
WARREN
WHITE

MEMPHIS/SHELBY

SHELBY

JACKSON/MADISON

MADISON

KNOXVILLE/KNOX

KNOX

CHATTANOOGA/ HAMILTON

HAMILTON

Tennessee Department of Health
Policy, Planning and Assessment
Division of Health Statistics
425 5th Ave. No. 4th Floor
Nashville, Tennessee 37243-5262