

Tennessee Vital Statistics Summary Resident Data 2007



TENNESSEE DEPARTMENT OF HEALTH
DIVISION OF HEALTH STATISTICS
APRIL 2009

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2007: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	6,090,043	86,661	3,524	56,800	14,202	13,112	3,206	718	448	14,789
ANDERSON	73,667	953	27	812	181	208	45	4	4	104
BEDFORD	44,130	734	29	442	118	108	20	13	7	79
BENTON	16,453	167	11	273	92	63	15	-	-	14
BLED SOE	13,119	155	11	124	32	27	10	1	-	5
BLOUNT	119,478	1,361	48	1,158	209	242	72	12	9	183
BRADLEY	94,415	1,246	38	837	180	209	62	9	5	88
CAMPBELL	41,009	513	20	477	130	107	34	4	2	25
CANNON	13,595	172	8	133	37	27	11	-	-	11
CARROLL	29,221	351	19	428	138	81	27	5	4	46
CARTER	59,262	561	26	645	179	134	35	2	2	31
CHEATHAM	39,505	517	16	276	80	56	23	-	-	58
CHESTER	16,188	204	7	171	57	38	9	1	-	17
CLAIBORNE	31,530	334	12	331	95	82	21	1	1	33
CLAY	8,077	80	4	97	26	21	10	2	2	8
COCKE	35,476	451	19	382	125	82	26	4	1	55
COFFEE	52,112	732	33	518	139	111	36	6	4	65
CROCKETT	14,513	225	8	164	67	36	6	1	-	22
CUMBERLAND	52,913	544	37	571	159	161	23	2	1	42
DAVIDSON	582,518	9,991	354	4,956	1,226	1,113	267	80	50	2,609
DECATUR	11,430	152	8	166	51	28	10	2	2	6
DEKALB	18,530	258	14	212	53	46	12	-	-	16
DICKSON	47,054	669	16	433	118	101	28	7	4	63
DYER	38,057	520	30	437	103	106	17	10	8	55
FAYETTE	36,558	530	19	344	84	83	22	3	3	56
FENTRESS	17,592	205	6	207	67	48	16	4	1	11
FRANKLIN	41,604	425	15	453	88	115	33	2	1	54
GIBSON	48,552	636	25	678	171	144	33	8	5	68
GILES	29,376	389	12	321	95	67	29	1	-	40
GRAINGER	22,676	285	11	221	57	51	21	-	-	12
GREENE	66,285	753	39	749	216	176	29	2	-	49
GRUNDY	14,552	196	4	184	46	33	17	2	1	7
HAMBLEN	61,424	901	37	664	167	138	48	2	-	96
HAMILTON	313,761	4,332	178	3,030	753	664	124	42	28	355
HANCOCK	6,754	86	1	84	17	17	4	-	-	1
HARDEMAN	28,492	330	21	269	74	59	6	-	-	64
HARDIN	26,224	279	11	316	92	68	19	2	-	16
HAWKINS	57,296	635	29	588	129	153	37	4	1	33
HAYWOOD	19,467	278	18	219	68	47	9	7	4	46
HENDERSON	26,922	411	14	306	91	61	15	5	1	28
HENRY	31,945	391	21	426	132	72	30	1	1	46
HICKMAN	24,205	286	17	203	38	54	15	4	2	36
HOUSTON	8,127	101	6	109	14	29	5	1	1	8
HUMPHREYS	18,510	233	9	210	57	48	12	1	1	16
JACKSON	10,993	113	4	146	41	35	8	-	-	8
JEFFERSON	50,022	613	26	510	118	129	36	6	3	84
JOHNSON	18,172	188	10	213	48	56	9	2	2	7
KNOX	414,746	5,339	166	3,688	807	874	216	25	13	1,025

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2007: ALL RACES

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	7,430	68	5	97	18	27	6	1	-	3
LAUDERDALE	27,014	376	21	302	98	72	19	4	4	49
LAWRENCE	41,235	615	17	425	103	105	31	3	3	37
LEWIS	11,712	139	3	145	42	30	9	2	1	3
LINCOLN	32,965	422	18	404	127	78	17	4	2	24
LOUDON	44,976	553	23	484	117	120	27	1	1	74
MCMINN	52,460	605	25	574	110	132	35	5	3	71
MCNAIRY	25,804	293	14	364	102	79	26	3	3	31
MACON	21,965	288	22	216	46	66	14	2	-	8
MADISON	96,674	1,465	70	853	206	176	41	17	10	235
MARION	28,023	340	18	300	85	67	14	3	1	18
MARSHALL	29,195	420	20	289	70	68	16	4	-	51
MAURY	79,218	1,201	57	715	145	154	39	11	6	195
MEIGS	11,815	144	7	123	27	24	15	2	-	10
MONROE	44,694	579	37	458	96	107	33	5	2	43
MONTGOMERY	149,016	3,129	74	968	202	222	66	22	14	488
MOORE	6,100	61	1	46	11	9	2	-	-	5
MORGAN	20,259	247	4	218	36	63	28	2	2	12
OBION	32,272	416	17	377	100	81	23	5	-	26
OVERTON	20,840	250	7	241	58	59	16	-	-	18
PERRY	7,681	87	2	87	22	17	9	-	-	6
PICKETT	4,887	50	-	64	17	16	6	-	-	2
POLK	15,968	173	9	161	43	39	9	2	1	14
PUTNAM	68,947	990	38	698	181	180	26	7	3	103
RHEA	30,551	441	27	352	96	77	17	8	5	33
ROANE	53,488	592	30	605	148	157	38	5	3	73
ROBERTSON	63,170	1,088	35	576	153	144	33	8	5	116
RUTHERFORD	233,363	3,976	118	1,347	363	319	86	15	9	711
SCOTT	22,154	307	11	211	45	55	21	1	-	13
SEQUATCHIE	13,159	208	9	129	20	38	13	4	2	10
SEVIER	82,600	1,168	45	757	235	188	48	11	5	175
SHELBY	917,343	15,234	838	7,581	1,885	1,696	403	193	135	5,146
SMITH	18,993	232	6	191	35	47	12	3	1	12
STEWART	13,217	131	8	140	45	27	7	-	-	12
SULLIVAN	153,368	1,707	98	1,763	409	410	77	20	17	93
SUMNER	151,521	2,073	73	1,185	276	314	51	8	5	287
TIPTON	58,261	798	43	472	123	119	22	6	5	123
TROUSDALE	7,890	99	-	94	26	14	7	-	-	7
UNICOI	17,709	180	6	286	86	68	7	3	2	14
UNION	19,387	279	13	165	34	35	15	1	1	10
VAN BUREN	5,449	52	2	47	14	12	2	1	-	1
WARREN	40,379	514	21	433	108	114	28	2	1	41
WASHINGTON	115,117	1,415	49	1,211	339	266	56	14	13	127
WAYNE	16,946	155	5	175	46	50	6	1	-	15
WEAKLEY	33,451	323	8	356	99	81	18	3	-	44
WHITE	24,641	303	12	293	77	60	19	2	2	28
WILLIAMSON	164,507	2,254	23	856	208	219	35	7	5	222
WILSON	105,722	1,396	41	785	205	203	46	7	2	149

Other Terminations - Total number of fetal deaths and induced abortions.
A dash (-) indicates there were no events.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2007: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	14.2	69.2	11.1	9.4	9.3	8.3	5.2	170.7	13.9
ANDERSON	12.9	67.3	7.0	11.4	11.0	4.2	4.2	109.1	9.6
BEDFORD	16.6	79.9	11.9	8.4	10.0	17.7	9.5	107.6	14.4
BENTON	10.2	56.0	13.4	12.0	16.6	-	-	83.8	13.4
BLED SOE	11.8	68.3	18.0	8.4	9.5	6.5	-	32.3	19.6
BLOUNT	11.4	56.0	7.9	8.4	9.7	8.8	6.6	134.5	9.4
BRADLEY	13.2	62.5	8.4	8.7	8.9	7.2	4.0	70.6	9.9
CAMPBELL	12.5	63.3	9.6	8.2	11.6	7.8	3.9	48.7	11.0
CANNON	12.7	61.3	10.9	7.6	9.8	-	-	64.0	12.2
CARROLL	12.0	62.1	12.4	8.0	14.6	14.2	11.4	131.1	13.7
CARTER	9.5	45.7	9.7	9.3	10.9	3.6	3.6	55.3	10.9
CHEATHAM	13.1	62.0	7.0	9.3	7.0	-	-	112.2	8.3
CHESTER	12.6	57.7	8.6	10.3	10.6	4.9	-	83.3	12.3
CLAIBORNE	10.6	51.2	7.1	10.2	10.5	3.0	3.0	98.8	8.8
CLAY	9.9	50.6	9.9	12.5	12.0	25.0	25.0	100.0	9.9
COCKE	12.7	64.4	10.4	12.0	10.8	8.9	2.2	122.0	12.6
COFFEE	14.0	71.4	11.7	8.7	9.9	8.2	5.5	88.8	12.7
CROCKETT	15.5	79.4	9.9	7.1	11.3	4.4	-	97.8	11.1
CUMBERLAND	10.3	56.1	14.8	7.5	10.8	3.7	1.8	77.2	16.4
DAVIDSON	17.2	80.8	14.1	9.3	8.5	8.0	5.0	261.1	18.3
DECATUR	13.3	73.7	14.6	6.6	14.5	13.2	13.2	39.5	14.6
DEKALB	13.9	71.8	15.2	9.3	11.4	-	-	62.0	15.2
DICKSON	14.2	68.8	6.0	8.4	9.2	10.5	6.0	94.2	9.0
DYER	13.7	68.2	13.8	9.2	11.5	19.2	15.4	105.8	14.2
FAYETTE	14.5	67.2	9.5	9.6	9.4	5.7	5.7	105.7	11.5
FENTRESS	11.7	58.2	6.3	9.8	11.8	19.5	4.9	53.7	6.3
FRANKLIN	10.2	49.8	7.3	11.5	10.9	4.7	2.4	127.1	9.2
GIBSON	13.1	67.9	9.7	7.5	14.0	12.6	7.9	106.9	10.8
GILES	13.2	68.0	7.7	8.5	10.9	2.6	-	102.8	8.4
GRAINGER	12.6	62.1	9.7	9.8	9.7	-	-	42.1	11.5
GREENE	11.4	57.6	12.2	7.2	11.3	2.7	-	65.1	13.5
GRUNDY	13.5	69.5	5.1	7.1	12.6	10.2	5.1	35.7	5.1
HAMBLEN	14.7	77.6	12.6	7.3	10.8	2.2	-	106.5	13.9
HAMILTON	13.8	69.9	11.7	12.0	9.7	9.7	6.5	81.9	13.2
HANCOCK	12.7	66.2	2.8	12.8	12.4	-	-	11.6	2.8
HARDEMAN	11.6	65.8	14.2	7.9	9.4	-	-	193.9	16.9
HARDIN	10.6	57.2	8.5	6.8	12.1	7.2	-	57.3	9.3
HAWKINS	11.1	55.3	9.7	7.4	10.3	6.3	1.6	52.0	11.7
HAYWOOD	14.3	70.4	15.8	13.3	11.2	25.2	14.4	165.5	16.7
HENDERSON	15.3	74.9	9.7	10.2	11.4	12.2	2.4	68.1	11.1
HENRY	12.2	65.9	13.1	7.4	13.3	2.6	2.6	117.6	16.8
HICKMAN	11.8	63.7	13.5	9.1	8.4	14.0	7.0	125.9	16.7
HOUSTON	12.4	69.7	14.4	10.9	13.4	9.9	9.9	79.2	21.5
HUMPHREYS	12.6	65.4	9.3	11.6	11.3	4.3	4.3	68.7	10.3
JACKSON	10.3	54.3	7.7	9.7	13.3	-	-	70.8	9.6
JEFFERSON	12.3	57.5	10.8	9.5	10.2	9.8	4.9	137.0	14.6
JOHNSON	10.3	59.0	13.6	9.6	11.7	10.6	10.6	37.2	16.4
KNOX	12.9	60.7	8.5	8.8	8.9	4.7	2.4	192.0	11.1

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2007: ALL RACES

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	9.2	66.3	18.2	4.4	13.1	14.7	-	44.1	18.2
LAUDERDALE	13.9	75.6	15.3	10.6	11.2	10.6	10.6	130.3	17.5
LAWRENCE	14.9	75.5	7.4	9.1	10.3	4.9	4.9	60.2	9.1
LEWIS	11.9	60.9	4.8	8.6	12.4	14.4	7.2	21.6	4.8
LINCOLN	12.8	66.5	10.5	8.5	12.3	9.5	4.7	56.9	11.1
LOUDON	12.3	67.0	10.7	9.0	10.8	1.8	1.8	133.8	13.5
MCMINN	11.5	57.8	9.3	8.9	10.9	8.3	5.0	117.4	11.5
MCNAIRY	11.4	61.5	10.3	7.5	14.1	10.2	10.2	105.8	11.1
MACON	13.1	63.1	17.4	10.4	9.8	6.9	-	27.8	18.2
MADISON	15.2	71.6	13.7	10.9	8.8	11.6	6.8	160.4	16.9
MARION	12.1	63.3	12.9	12.4	10.7	8.8	2.9	52.9	13.7
MARSHALL	14.4	70.3	12.3	9.5	9.9	9.5	-	121.4	14.1
MAURY	15.2	72.8	13.2	9.3	9.0	9.2	5.0	162.4	17.1
MEIGS	12.2	60.1	10.6	8.3	10.4	13.9	-	69.4	10.6
MONROE	13.0	63.5	15.3	6.2	10.2	8.6	3.5	74.3	16.5
MONTGOMERY	21.0	94.6	8.6	7.4	6.5	7.0	4.5	156.0	11.3
MOORE	10.0	52.4	3.0	11.5	7.5	-	-	82.0	3.0
MORGAN	12.2	68.6	4.0	9.3	10.8	8.1	8.1	48.6	5.0
OBION	12.9	70.5	10.5	8.4	11.7	12.0	-	62.5	12.3
OVERTON	12.0	62.2	7.0	8.0	11.6	-	-	72.0	8.0
PERRY	11.3	63.8	4.9	4.6	11.3	-	-	69.0	4.9
PICKETT	10.2	56.7	-	10.0	13.1	-	-	40.0	-
POLK	10.8	57.8	11.2	8.7	10.1	11.6	5.8	80.9	13.7
PUTNAM	14.4	69.1	11.5	7.1	10.1	7.1	3.0	104.0	13.9
RHEA	14.4	71.1	17.3	9.1	11.5	18.1	11.3	74.8	19.3
ROANE	11.1	59.7	11.3	12.5	11.3	8.4	5.1	123.3	13.2
ROBERTSON	17.2	82.3	9.8	8.0	9.1	7.4	4.6	106.6	11.8
RUTHERFORD	17.0	72.1	9.5	8.1	5.8	3.8	2.3	178.8	12.7
SCOTT	13.9	67.7	9.2	7.2	9.5	3.3	-	42.3	9.2
SEQUATCHIE	15.8	76.3	12.9	7.2	9.8	19.2	9.6	48.1	12.9
SEVIER	14.1	70.9	11.1	8.4	9.2	9.4	4.3	149.8	14.3
SHELBY	16.6	78.4	15.4	11.1	8.3	12.7	8.9	337.8	21.1
SMITH	12.2	59.5	6.0	12.5	10.1	12.9	4.3	51.7	9.0
STEWART	9.9	50.7	11.3	6.9	10.6	-	-	91.6	12.7
SULLIVAN	11.1	60.1	13.2	9.8	11.5	11.7	10.0	54.5	13.7
SUMNER	13.7	65.8	8.6	8.9	7.8	3.9	2.4	138.4	11.0
TIPTON	13.7	62.4	11.8	9.0	8.1	7.5	6.3	154.1	13.2
TROUSDALE	12.5	61.8	-	12.1	11.9	-	-	70.7	-
UNICOI	10.2	57.2	7.7	7.2	16.1	16.7	11.1	77.8	10.3
UNION	14.4	68.0	12.6	11.1	8.5	3.6	3.6	35.8	12.6
VAN BUREN	9.5	48.4	8.1	5.8	8.6	19.2	-	19.2	8.1
WARREN	12.7	65.4	10.2	9.5	10.7	3.9	1.9	79.8	11.2
WASHINGTON	12.3	58.7	9.4	9.0	10.5	9.9	9.2	89.8	10.4
WAYNE	9.1	54.0	6.6	8.4	10.3	6.5	-	96.8	7.9
WEAKLEY	9.7	44.0	5.0	6.2	10.6	9.3	-	136.2	5.0
WHITE	12.3	63.6	9.4	8.6	11.9	6.6	6.6	92.4	11.7
WILLIAMSON	13.7	64.5	2.2	7.9	5.2	3.1	2.2	98.5	3.8
WILSON	13.2	62.5	6.9	9.5	7.4	5.0	1.4	106.7	9.3

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2007: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	4,963,240	66,443	2,229	48,210	12,116	11,220	2,755	413	253	7,340
ANDERSON	69,363	881	25	786	178	196	44	4	4	86
BEDFORD	40,137	664	25	394	102	102	18	12	7	64
BENTON	15,962	156	9	267	89	63	15	-	-	14
BLED SOE	12,520	152	11	121	31	27	8	1	-	5
BLOUNT	114,429	1,295	44	1,123	198	237	71	10	8	161
BRADLEY	89,300	1,168	34	809	170	207	62	7	4	76
CAMPBELL	40,570	504	20	476	130	106	34	4	2	24
CANNON	13,314	169	8	130	36	27	11	-	-	9
CARROLL	26,001	320	15	391	125	72	25	5	4	33
CARTER	58,196	553	25	642	178	132	35	2	2	30
CHEATHAM	38,603	511	16	272	79	56	23	-	-	56
CHESTER	14,495	176	2	161	53	35	9	1	-	14
CLAIBORNE	31,046	266	7	327	94	79	21	1	1	33
CLAY	7,870	80	4	94	25	21	10	2	2	7
COCKE	34,445	445	18	374	122	80	26	4	1	54
COFFEE	49,491	701	33	504	135	109	35	6	4	59
CROCKETT	12,449	196	5	132	59	28	4	1	-	13
CUMBERLAND	52,516	537	36	567	158	160	23	2	1	41
DAVIDSON	396,606	6,565	171	3,703	950	840	194	45	29	1,142
DECATUR	10,931	150	7	161	49	27	10	2	2	4
DEKALB	18,152	252	13	207	51	46	12	-	-	15
DICKSON	44,376	648	16	415	111	98	27	7	4	55
DYER	32,478	414	21	390	96	94	17	6	4	40
FAYETTE	24,667	346	11	211	52	53	13	1	1	28
FENTRESS	17,514	202	6	207	67	48	16	4	1	11
FRANKLIN	38,913	399	13	428	86	106	31	2	1	48
GIBSON	38,642	477	16	567	146	123	27	3	2	41
GILES	25,610	347	8	281	82	58	25	-	-	27
GRAINGER	22,526	283	10	219	56	50	21	-	-	12
GREENE	64,422	736	39	735	211	172	29	2	-	45
GRUNDY	14,445	196	4	182	46	33	17	2	1	7
HAMBLEN	58,102	851	36	638	161	134	45	2	-	85
HAMILTON	242,527	3,108	92	2,400	571	533	99	20	18	240
HANCOCK	6,672	85	1	84	17	17	4	-	-	1
HARDEMAN	16,014	172	10	180	47	48	2	-	-	12
HARDIN	25,124	273	11	306	88	66	19	2	-	12
HAWKINS	56,119	619	28	579	126	152	36	4	1	31
HAYWOOD	9,329	111	5	113	36	26	3	1	1	7
HENDERSON	24,647	378	14	284	88	56	14	4	1	23
HENRY	28,878	332	14	392	120	62	29	1	1	34
HICKMAN	22,969	280	17	195	37	52	14	3	1	33
HOUSTON	7,779	100	6	102	13	28	5	1	1	8
HUMPHREYS	17,811	224	8	206	57	47	12	1	1	14
JACKSON	10,905	113	4	145	41	35	8	-	-	7
JEFFERSON	48,572	592	24	500	116	127	36	6	3	77
JOHNSON	17,640	187	10	212	48	56	9	2	2	7
KNOX	368,900	4,617	122	3,344	730	790	199	17	10	775

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2007: WHITE

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
LAKE	4,901	52	3	75	13	22	5	1	-	2
LAUDERDALE	17,389	221	5	213	67	48	15	1	1	20
LAWRENCE	40,261	603	17	417	103	103	29	3	3	34
LEWIS	11,454	130	3	141	41	30	8	2	1	3
LINCOLN	30,178	372	13	362	118	69	16	3	2	16
LOUDON	44,130	537	23	473	113	120	27	1	1	69
MCMINN	49,407	571	25	549	103	125	34	5	3	61
MCNAIRY	24,022	275	12	348	97	73	26	3	3	27
MACON	21,739	287	22	216	46	66	14	2	-	7
MADISON	63,520	824	21	589	142	128	33	5	2	74
MARION	26,665	327	17	284	82	63	14	3	1	14
MARSHALL	26,764	389	20	268	64	67	15	4	-	40
MAURY	67,478	1,021	43	606	129	130	35	4	1	135
MEIGS	11,615	143	7	122	27	23	15	2	-	10
MONROE	43,334	558	36	450	95	106	31	4	2	40
MONTGOMERY	113,833	2,369	52	780	161	188	57	10	7	284
MOORE	5,920	59	1	44	11	9	1	-	-	5
MORGAN	19,673	246	4	218	36	63	28	2	2	12
OBION	28,807	354	16	343	96	71	23	5	-	19
OVERTON	20,665	249	7	240	58	58	16	-	-	18
PERRY	7,478	84	2	86	21	17	9	-	-	5
PICKETT	4,862	50	-	64	17	16	6	-	-	2
POLK	15,836	173	9	161	43	39	9	2	1	14
PUTNAM	66,541	943	36	688	179	176	26	7	3	89
RHEA	29,643	425	27	345	93	76	17	8	5	30
ROANE	51,524	574	30	576	137	155	34	4	2	69
ROBERTSON	57,625	999	29	498	127	126	31	4	2	90
RUTHERFORD	204,011	3,249	92	1,190	320	281	79	9	5	472
SCOTT	22,014	305	11	211	45	55	21	1	-	13
SEQUATCHIE	13,070	207	9	127	19	37	13	4	2	8
SEVIER	81,249	1,140	42	750	234	187	48	10	4	154
SHELBY	420,384	5,895	160	3,779	999	837	180	34	25	923
SMITH	18,369	221	6	187	35	46	12	3	1	11
STEWART	12,730	122	8	138	45	26	7	-	-	9
SULLIVAN	148,925	1,653	97	1,730	399	408	77	20	17	85
SUMNER	140,035	1,877	63	1,121	257	304	47	7	5	233
TIPTON	46,769	606	23	382	103	97	18	5	5	65
TROUSDALE	7,027	94	-	77	24	9	6	-	-	5
UNICOI	17,582	179	6	286	86	68	7	3	2	14
UNION	19,248	277	13	165	34	35	15	1	1	10
VAN BUREN	5,416	50	2	47	14	12	2	1	-	1
WARREN	38,734	493	20	422	105	110	27	2	1	35
WASHINGTON	108,856	1,316	45	1,163	323	259	54	10	9	111
WAYNE	15,603	152	5	174	46	50	6	1	-	15
WEAKLEY	30,217	303	7	340	96	76	18	2	-	37
WHITE	24,090	296	12	287	75	57	19	2	2	27
WILLIAMSON	153,781	2,060	19	792	192	198	33	7	5	185
WILSON	97,889	1,282	35	730	185	187	45	6	2	118

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2007: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	13.4	66.9	9.2	8.1	9.7	6.2	3.8	110.5	10.9
ANDERSON	12.7	66.2	7.0	10.8	11.3	4.5	4.5	97.6	9.0
BEDFORD	16.5	79.6	11.5	8.4	9.8	18.1	10.5	96.4	14.2
BENTON	9.8	54.5	11.6	10.3	16.7	-	-	89.7	11.6
BLEDSE	12.1	68.1	18.5	8.6	9.7	6.6	-	32.9	20.2
BLOUNT	11.3	55.9	7.7	8.3	9.8	7.7	6.2	124.3	9.1
BRADLEY	13.1	62.1	8.0	9.0	9.1	6.0	3.4	65.1	9.7
CAMPBELL	12.4	62.9	9.7	8.3	11.7	7.9	4.0	47.6	11.2
CANNON	12.7	61.2	11.1	7.7	9.8	-	-	53.3	12.5
CARROLL	12.3	63.9	11.2	6.9	15.0	15.6	12.5	103.1	12.7
CARTER	9.5	45.8	9.5	8.9	11.0	3.6	3.6	54.2	10.7
CHEATHAM	13.2	62.7	7.1	9.2	7.0	-	-	109.6	8.4
CHESTER	12.1	56.0	2.8	11.4	11.1	5.7	-	79.5	7.1
CLAIBORNE	8.6	41.5	4.2	10.5	10.5	3.8	3.8	124.1	6.0
CLAY	10.2	51.5	10.2	12.5	11.9	25.0	25.0	87.5	10.2
COCKE	12.9	65.3	10.3	12.1	10.9	9.0	2.2	121.3	12.6
COFFEE	14.2	72.5	12.4	8.7	10.2	8.6	5.7	84.2	13.2
CROCKETT	15.7	80.9	7.2	7.7	10.6	5.1	-	66.3	7.2
CUMBERLAND	10.2	55.8	14.5	7.3	10.8	3.7	1.9	76.4	16.2
DAVIDSON	16.6	82.1	12.2	7.3	9.3	6.9	4.4	174.0	15.3
DECATUR	13.7	75.8	13.5	6.7	14.7	13.3	13.3	26.7	13.5
DEKALB	13.9	71.3	14.4	9.1	11.4	-	-	59.5	14.4
DICKSON	14.6	70.8	6.5	8.5	9.4	10.8	6.2	84.9	8.9
DYER	12.7	65.6	12.0	8.7	12.0	14.5	9.7	96.6	12.5
FAYETTE	14.0	68.6	8.9	7.2	8.6	2.9	2.9	80.9	8.9
FENTRESS	11.5	57.5	6.3	9.9	11.8	19.8	5.0	54.5	6.3
FRANKLIN	10.3	50.1	6.8	11.3	11.0	5.0	2.5	120.3	8.4
GIBSON	12.3	66.8	8.2	4.2	14.7	6.3	4.2	86.0	9.3
GILES	13.5	69.7	6.0	7.5	11.0	-	-	77.8	6.8
GRAINGER	12.6	62.0	8.9	9.9	9.7	-	-	42.4	10.7
GREENE	11.4	58.0	12.8	7.2	11.4	2.7	-	61.1	14.1
GRUNDY	13.6	69.9	5.1	7.1	12.6	10.2	5.1	35.7	5.1
HAMBLEN	14.6	77.8	13.2	7.2	11.0	2.4	-	99.9	14.3
HAMILTON	12.8	67.5	8.6	9.7	9.9	6.4	5.8	77.2	9.9
HANCOCK	12.7	66.1	2.8	12.9	12.6	-	-	11.8	2.8
HARDEMAN	10.7	67.7	13.6	5.2	11.2	-	-	69.8	13.6
HARDIN	10.9	58.8	9.0	6.6	12.2	7.3	-	44.0	9.0
HAWKINS	11.0	55.0	9.7	7.3	10.3	6.5	1.6	50.1	11.7
HAYWOOD	11.9	66.0	11.1	8.1	12.1	9.0	9.0	63.1	11.1
HENDERSON	15.3	75.1	10.8	10.6	11.5	10.6	2.6	60.8	12.3
HENRY	11.5	62.2	10.0	6.9	13.6	3.0	3.0	102.4	11.5
HICKMAN	12.2	64.1	14.0	8.9	8.5	10.7	3.6	117.9	17.3
HOUSTON	12.9	71.9	15.2	10.0	13.1	10.0	10.0	80.0	22.8
HUMPHREYS	12.6	65.7	8.8	12.1	11.6	4.5	4.5	62.5	9.9
JACKSON	10.4	54.8	7.7	9.7	13.3	-	-	61.9	9.6
JEFFERSON	12.2	57.1	10.3	9.6	10.3	10.1	5.1	130.1	13.8
JOHNSON	10.6	59.3	13.9	9.6	12.0	10.7	10.7	37.4	16.6
KNOX	12.5	59.9	7.3	8.3	9.1	3.7	2.2	167.9	9.2

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2007: WHITE

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	10.6	68.8	15.7	3.8	15.3	19.2	-	38.5	15.7
LAUDERDALE	12.7	70.4	6.1	6.8	12.2	4.5	4.5	90.5	7.3
LAWRENCE	15.0	75.7	7.6	9.3	10.4	5.0	5.0	56.4	9.3
LEWIS	11.3	58.2	5.0	7.7	12.3	15.4	7.7	23.1	5.0
LINCOLN	12.3	65.0	8.5	8.1	12.0	8.1	5.4	43.0	9.1
LOUDON	12.2	66.5	11.1	9.3	10.7	1.9	1.9	128.5	14.0
MCMINN	11.6	58.1	10.1	8.9	11.1	8.8	5.3	106.8	11.7
MCNAIRY	11.4	62.5	9.8	7.3	14.5	10.9	10.9	98.2	10.6
MACON	13.2	63.6	17.6	10.5	9.9	7.0	-	24.4	18.4
MADISON	13.0	65.2	7.3	6.8	9.3	6.1	2.4	89.8	9.1
MARION	12.3	64.3	13.0	12.8	10.7	9.2	3.1	42.8	13.8
MARSHALL	14.5	71.1	13.6	8.2	10.0	10.3	-	102.8	14.3
MAURY	15.1	73.7	12.2	7.6	9.0	3.9	1.0	132.2	15.3
MEIGS	12.3	60.8	10.7	8.4	10.5	14.0	-	69.9	10.7
MONROE	12.9	63.2	15.5	6.1	10.4	7.2	3.6	71.7	16.8
MONTGOMERY	20.8	96.4	8.4	5.8	6.9	4.2	3.0	119.9	10.5
MOORE	10.0	52.0	3.1	11.9	7.4	-	-	84.7	3.1
MORGAN	12.5	68.8	4.0	9.3	11.1	8.1	8.1	48.8	5.1
OBION	12.3	68.8	11.5	8.2	11.9	14.1	-	53.7	13.7
OVERTON	12.0	62.5	7.0	8.0	11.6	-	-	72.3	8.0
PERRY	11.2	63.5	5.1	3.6	11.5	-	-	59.5	5.1
PICKETT	10.3	57.1	-	10.0	13.2	-	-	40.0	-
POLK	10.9	58.2	11.3	8.7	10.2	11.6	5.8	80.9	13.8
PUTNAM	14.2	68.2	11.3	7.1	10.3	7.4	3.2	94.4	13.5
RHEA	14.3	70.7	18.3	8.9	11.6	18.8	11.8	70.6	20.3
ROANE	11.1	60.2	12.0	12.0	11.2	7.0	3.5	120.2	13.6
ROBERTSON	17.3	83.2	9.2	8.0	8.6	4.0	2.0	90.1	11.1
RUTHERFORD	15.9	68.8	8.6	7.2	5.8	2.8	1.5	145.3	11.3
SCOTT	13.9	67.7	9.3	7.2	9.6	3.3	-	42.6	9.3
SEQUATCHIE	15.8	76.4	13.0	7.2	9.7	19.3	9.7	38.6	13.0
SEVIER	14.0	70.4	10.6	8.5	9.2	8.8	3.5	135.1	13.6
SHELBY	14.0	74.8	8.1	6.2	9.0	5.8	4.2	156.6	10.3
SMITH	12.0	58.5	6.3	12.7	10.2	13.6	4.5	49.8	9.4
STEWART	9.6	49.1	11.6	6.6	10.8	-	-	73.8	11.6
SULLIVAN	11.1	60.1	13.5	9.8	11.6	12.1	10.3	51.4	14.1
SUMNER	13.4	65.5	8.2	8.4	8.0	3.7	2.7	124.1	10.4
TIPTON	13.0	60.3	8.2	6.9	8.2	8.3	8.3	107.3	9.2
TROUSDALE	13.4	64.4	-	12.8	11.0	-	-	53.2	-
UNICOI	10.2	57.4	7.8	7.3	16.3	16.8	11.2	78.2	10.4
UNION	14.4	68.0	12.8	11.2	8.6	3.6	3.6	36.1	12.8
VAN BUREN	9.2	46.9	8.1	6.0	8.7	20.0	-	20.0	8.1
WARREN	12.7	65.6	10.3	9.5	10.9	4.1	2.0	71.0	11.3
WASHINGTON	12.1	58.1	9.2	8.6	10.7	7.6	6.8	84.3	10.2
WAYNE	9.7	53.7	6.7	8.6	11.2	6.6	-	98.7	8.0
WEAKLEY	10.0	47.5	4.8	6.3	11.3	6.6	-	122.1	4.8
WHITE	12.3	63.4	9.6	8.8	11.9	6.8	6.8	91.2	12.0
WILLIAMSON	13.4	63.4	1.9	7.7	5.2	3.4	2.4	89.8	3.3
WILSON	13.1	62.1	6.4	9.3	7.5	4.7	1.6	92.0	8.7

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2007: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	1,014,672	17,818	1,262	8,317	2,039	1,827	415	293	191	6638
ANDERSON	3,201	43	2	22	2	9	1	-	-	12
BEDFORD	3,593	64	4	45	16	4	2	1	-	13
BENTON	353	5	2	6	3	-	-	-	-	-
BLED SOE	504	-	-	2	-	-	2	-	-	-
BLOUNT	3,476	45	4	33	11	4	1	2	1	16
BRADLEY	4,064	53	4	27	10	2	-	2	1	8
CAMPBELL	144	-	-	1	-	1	-	-	-	1
CANNON	193	1	-	3	1	-	-	-	-	2
CARROLL	3,025	28	4	37	13	9	2	-	-	12
CARTER	667	6	1	3	1	2	-	-	-	1
CHEATHAM	556	3	-	4	1	-	-	-	-	1
CHESTER	1,571	24	5	10	4	3	-	-	-	3
CLAIBORNE	235	3	-	4	1	3	-	-	-	-
CLAY	129	-	-	3	1	-	-	-	-	-
COCKE	761	4	1	8	3	2	-	-	-	-
COFFEE	1,989	16	-	13	4	2	-	-	-	3
CROCKETT	1,995	27	3	32	8	8	2	-	-	9
CUMBERLAND	76	-	-	2	1	-	-	-	-	-
DAVIDSON	160,708	3,012	179	1,202	267	263	69	32	20	1233
DECATUR	420	2	1	5	2	1	-	-	-	1
DEKALB	274	3	1	5	2	-	-	-	-	-
DICKSON	2,212	13	-	17	7	3	1	-	-	6
DYER	5,283	99	9	47	7	12	-	4	4	15
FAYETTE	11,670	177	8	133	32	30	9	2	2	28
FENTRESS	15	*	-	-	-	-	-	-	-	-
FRANKLIN	2,356	23	2	22	2	9	1	-	-	3
GIBSON	9,638	158	9	111	25	21	6	5	3	26
GILES	3,498	37	4	40	13	9	4	1	-	11
GRAINGER	70	1	1	1	1	-	-	-	-	-
GREENE	1,493	8	-	12	4	4	-	-	-	2
GRUNDY	19	-	-	*	-	-	-	-	-	-
HAMBLEN	2,681	37	1	21	3	4	2	-	-	5
HAMILTON	64,715	1,124	86	617	180	127	24	19	9	98
HANCOCK	42	-	-	-	-	-	-	-	-	-
HARDEMAN	12,249	153	11	87	27	11	3	-	-	52
HARDIN	957	5	-	10	4	2	-	-	-	3
HAWKINS	873	10	1	8	3	-	1	-	-	1
HAYWOOD	10,065	165	13	106	32	21	6	6	3	38
HENDERSON	2,146	29	-	21	3	5	1	-	-	3
HENRY	2,846	43	6	32	11	9	1	-	-	11
HICKMAN	1,047	3	-	7	-	2	1	1	1	1
HOUSTON	298	1	-	7	1	1	-	-	-	2
HUMPHREYS	579	6	1	4	-	1	-	-	-	2
JACKSON	19	-	-	-	-	-	-	-	-	-
JEFFERSON	1,109	8	1	7	1	1	-	-	-	5
JOHNSON	431	-	-	1	-	-	-	-	-	-
KNOX	36,814	563	44	323	75	75	15	7	3	190

NUMBER OF RESIDENT VITAL EVENTS, TENNESSEE, 2007: BLACK

COUNTY	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
		-	-					-		
LAKE	2,456	16	2	22	5	5	1	-	-	1
LAUDERDALE	9,329	153	16	88	30	24	4	3	3	29
LAWRENCE	654	7	-	8	-	2	2	-	-	1
LEWIS	187	2	-	2	1	-	-	-	-	-
LINCOLN	2,410	47	5	41	9	8	1	1	-	7
LOUDON	509	3	-	9	4	-	-	-	-	3
MCMINN	2,434	27	-	23	5	7	1	-	-	8
MCNAIRY	1,630	17	2	16	5	6	-	-	-	4
MACON	50	-	-	-	-	-	-	-	-	-
MADISON	32,100	617	49	261	63	47	8	12	8	153
MARION	1,179	11	1	16	3	4	-	-	-	2
MARSHALL	2,237	21	-	21	6	1	1	-	-	7
MAURY	11,062	159	13	105	16	23	3	7	5	54
MEIGS	140	-	-	1	-	1	-	-	-	-
MONROE	964	15	1	8	1	1	2	1	-	2
MONTGOMERY	29,755	609	21	171	39	30	7	12	7	161
MOORE	152	1	-	2	-	-	1	-	-	-
MORGAN	495	-	-	-	-	-	-	-	-	-
OBION	3,287	54	1	32	4	9	-	-	-	6
OVERTON	65	-	-	-	-	-	-	-	-	-
PERRY	136	3	-	1	1	-	-	-	-	1
PICKETT	7	-	-	-	-	-	-	-	-	-
POLK	28	-	-	-	-	-	-	-	-	-
PUTNAM	1,324	17	2	7	2	2	-	-	-	6
RHEA	647	11	-	6	2	1	-	-	-	1
ROANE	1,493	12	-	26	10	1	4	1	1	4
ROBERTSON	4,970	72	6	76	26	18	1	4	3	19
RUTHERFORD	22,536	517	18	146	40	36	5	5	4	174
SCOTT	27	-	-	-	-	-	-	-	-	-
SEQUATCHIE	24	-	-	-	-	-	-	-	-	-
SEVIER	463	8	2	6	1	1	-	1	1	2
SHELBY	471,243	8,763	668	3,735	878	848	206	156	108	4,002
SMITH	489	6	-	4	-	1	-	-	-	1
STEWART	188	4	-	1	-	-	-	-	-	1
SULLIVAN	3,119	35	1	29	8	2	-	-	-	5
SUMNER	9,431	151	10	61	19	10	4	1	-	44
TIPTON	10,835	178	20	90	20	22	4	1	-	55
TROUSDALE	823	5	-	16	2	5	1	-	-	2
UNICOI	25	-	-	-	-	-	-	-	-	-
UNION	18	-	-	-	-	-	-	-	-	-
VAN BUREN	6	*	-	-	-	-	-	-	-	-
WARREN	1,300	14	1	11	3	4	1	-	-	5
WASHINGTON	4,735	64	4	44	14	7	1	4	4	11
WAYNE	1,243	2	-	1	-	-	-	-	-	-
WEAKLEY	2,505	15	1	16	3	5	-	1	-	7
WHITE	413	5	-	5	2	2	-	-	-	-
WILLIAMSON	7,914	93	4	55	16	18	2	-	-	23
WILSON	6,576	80	6	53	19	16	1	1	-	22

Other Terminations - Total number of fetal deaths and induced abortions.

A dash (-) indicates there were no events. Please note the appearance of an asterisk (*) indicates counts for state, region, and county totals by race are not presented if the population in each race group is less than 50.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2007: *BLACK*

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	17.6	77.0	18.4	14.6	8.2	16.4	10.7	372.5	24.5
ANDERSON	13.4	70.1	9.2	27.9	6.9	-	-	279.1	22.9
BEDFORD	17.8	85.6	17.8	7.8	12.5	15.6	-	203.1	17.8
BENTON	14.2	*	*	*	17.0	*	*	*	*
BLED SOE	-	*	*	*	4.0	*	*	-	*
BLOUNT	12.9	63.8	18.2	11.1	9.5	44.4	22.2	355.6	22.7
BRADLEY	13.0	61.6	16.4	7.5	6.6	37.7	18.9	150.9	16.4
CAMPBELL	-	*	*	*	6.9	*	*	*	*
CANNON	5.2	*	*	*	15.5	*	*	*	*
CARROLL	9.3	47.0	21.3	21.4	12.2	-	-	428.6	21.3
CARTER	9.0	51.7	*	*	4.5	*	*	*	*
CHEATHAM	5.4	*	*	*	7.2	*	*	*	*
CHESTER	15.3	67.2	49.5	4.2	6.4	-	-	125.0	49.5
CLAIBORNE	12.8	*	*	*	17.0	*	*	-	*
CLAY	-	*	*	*	23.3	*	*	-	*
COCKE	5.3	30.1	*	*	10.5	*	*	-	*
COFFEE	8.0	38.1	-	12.5	6.5	-	-	187.5	6.9
CROCKETT	13.5	67.8	26.8	3.7	16.0	-	-	333.3	35.7
CUMBERLAND	*	*	*	*	*	*	*	-	*
DAVIDSON	18.7	80.1	17.8	13.7	7.5	10.6	6.6	409.4	22.9
DECATUR	4.8	*	*	*	11.9	*	*	*	*
DEKALE	10.9	*	*	*	18.2	*	*	-	*
DICKSON	5.9	29.0	-	7.7	7.7	-	-	461.5	12.6
DYER	18.7	79.1	22.2	12.1	8.9	40.4	40.4	151.5	22.2
FAYETTE	15.2	63.3	10.7	13.6	11.4	11.3	11.3	158.2	16.0
FENTRESS	*	*	*	*	*	*	*	-	*
FRANKLIN	9.8	47.7	14.5	13.0	9.3	-	-	130.4	21.7
GIBSON	16.4	72.8	14.2	17.7	11.5	31.6	19.0	164.6	15.8
GILES	10.6	55.4	18.3	18.9	11.4	27.0	-	297.3	18.3
GRAINGER	*	*	*	*	*	*	*	-	*
GREENE	5.4	26.6	-	*	8.0	*	*	*	-
GRUNDY	*	*	*	*	*	*	*	-	*
HAMBLETON	13.8	69.8	5.3	13.5	7.8	-	-	135.1	10.6
HAMILTON	17.4	77.9	20.1	18.6	9.5	16.9	8.0	87.2	22.3
HANCOCK	*	*	*	*	*	*	*	-	*
HARDEMAN	12.5	62.5	15.0	11.1	7.1	-	-	339.9	20.4
HARDIN	5.2	24.4	*	*	10.4	*	*	*	*
HAWKINS	11.5	62.5	*	10.0	9.2	-	-	100.0	*
HAYWOOD	16.4	73.3	19.1	17.0	10.5	36.4	18.2	230.3	20.5
HENDERSON	13.5	68.1	-	6.9	9.8	-	-	103.4	-
HENRY	15.1	76.9	29.9	11.6	11.2	-	-	255.8	44.8
HICKMAN	2.9	*	*	*	6.7	*	*	*	*
HOUSTON	3.4	*	*	*	23.5	*	*	-	*
HUMPHREYS	10.4	50.4	*	*	6.9	*	*	*	*
JACKSON	*	*	*	*	*	*	*	-	*
JEFFERSON	7.2	39.2	*	*	6.3	*	*	*	*
JOHNSON	-	*	*	*	2.3	*	*	-	*
KNOX	15.3	67.4	18.3	13.3	8.8	12.4	5.3	337.5	25.0

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, TENNESSEE, 2007: BLACK

COUNTY	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
LAKE	6.5	60.4	*	6.3	9.0	-	-	62.5	*
LAUDERDALE	16.4	86.8	29.7	16.3	9.4	19.6	19.6	189.5	33.4
LAWRENCE	10.7	60.9	*	*	12.2	*	*	*	*
LEWIS	10.7	*	*	*	10.7	*	*	-	*
LINCOLN	19.5	88.5	31.4	8.5	17.0	21.3	-	148.9	31.4
LOUDON	5.9	*	*	*	17.7	*	*	*	*
MCMINN	11.1	53.9	-	11.1	9.4	-	-	296.3	11.6
MCNAIRY	10.4	50.3	16.7	5.9	9.8	-	-	235.3	16.7
MACON	*	*	*	*	*	*	*	-	*
MADISON	19.2	81.6	22.7	16.4	8.1	19.4	13.0	248.0	27.8
MARION	9.3	45.6	*	-	13.6	-	-	181.8	*
MARSHALL	9.4	46.3	-	23.8	9.4	-	-	333.3	13.2
MAURY	14.4	64.7	17.0	20.1	9.5	44.0	31.4	339.6	23.5
MEIGS	-	*	*	*	7.1	*	*	-	*
MONROE	15.6	78.5	*	13.3	8.3	66.7	-	133.3	*
MONTGOMERY	20.5	85.6	9.6	13.3	5.7	19.7	11.5	264.4	12.7
MOORE	6.6	*	*	*	13.2	*	*	-	*
MORGAN	-	*	*	*	-	*	*	-	*
OBION	16.4	76.6	4.5	11.1	9.7	-	-	111.1	4.5
OVERTON	*	*	*	*	*	*	*	-	*
PERRY	22.1	*	*	*	7.4	*	*	*	*
PICKETT	*	*	*	*	*	*	*	-	*
POLK	*	*	*	*	*	*	*	-	*
PUTNAM	12.8	72.6	*	17.6	5.3	-	-	352.9	*
RHEA	17.0	85.9	*	18.2	9.3	-	-	90.9	*
ROANE	8.0	40.3	-	41.7	17.4	83.3	83.3	333.3	9.2
ROBERTSON	14.5	67.8	16.9	9.7	15.3	55.6	41.7	263.9	16.9
RUTHERFORD	22.9	83.7	13.5	12.4	6.5	9.7	7.7	336.6	20.3
SCOTT	*	*	*	*	*	*	*	-	*
SEQUATCHIE	*	*	*	*	*	*	*	-	*
SEVIER	17.3	*	*	*	13.0	*	*	*	*
SHELBY	18.6	80.2	19.9	14.6	7.9	17.8	12.3	456.7	27.9
SMITH	12.3	*	*	*	8.2	*	*	*	*
STEWART	21.3	*	*	*	5.3	*	*	*	*
SULLIVAN	11.2	61.4	5.3	14.3	9.3	-	-	142.9	5.3
SUMNER	16.0	65.4	15.8	16.6	6.5	6.6	-	291.4	18.9
TIPTON	16.4	69.0	25.1	15.2	8.3	5.6	-	309.0	27.6
TROUSDALE	6.1	37.6	*	*	19.4	*	*	*	*
UNICOI	*	*	*	*	*	*	*	-	*
UNION	*	*	*	*	*	*	*	-	*
VAN BUREN	*	*	*	*	*	*	*	-	*
WARREN	10.8	53.6	*	14.3	8.5	-	-	357.1	*
WASHINGTON	13.5	61.3	16.6	17.2	9.3	62.5	62.5	171.9	16.6
WAYNE	1.6	*	*	*	0.8	*	*	-	*
WEAKLEY	6.0	21.0	7.6	6.7	6.4	66.7	-	466.7	7.6
WHITE	12.1	*	*	*	12.1	*	*	-	*
WILLIAMSON	11.8	53.9	8.2	11.8	6.9	-	-	247.3	12.2
WILSON	12.2	59.2	14.0	13.8	8.1	12.5	-	275.0	18.6

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Race is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2007: ALL RACES

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	6,090,043	86,661	3,524	56,800	14,202	13,112	3,206	718	448	14,789
NORTHEAST	340,595	3,818	160	3,776	1,014	870	177	27	20	262
EAST TENNESSEE	722,840	9,136	363	7,453	1,793	1,764	513	59	34	992
SOUTHEAST	315,666	3,933	163	3,237	727	761	225	38	19	310
UPPER CUMBERLAND	327,801	4,051	181	3,549	919	892	203	25	11	309
MID CUMBERLAND	1,001,602	15,666	419	6,979	1,747	1,696	399	76	46	2,137
SOUTH CENTRAL	374,875	5,241	214	3,770	956	851	229	49	25	556
NORTHWEST	251,894	3,097	144	3,236	920	691	175	34	18	324
SOUTHWEST	276,360	3,651	176	2,929	840	654	157	33	22	436
MEMPHIS/SHELBY	917,343	15,234	838	7,581	1,885	1,696	403	193	135	5,146
NASHVILLE/DAVIDSON	582,518	9,991	354	4,956	1,226	1,113	267	80	50	2,609
KNOXVILLE/KNOX	414,746	5,339	166	3,688	807	874	216	25	13	1,025
CHATTANOOGA/HAMILTON	313,761	4,332	178	3,030	753	664	124	42	28	355
JACKSON/MADISON	96,674	1,465	70	853	206	176	41	17	10	235
SULLIVAN	153,368	1,707	98	1,763	409	410	77	20	17	93

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2007: WHITE

REGION	POPULATION	BIRTHS		DEATHS				INFANT DEATHS		OTHER TERMINATIONS
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL	NEONATAL	
STATE	4,963,240	66,443	2,229	48,210	12,116	11,220	2,755	413	253	7,340
NORTHEAST	329,487	3,675	154	3,701	989	856	174	23	16	239
EAST TENNESSEE	700,225	8,754	343	7,286	1,749	1,730	502	54	31	899
SOUTHEAST	301,414	3,761	156	3,128	700	736	220	36	18	273
UPPER CUMBERLAND	320,687	3,942	176	3,501	907	878	202	25	11	280
MID CUMBERLAND	895,500	13,535	344	6,321	1,571	1,548	372	52	32	1,529
SOUTH CENTRAL	343,343	4,802	187	3,472	889	796	211	38	19	436
NORTHWEST	218,335	2,604	106	2,897	840	611	163	24	11	233
SOUTHWEST	213,387	2,708	100	2,359	680	529	129	20	14	212
MEMPHIS/SHELBY	420,384	5,895	160	3,779	999	837	180	34	25	923
NASHVILLE/DAVIDSON	396,606	6,565	171	3,703	950	840	194	45	29	1,142
KNOXVILLE/KNOX	368,900	4,617	122	3,344	730	790	199	17	10	775
CHATTANOOGA/HAMILTON	242,527	3,108	92	2,400	571	533	99	20	18	240
JACKSON/MADISON	63,520	824	21	589	142	128	33	5	2	74
SULLIVAN	148,925	1,653	97	1,730	399	408	77	20	17	85

NUMBER OF RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, 2007: BLACK

REGION	POPULATION	BIRTHS		DEATHS			INFANT DEATHS		OTHER TERMINATIONS	
	TOTAL	TOTAL (WOMEN ALL AGES)	ADOLESCENT (10-17 YEARS)	TOTAL	DISEASES OF HEART	CANCER	ACCIDENTS	TOTAL		NEONATAL
STATE	1,014,672	17,818	1,262	8,317	2,039	1,827	415	293	191	6,638
NORTHEAST	8,266	88	6	68	22	13	2	4	4	15
EAST TENNESSEE	15,646	179	13	146	38	27	10	5	3	50
SOUTHEAST	11,395	125	7	98	22	24	4	2	1	22
UPPER CUMBERLAND	4,360	48	4	40	12	9	1	-	-	14
MID CUMBERLAND	85,838	1,554	66	611	170	138	22	23	14	455
SOUTH CENTRAL	28,208	362	26	286	66	51	15	11	6	98
NORTHWEST	31,388	445	37	335	79	78	12	10	7	87
SOUTHWEST	60,872	903	76	566	159	125	27	12	8	216
MEMPHIS/SHELBY	471,243	8,763	668	3,735	878	848	206	156	108	4,002
NASHVILLE/DAVIDSON	160,708	3,012	179	1,202	267	263	69	32	20	1,233
KNOXVILLE/KNOX	36,814	563	44	323	75	75	15	7	3	190
CHATTANOOGA/HAMILTON	64,715	1,124	86	617	180	127	24	19	9	98
JACKSON/MADISON	32,100	617	49	261	63	47	8	12	8	153
SULLIVAN	3,119	35	1	29	8	2	-	-	-	5

Other Terminations - Total number of fetal deaths and induced abortions.
A dash (-) indicates there were no events.

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2007: **ALL RACES**

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	14.2	69.2	11.1	9.4	9.3	8.3	5.2	170.7	13.9
NORTHEAST	11.2	55.7	10.1	8.5	11.1	7.1	5.2	68.6	11.4
EAST TENNESSEE	12.6	63.9	10.0	9.2	10.3	6.5	3.7	108.6	11.9
SOUTHEAST	12.5	61.7	10.3	9.2	10.3	9.7	4.8	78.8	11.8
UPPER CUMBERLAND	12.4	62.6	11.0	8.7	10.8	6.2	2.7	76.3	12.5
MID CUMBERLAND	15.6	72.0	7.3	8.3	7.0	4.9	2.9	136.4	9.8
SOUTH CENTRAL	14.0	70.6	10.6	8.9	10.1	9.3	4.8	106.1	12.6
NORTHWEST	12.3	63.6	11.0	8.0	12.8	11.0	5.8	104.6	12.3
SOUTHWEST	13.2	66.0	11.7	9.3	10.6	9.0	6.0	119.4	13.3
MEMPHIS/SHELBY	16.6	78.4	15.4	11.1	8.3	12.7	8.9	337.8	21.1
NASHVILLE/DAVIDSON	17.2	80.8	14.1	9.3	8.5	8.0	5.0	261.1	18.3
KNOXVILLE/KNOX	12.9	60.7	8.5	8.8	8.9	4.7	2.4	192.0	11.1
CHATTANOOGA/HAMILTON	13.8	69.9	11.7	12.0	9.7	9.7	6.5	81.9	13.2
JACKSON/MADISON	15.2	71.6	13.7	10.9	8.8	11.6	6.8	160.4	16.9
SULLIVAN	11.1	60.1	13.2	9.8	11.5	11.7	10.0	54.5	13.7

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2007: **WHITE**

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT (10-17) RATE	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	13.4	66.9	9.2	8.1	9.7	6.2	3.8	110.5	10.9
NORTHEAST	11.2	55.5	10.1	8.2	11.2	6.3	4.4	65.0	11.5
EAST TENNESSEE	12.5	63.3	9.8	9.1	10.4	6.2	3.5	102.7	11.6
SOUTHEAST	12.5	61.9	10.5	9.3	10.4	9.6	4.8	72.6	11.9
UPPER CUMBERLAND	12.3	62.3	11.0	8.7	10.9	6.3	2.8	71.0	12.4
MID CUMBERLAND	15.1	70.6	6.9	7.7	7.1	3.8	2.4	113.0	8.9
SOUTH CENTRAL	14.0	70.7	10.3	8.3	10.1	7.9	4.0	90.8	12.0
NORTHWEST	11.9	63.0	9.7	7.0	13.3	9.2	4.2	89.5	10.6
SOUTHWEST	12.7	65.0	9.1	7.7	11.1	7.4	5.2	78.3	10.0
MEMPHIS/SHELBY	14.0	74.8	8.1	6.2	9.0	5.8	4.2	156.6	10.3
NASHVILLE/DAVIDSON	16.6	82.1	12.2	7.3	9.3	6.9	4.4	174.0	15.3
KNOXVILLE/KNOX	12.5	59.9	7.3	8.3	9.1	3.7	2.2	167.9	9.2
CHATTANOOGA/HAMILTON	12.8	67.5	8.6	9.7	9.9	6.4	5.8	77.2	9.9
JACKSON/MADISON	13.0	65.2	7.3	6.8	9.3	6.1	2.4	89.8	9.1
SULLIVAN	11.1	60.1	13.5	9.8	11.6	12.1	10.3	51.4	14.1

RATES, RATIOS, AND PROPORTIONS FOR RESIDENT VITAL EVENTS, HEALTH DEPARTMENT REGIONS, TENNESSEE, 2007: BLACK

REGION	BIRTHS				DEATHS	INFANT DEATHS		OTHER TERMINATIONS	ADOLESCENT PREGNANCIES
	TOTAL CRUDE RATE	GENERAL FERTILITY RATE (15-44)	ADOLESCENT RATE (10-17)	PERCENT LOW BIRTH WEIGHT	TOTAL CRUDE RATE	TOTAL RATE	NEONATAL RATE	TOTAL RATIO	RATE (10-17 YEARS)
STATE	17.6	77.0	18.4	14.6	8.2	16.4	10.7	372.5	24.5
NORTHEAST	10.6	53.3	13.5	15.9	8.2	45.5	45.5	170.5	13.5
EAST TENNESSEE	11.4	60.7	12.4	17.9	9.3	27.9	16.8	279.3	19.0
SOUTHEAST	11.0	55.2	9.7	9.6	8.6	16.0	8.0	176.0	13.8
UPPER CUMBERLAND	11.0	62.1	14.4	14.6	9.2	-	-	291.7	14.4
MID CUMBERLAND	18.1	75.4	11.5	13.0	7.1	14.8	9.0	292.8	15.7
SOUTH CENTRAL	12.8	64.8	14.6	16.0	10.1	30.4	16.6	270.7	19.1
NORTHWEST	14.2	66.1	18.4	13.9	10.7	22.5	15.7	195.5	20.9
SOUTHWEST	14.8	68.2	19.2	14.0	9.3	13.3	8.9	239.2	22.8
MEMPHIS/SHELBY	18.6	80.2	19.9	14.6	7.9	17.8	12.3	456.7	27.9
NASHVILLE/DAVIDSON	18.7	80.1	17.8	13.7	7.5	10.6	6.6	409.4	22.9
KNOXVILLE/KNOX	15.3	67.4	18.3	13.3	8.8	12.4	5.3	337.5	25.0
CHATTAHOOGA/HAMILTON	17.4	77.9	20.1	18.6	9.5	16.9	8.0	87.2	22.3
JACKSON/MADISON	19.2	81.6	22.7	16.4	8.1	19.4	13.0	248.0	27.8
SULLIVAN	11.2	61.4	5.3	14.3	9.3	-	-	142.9	5.3

Rates for live births and total deaths are per 1,000 population. The general fertility rate is births per 1,000 females aged 15-44 years. The adolescent birth rate is births per 1,000 females aged 10-17 years. The infant death rates and other termination ratios are the number of events per 1,000 live births. Adolescent pregnancy rates are the sum of live births, reportable fetal deaths and induced abortions to adolescents aged 10-17 years per 1,000 female population in that age group. Rate is based on the mother's race for births and other termination data. Please note the appearance of an asterisk (*) indicates rates and percents based on births are not calculated when the number of births is less than 10, or rates based on population are not calculated when the population in the denominator is less than 100.



COUNTIES BY HEALTH DEPARTMENT REGIONS

EAST TENNESSEE

ANDERSON
BLOUNT
CAMPBELL
CLAIBORNE
COCKE
GRAINGER
HAMBLEN
JEFFERSON
LOUDON
MONROE
MORGAN
ROANE
SCOTT
SEVIER
UNION

SOUTHEAST

BLEDSON
BRADLEY
FRANKLIN
GRUNDY
MCMINN
MARION
MEIGS
POLK
RHEA
SEQUATCHIE

SULLIVAN

SULLIVAN

NORTHEAST

CARTER
GREENE
HANCOCK
HAWKINS
JOHNSON
UNICOI
WASHINGTON

SOUTHWEST

CHESTER
DECATUR
FAYETTE
HARDEMAN
HARDIN
HAYWOOD
HENDERSON
LAUDERDALE
MCNAIRY
TIPTON

NORTHWEST

BENTON
CARROLL
CROCKETT
DYER
GIBSON
HENRY
LAKE
OBION
WEAKLEY

MID-CUMBERLAND

CHEATHAM
DICKSON
HOUSTON
HUMPHREYS
MONTGOMERY
ROBERTSON
RUTHERFORD
STEWART
SUMNER
TROUSDALE
WILLIAMSON
WILSON

SOUTH CENTRAL

BEDFORD
COFFEE
GILES
HICKMAN
LAWRENCE
LEWIS
LINCOLN
MARSHALL
MAURY
MOORE
PERRY
WAYNE

NASHVILLE/DAVIDSON

DAVIDSON

UPPER CUMBERLAND

CANNON
CLAY
CUMBERLAND
DEKALB
FENTRESS
JACKSON
MACON
OVERTON
PICKETT
PUTNAM
SMITH
VAN BUREN
WARREN
WHITE

MEMPHIS/SHELBY

SHELBY

JACKSON/MADISON

MADISON

KNOXVILLE/KNOX

KNOX

CHATTANOOGA/ HAMILTON

HAMILTON